

HEMIKALIJE

(p.a./Ph.Eur./UV/IR/HPLC)

NAZIV	KAT.BROJ	PAKOVANJE	CAS BR.
A			
ACETALDEHID puris (Acetic aldehyd, Ethanal) C ₂ H ₄ O Mr 44,05	2.15A656F 2.15A656H RP.15A656I	100 mL 500 mL 1000 mL	75-07-0
ACETAMID (MB) (Acetamide) C ₂ H ₅ NO Mr 59,07 *Za molekularnu biologiju	RH.MB051F	100g	60-35-5
ACETAMID p.a. * (Acetic Acid Amide) C ₂ H ₅ NO Mr 59,07	2.AK001E 2.AK001F 2.AK001G 85.GRM1780H	50g 100 g 250 g 500 g	60-35-5
ACETANILID p.a. (N-Fenilacetamid), C ₈ H ₉ NO Mr 135,17	85.GRM1865G 85.GRM1865H	250g 500g	103-84-4
ACETILACETON p.a. (2,4-Pentadion), C ₅ H ₈ O ₂ Mr 100,12	85.RM3144G	250 mL	123-54-6
ACETILHLORID purum C ₂ H ₃ ClO Mr 78,50	R.01000F R.01000I	100 mL 1000 mL	75-36-5
N-ACETIL-L-CISTEIN ≥98% za biohemiju (Acetylcysteinum), C ₅ H ₉ NO ₃ S Mr 163,20	RR.4126.1 161.0021F 161.0021G	25g 100g 250g	616-91-1
ACETILSALICILNA KISELINA Ph. Eur.8.0 (Aspirin; Acidum acetylsalicylicum) C ₉ H ₈ O ₄ Mr 180,15	2.AF15861E 2.AF15861F 2.AF15861G 161.15861H 161.15861I 161.15861	50 g 100 g 250 g 500g 1000 g 25kg	50-78-2
ACETOFENON 98% p.a. (Metil Fenil Keton), C ₈ H ₈ O Mr 120,15	2.RM3107H	500 mL	98-86-2
ACETOFENON 98% Ph.Eur. (Metil Fenil Keton), C ₈ H ₈ O Mr 120,15	85.RM3107H R.164333I R.164333J	500 mL 1000 mL 2,5 L	98-86-2
ACETOFENON (F.C.C.) (Metil Fenil Keton), C ₈ H ₈ O Mr 120,15	2.204333I 2.204333K 2.204333I	1 L 5 L 25 L	98-86-2
ACETON p.a. (Acetonum) C ₃ H ₆ O Mr 58,08 PREKUR.	2.ADK001G 2.ADK001I R.994907	250 mL 1000 mL 5L	67-64-1
ACETON p.a. (Acetonum) C ₃ H ₆ O Mr 58,08 PREKUR.	R.131007I R.131007J	1000 mL 2,5 L	67-64-1
ACETON Ph.Eur.8.0. (Acetonum) C ₃ H ₆ O Mr 58,08 PREKUR.	2.ADK010E 2.ADK010F 2.ADK010I 2.ADK010K 2.ADK010L INT.ADK010	50 mL 100 mL 1000 mL 5 L 10 L 200 L	67-64-1
ACETON Ph.Eur.8.0. (Acetonum) C ₃ H ₆ O Mr 58,08 PREKUR.	R.141007I R.141007J	1000 mL 2,5 L	67-64-1
ACETON za HPLC (Acetonum) C ₃ H ₆ O Mr 58,08 PREKUR.	R.7328.2I R.7328.2J	1000 mL 2,5 L	67-64-1
ACETON ≥99,9% UV/IR-grade za hromatografiju i spektrofotometriju (Acetonum) C ₃ H ₆ O Mr 58,08 PREKUR.	R.361007J	2,5L	67-64-1
ACETON ≥99,9% Pestilyse® (Acetonum) C ₃ H ₆ O Mr 58,08 PREKUR.	R.T161.1J	2,5 L	67-64-1
ACETONITRIL p.a. (Metil cijanid) CH ₃ CN Mr 41,05	R.131881I R.131881J R.131881K	1000 mL 2,5 L 5 L	75-05-8
ACETONITRIL 99,7% Ph.Eur. (Metil cijanid) CH ₃ CN Mr 41,05	R.161881I R.161881J	1000 mL 2,5 L	75-05-8
ACETONITRIL ≥99,9% HPLC gradient grade PAI-ACS (Metil cijanid), CH ₃ CN Mr 41,05	R.221881I R.221881J	1000 mL 2,5 L	75-05-8
ACETONITRIL ≥99,9% HPLC preparative PAI (Metil cijanid), CH ₃ CN Mr 41,05	R.261881K	5 L	75-05-8

ACETONITRIL UV/IR- HPLC isocratic PAI-ACS (Metil cijanid), CH ₃ CN Mr 41,05	R.361881J	2,5 L	75-05-8
ACES (N-(acetamido)-2-aminoethanesulfonic acid) (MB) *Za molekularnu biologiju C ₈ H ₁₀ N ₂ O ₄ S Mr 182,20	RH.MB001B RH.MB001D RH.MB001F	5g 25g 100g	7365-82-4
ADENOZIN extra pure C ₁₀ H ₁₃ N ₅ O ₄ Mr 267,25	85.RM436B 85.RM436D 85.RM436F	5g 25g 100g	58-61-7
ADENOZIN extra pure C ₁₀ H ₁₃ N ₅ O ₄ Mr 267,25	161.0123B 161.0123D	5 g 25 g	58-61-7
ADENOZIN-5-TRIFOSFAT DINATRIJUMOVA SO ≥ 98% za biohemiju C ₁₀ H ₁₄ N ₅ Na ₂ O ₁₃ P ₃ Mr 551,10	R.HN35.1B R.HN35.2C R.HN35.3D R.HN35.4F	5 g 10 g 25 g 100 g	987-65-5
ADIPINSKA KISELINA puris C ₆ H ₁₀ O ₄ Mr 146,14	2.RM432E 2.RM432F 2.RM432G 85.RM432H	50 g 100 g 250 g 500 g	124-04-9
ADONITOL 99% p.a. * (Ribitol; Adonitol), C ₅ H ₁₂ O ₅ Mr 152,15	85.RM096B 85.RM096C	5 g 10 g	488-81-3
ADP –dinatrijum so (MB) (ADP-disodium salt) C ₁₀ H ₁₃ N ₅ Na ₂ O ₁₀ P ₂ X 2H ₂ O Mr 507,20 *Za molekularnu biologiju	RH.MB191B RH.MB191C	5g 10g	77228-71-8
AGAR AGAR, PUDER E 406 aditiv (Agar Agar, Powder) C ₁₄ H ₂₄ O ₉ Mr 336,33	2.FCF0124F 85.GRM026F 2.FCF0124G 85.GRM026H 161.0124I 161.0124.2	100g 100g 250g 500g 1000g 5kg	9002-18-0
AGAR AGAR, PUDER (MB) (Agar Agar, Powder) C ₁₄ H ₂₄ O ₉ Mr 336,33 *Za molekularnu biologiju	RH.MB053F RH.MB053H	100g 500g	
AGAROZA (Agarose) (MB) *Za molekularnu biologiju (za elektorforezu)	RH.MB094F RH.MB094H	100g 500g	9012-36-6
AGAROZA (Agarose, low melting) (MB) *Za molekularnu biologiju (za slabo topljenje)	RH.MB080C RH.MB080F	10g 100g	9012-36-6
AGAROZA specijalna, jaka EEO (Agarose special,High EEO) (MB) *Za molekularnu biologiju	RH.MB176F RH.MB176H	100g 500g	9012-36-6
AGAROZA specijalna, srednja EEO (Agarose special, Medium EEO) (MB) *Za molekularnu biologiju	RH.MB175F	100g	9012-36-6
AGAROZA specijalna, slaba EEO (Agarose special, Low EEO) (MB) *Za molekularnu biologiju	RH.MB002F RH.MB002H	100g 500g	9012-36-6
AGAROZA Ultrapure, slaba EEO (Agarose Ultrapure,Low EEO) (MB) *Za molekularnu biologiju	RH.MB229F RH.MB229H	100g 500g	9012-36-6
AKRIDIN ORANŽ Ind. * (Orange 14) W-1B-307 C ₁₇ H ₂₀ ClN ₃ HCl x 0,5 ZnCl ₂ Mr 369,96	2.AD003B 2.AD003C 2.AD003D	5 g 10 g 25 g	10127-02-3
AKRIDIN ORANŽ (MB) *Za molekularnu biologiju C ₁₇ H ₂₀ ClN ₃ HCl x 0,5 ZnCl ₂ Mr 369,96	RH.MB116C RH.MB116D	10g 25g	10127-02-3
AKRIFLAVN,neutralni (MB) (Acriflavine, neutral) C ₁₄ H ₁₄ ClN ₃ Mr 259,73 *Za molekularnu biologiju	RH.MB217F	100g	8048-52-0
AKRILAMID purum (2-Propene amide), C ₃ H ₅ NO Mr 71,08	85.RM1110G 85.RM1110H	250 g 500 g	79-06-1
AKRILAMID ≥99,9% p.a. Za gel elektroforezu (2-Propene amide), C ₃ H ₅ NO Mr 71,08	85.GRM305D R.7906.1F 85.GRM305H R.7906.2I	25g 100g 500g 1000g	79-06-1
AKRILAMID (MB) (2-Propene amide) C ₃ H ₅ NO Mr 71,08 *Za molekularnu biologiju	RH.MB068D RH.MB068F RH.MB068H	25g 100g 500g	79-06-1
bis-AKRILAMID (MB)	RH.MB005D	25g	110-26-9

N,N'-methylene bisacrylamide C ₇ H ₁₀ N ₂ O ₂ Mr 154,17 *Za molekularnu biologiju	RH.MB005F RH.MB005G	100g 250g	
AKROLEIN pur. 2-Propenal, C ₃ H ₄ O Mr 56,06	RS.0168I	1000 mL	107-02-8
AKTIDION (Cycloheximide), C ₁₅ H ₂₃ NO ₄ Mr 281,36	RR.8682.1A RR.8682.3B RR.8682.4C	1 g 5 g 10 g	66-81-9
DL-ALANIN p.a. (DL-Amino propionska kiselina) C ₃ H ₇ NO ₂ Mr 89,10	2.AD007D 2.AD007E 2.AD007F	25 g 50 g 100 g	338-69-2
DL-ALANIN (F.C.C.) (DL-Amino propionska kiselina) C ₃ H ₇ NO ₂ Mr 89,10	85.GRM035D 85.GRM035F 85.GRM035H	25g 100g 500g	302-72-7
L-ALANIN Ph Eur, USP Alanine C ₃ H ₇ NO ₂ Mr 89,09	85.GRM036D 2.AF0137F 2.AF0137G 85.GRM036H 161.0137.2 161.0137.3	25g 100g 250g 500g 5 kg 25 kg	56-41-7
ALANTOIN Ph. Eur. (Allantoinum, 5-Ureidohydantoin C ₄ H ₆ N ₄ O ₃ Mr 158,12 Aktivna komponenta za šampone, losione, kreme mlijeka i sl.	2.AK004D 2.AK004F 161.0166G 161.0166I 161.0166K	25 g 100 g 250g 1 kg 5kg	97-59-6
ALBUMIN frakcija V ☑ 98 % ,prah (Bovine albumin,BSA) (Albumin iz govedjeg seruma) Mr~66000 g/mol	2.AD009B 2.AD009D 2.AD009E 2.AD009F 2.AD009H RR.8076.2	5 g 25 g 50 g 100 g 500 g 1000 g	90604-29-8
ALCIAN BLUE 8GX Ind. CI 7424061 (Ingrain Blue 1)	2.AD010B 2.AD010D	5 g 25 g	33864-99-2
ALCIAN BLUE 8GX Ind. CI 7424061 (MB) (Ingrain Blue 1) *Za molekularnu biologiju	RH.MB185D	25g	33864-99-2
ALCIAN BLUE 8GS Ind. CI 74240 (Alcian Blue 8 GX, Ingrain Blue 1)	R.3082.2B R.3082.1C R.3082.3D I903.D01E	5 g 10 g 25 g 50g	33864-99-2
ALCIAN BLUE (C.I. 74240)	RDC.100330E	25g	33864-99-2
ALGIN Ph.Eur. iz smeđe alge (Alginic acid from brown algae) C ₆ H ₈ O ₆ Mr 176,10 g/mol	2.AF0038F 161.0038G 161.0038H 85.RM1321H 161.0038I 161.0038K	100 g 250 g 500 g 500 g 1000 g 5kg	9005-32-7
ALIZARIN ind. CI 58000 C ₁₄ H ₈ O ₄ Mr 240,22	2.AD011D 2.AD011E	25 g 50 g	72-48-0
ALIZARIN ind. CI 58000 C ₁₄ H ₈ O ₄ Mr 240,22	R.121094D	25 g	72-48-0
ALIZARIN S C ₁₄ H ₆ Na ₂ O ₇ S Mr 364,24	2.AD013D 2.AD013E	25 g 50 g	130-22-3
ALIZARIN CRVENI S Ind. * CI 58005 (Alizarin Carmine), C ₁₄ H ₇ NaO ₇ S Mr 342,26	2.AD050D	25 g	130-22-3
ALIZARIN CRVENI S Ind. CI 58005 (Alizarin Carmine), C ₁₄ H ₇ NaO ₇ SxH ₂ O Mr 360,40	R.0348.1C R.0348.2D	10 g 25 g	130-22-3
ALIZARIN PLAVO Ind. CI 16680 (Mordant blue 13) C ₁₉ H ₉ ClN ₂ NaO ₉ S ₂ Mr 518,81	85.RM4005B 85.RM4005C	5 g 10 g	1058-92-0
ALIZARIN ŽUTI R Ind. CI 14030 (Mordant orange 1), C ₁₃ H ₉ N ₃ O ₅ Mr 287,23	2.AD012D	25 g	2243-76-7
ALIZARIN ŽUTI R Ind. CI 14030 (Mordant orange 1), C ₁₃ H ₈ N ₃ O ₅ Mr 287,23	R.121106C	10 g	2243-76-7
ALIZARIN ŽUTI GG Ind. CI 14025 (Mordant yellow 1) C ₁₃ H ₈ N ₃ NaO ₅ Mr 309,21	R.121105C 85.RM896D	10 g 25g	584-42-9
ALKALI PLAVO 6B, CI.42765 *** (Acid blue 119 i 110) C ₃₇ H ₃₀ N ₃ NaO ₄ S Mr 635,72	2.AD014B	5 g	1324-76-1

ALKALI PLAVO otopina, za ispitivanje maziva-neutral.i sapon.broj	2.AD045F 2.AD045I	100 mL 1000 mL	1324-76-1
ALUMINIJ 99,5% granule 5-12mm Al Mr 26,98	2.5280.2E 2.5280.2F 2.5280.2G	50 g 100 g 250 g	7429-90-5
ALUMINIJ ≥99,5% prah ≤160mm Al Mr 26,98	2.5285.1F 2.5285.2G	100g 250g	7429-90-5
RM745			
ALUMINIJ, strugotina Al Mr 26,98	2.11008F 2.11008H	100 g 500 g	7429-90-5
ALUMINIJ žica 0,25mm > 99,99% Al Mr 26,98	R.M4959	5 m	7429-90-5
ALUMINIJ ACETAT bazični p.a. (Aluminij hidroksid acetat) C ₄ H ₇ AlO ₅ Mr 162,10	2.AK020F 2.AK020G 2.AK020H	100 g 250 g 500 g	139-12-8
ALUMINIJ FLUORID-3-HIDRAT p.a. AlF ₃ x 3H ₂ O Mr 138,00	85.RM3112F 85.RM3112H	100 g 500 g	7784-18-1
ALUMINIJ FOSFAT-1-HIDRAT p.a. AlPO ₄ x H ₂ O Mr 122,00	R.04332G R.04332H	250 g 500 g	7784-30-7
ALUMINIJ HIDROHLORID Ph.Eur.7.0. (Aluminium hydroxychloride) Al ₂ ClO ₅ H ₅ Mr 174.45 g/mol	2.0107G	250 g	21645-51-2
ALUMINIJ HIDROKSID p.a. Al(OH) ₃ Mr 78,00	2.141812E 2.141812F RH.GRM5598H	50g 100 g 500g	21645-51-2
ALUMINIJ HLORHIDRAT Ph.Eur.7.0. (Aluminium chlorohydrate) $Al_nCl_{(3n-m)}(OH)_m$	2.AF0171G 2.AF0171H 161.0171I 161.0171.2 161.0171.3	250 g 500 g 1000 g 5kg 25kg	12042-91-0
ALUMINIJ(III) HLORID anhidrovani p.a. AlCl ₃ Mr 133,34	2.AK021F 2.AK021G RR.CN86.1	100 g 250 g 500 g	7446-70-0
ALUMINIJ(III) HLORID-6-HIDRAT p.a. AlCl ₃ x 6H ₂ O Mr 241,43	2.AK008E 2.AK008F 2.AK008G 2.AK008H	50 g 100 g 250 g 500 g	7784-13-6
ALUMINIJ (III) HLORID-6-HIDRAT Ph.Eur.7.0. (Aluminum chloride hexahydrate) AlCl ₃ x 6H ₂ O Mr 241,43	2.AK0081E 2.AK0081F 2.AK0081G 2.AK0081H RR.CP88.3	50 g 100 g 250 g 500 g 2,5 kg	7784-13-6
ALUMINIJ KARBID pur. Al ₄ C ₃ Mr 143,96	2.11013D 2.11013E	25 g 50 g	1299-86-1
ALUMINIJ(III) NITRAT-9-HIDRAT p.a. * Al(NO ₃) ₃ x 9H ₂ O Mr 375,13	2.AK009E 2.AK009F 2.AK009G RH.GRM715H	50 g 100 g 250 g 500g	7784-27-2
ALUMINIJ(III) NITRAT-9-HIDRAT p.a. Al(NO ₃) ₃ x 9H ₂ O Mr 375,13	R.131099H R.131099I	500 g 1000 g	7784-27-2
ALUMINIJ OKSID p.a. * Al ₂ O ₃ Mr 101,96	2.RM4013D 2.RM4013E 2.RM4013F 2.RM4013G 2.RM4013H	25 g 50 g 100 g 250 g 500 g	1344-28-1
ALUMINIJ OKSID p.a. Al ₂ O ₃ Mr 101,96	R.121100H R.121100I	500 g 1000 g	1344-28-1
ALUMINIJ OKSID 90 Bazični za kolon hromat. Al ₂ O ₃ Mr 101,96 veličina zrna 0,063-0,2 mm	2.X908.2F 2.X908.2H 2.X908.2I	100 g 500 g 1000 g	1344-28-1
ALUMINIJ OKSID 90 Neutralni za kolon hromatog. Al ₂ O ₃ Mr 101,96 veličina zrna 0,063-0,2 mm	R.P092.1H	500 g	1344-28-1
ALUMINIJ OKSID, HIDRATIZIRAN Ph.Eur. Aluminium Oxide, Hydrated Al(OH) ₃ Mr 77,99	2.AF0174F 2.AF0174G 161.0174H 161.0174.2	100g 250g 500g 5 kg	21645-51-2

	161.0174.3	25 kg	
ALUMINIJ SILIKAT p.a. Al ₂ O ₃ x SiO ₂ Mr 162,00	R.211149F R.211149I	100 g 1000 g	1318-74-7
ALUMINIJ SULFAT HIDRAT cryst. Al ₂ O ₁₂ S ₃ X 13,5-15,0 H ₂ O Mr 342,14 + x H ₂ O g/mol	RH.GRM282H 161.0176I RR.3731.2	500g 1000 g 5000 g	172927-65-0
ALUMINIJ SULFAT-18-HIDRAT p.a. Al ₂ (SO ₄) ₃ x 18H ₂ O Mr 666,41	2.ADK016D 2.ADK016E 2.ADK016F 2.ADK016G 2.ADK016H 2.ADK016I	25 g 50 g 100 g 250 g 500 g 1000 g	7784-31-8
ALUMINIJ SULFAT-18-HIDRAT Ph.Eur.8.0. (Aluminium sulphate 18-hydrate) Al ₂ (SO ₄) ₃ x 18H ₂ O Mr 666,41	2.ADK0161F 2.ADK0161H RR.3731.2 RP.141101	100g 500g 5Kg 25Kg	7784-31-8
ALUMINON p.a. (Amonijeva so aurintrikarbonske kiseline) C ₂₂ H ₂₃ N ₃ O ₉ Mr 473,43	RH.RM283D RH.RM283F	25g 100g	569-58-4
N-ALILTIOUREA p.a. (N-Allylthiourea) (Thiosinamine) C ₄ H ₈ N ₂ S Mr 116,18	RH.RM1628D RH.RM1628F	25g 100g	109-57-9
AMARANTH O (boja roza) C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃ Mr 604,37	2.BDK095D RH.GRM285F	25 g 100 g	915-67-3
AMARANTH O (boja roza) (MB) C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃ Mr 604,37 *Za molekularnu biologiju	RH.MB173D RH.MB173F	25g 100g	915-67-3
AMBERLIT IRC-50 Vodikova forma, Slabo kisela smola sa karboksilne kiseline	R.RM2611F	100 g	9002-29-3
AMFOTERICIN –B C ₄₇ H ₇₃ NO ₁₇	R.CMS462	1 g	1397-89-3
AMIDO CRNO 10 B redox Indikator * (Acid Black 1), C ₂₂ H ₁₄ N ₆ Na ₂ O ₉ S ₂ Mr 616,50	2.ADO46D RH.GRM268F	25 g 100g	1064-48-8
AMIDO CRNO 10 B p.a. Indikator (MB) (Acid Black 1), C ₂₂ H ₁₄ N ₆ Na ₂ O ₉ S ₂ Mr 616,50 *Za molekularnu biologiju	RH.MB165D RH.MB165F	25 g 100g	1064-48-8
AMIKACIN SULFAT, (Amikacin disulphate so) C ₂₂ H ₄₃ N ₅ O ₁₃ x 2H ₂ SO ₄ Mr 781,80	85.RM644A	1 g	39831-55-5
izo-AMIL ACETAT 99% p.a. (3-Metil-1-Butil Acetat) C₇H₁₄O₂ Mr 130,19	2.121372I	1000 ML	123-92-2
izo-AMIL ACETAT 99% Ph.Eur. (3-Metil-1-Butil Acetat) C ₇ H ₁₄ O ₂ Mr 130,19	2.141372G 2.141372I	250 ML 1000 ml	123-92-2
izo-AMIL ALKOHOL p.a. (3-Methyl-1-Butanol), C ₅ H ₁₂ O Mr 88,15	2.ID003I RP.141079	1000 mL 25 L	123-51-0
izo-AMIL ALKOHOL p.a. (3-METIL-1-BUTANOL) C ₅ H ₁₂ O Mr 88,15	R.131079I R.131079J	1000 mL 2,5 L	123-51-3
izo-AMIL ALKOHOL po Gerberu (3-Methyl-1-Butanol) (Amil alcohol po Gerber-u) Za određivanje masnoće u mlijeku po Gerberu C ₅ H ₁₂ O Mr 88,15	2.121079I RP.121079	1000 mL 25 L	123-51-3
α-AMILAZA (Diastaza; 1,4-D-Glucan-glukanhydrolase)	RH.GRM638F	100g	9000-90-2
AMILORID HIDROHLORID (N-Amidino-3,5-diamino-6-chloropyrazinocarboxamide hydrochloride) C ₆ H ₈ ClN ₂ O x HCl Mr 266,10	85.RM3092A 85.RM3092B	1 g 5 g	2016-88-8
4-AMINOANTIPIRINE p.a. * (Ampyrone; 1-Pyren amin) 4-Amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one; C ₁₁ H ₁₃ N ₃ O Mr 203,25	2.ADK008D RH.GRM289F	25 g 100g	83-07-8
3-AMINO BENZALDEHID pur. C ₇ H ₇ NO Mr 121,10	85.RM4960D	25 g	29159-23-7
(m)-2-AMINO BENZOJEVA KISELINA p.a. C ₇ H ₇ NO ₂ Mr 137,14	85.RM782D 85.RM782F	25 g 100 g	99-05-8
4-AMINO-N,N-DIETILANILIN OKSALAT (N,N-Diethyl-p-phenylenediamie oxalate) C ₁₀ H ₁₆ N ₂ x C ₂ H ₂ O ₄ Mr 254,29	R.07665B R.07665D	5 g 25 g	142439-89-2
2-AMINOETANOL p.a.	2.161924I	1000 mL	141-43-5

(Etanolamin), C ₂ H ₇ NO Mr 61,08			
AMINOFENAZONUM Ph.Eur. (4-Dimetilamino-antipirin; Aminopirin;) C ₁₃ H ₁₇ N ₃ O Mr 231,3	RH.RM6426D	25 g	58-15-1
3-AMINOFENOL (3-Hydroxyaniline), C ₆ H ₇ NO Mr 109,13	85.RM293F 85.RM293H	100 g 500 g	591-27-5
4-AMINOFENOL Ph.Eur. (p-Aminofenol; 4-Hydroxyaniline; 4-Amino-1-Hydroxybenzene), C ₆ H ₇ NO Mr 109,13	R.15A475G R.15A475I	250g 1000g	123-30-8
AMINOFILIN-1-HIDRAT C ₁₄ H ₁₆ N ₈ O ₄ x C ₂ H ₈ N ₂ x H ₂ O Mr 420,43 x H ₂ O	85.RM1928D 85.RM1928F	25 g 100 g	317-34-0
2-AMINO-2 –METIL-1-PROPANOL p.a. (β-Amino-iso butilalkohol), C ₄ H ₁₁ NO ₂ Mr 89,14	2.AD035I	1000 mL	124-68-5
1-AMINO-2-NAFTOL-4-SULFONSKA KISELINA purum (4-Amino-3-hydroxy-1-naphthalenesulphonic acid) C ₁₉ H ₉ NO ₄ S Mr 239,30	85.RM291D	25 g	116-63-2
(3-AMINOPROPYL)TRIETHOXYSILANE min.98% C ₉ H ₂₃ NO ₃ Si Mr 221,40 1L=0,95kg	R.2328.2F	100 mL	919-30-2
AMOKSICILIN (Amoxicillin), C ₁₆ H ₁₉ N ₃ O ₅ S Mr 365,40	85.RM646A 85.RM646D	1 g 25 g	26787-78-0
AMONIJ ACETAT p.a. * (Acetic Acid Ammonium salt) C ₂ H ₇ NO ₂ Mr 77,08	2.AD295E 2.AD295F 2.AD295G 2.AD295H RH.GRM295H R.100890	50 g 100 g 250 g 500 g 500g 25 kg	631-61-8
AMONIJ ACETAT Ph.Eur. (Acetic Acid Ammonium salt) C ₂ H ₇ NO ₂ Mr 77,08	2.AD2951E 2.AD2951F 2.AD2951G RH.GRM1200H RR.T872.1 RDC.100891	50 g 100 g 250 g 500 g 1000g 25kg	631-61-8
AMONIJ ACETAT ≥98% Ph.Eur. C ₂ H ₇ NO ₂ Mr 77,08	1903.026I	1000g	631-61-8
AMONIJ ACETAT (MB) (Acetic Acid Ammonium salt) C ₂ H ₇ NO ₂ Mr 77,08 *Za molekularnu biologiju	RH.MB033F RH.MB033H	100g 500g	631-61-8
AMONIJ ALUMINIJ SULFAT-12-HIDRAT p.a. * (Ammoniakalaun) NH ₄ Al(SO ₄) ₂ x 12H ₂ O Mr 453,3	2.AD015E 2.AD015F 2.AD015G RH.GRM092H	50 g 100 g 250 g 500g	7784-26-1
AMONIJ BIZMUT CITRAT p.a. C ₂₄ H ₂₀ BiO ₂₈ x 6NH ₃ x 10H ₂ O Mr ~1875	85.RM079F	100 g	31886-41-6
AMONIJ BROMID p.a. (Ammonium bromide) NH ₄ Br Mr 97,95	R.131118I	1000 g	12124-97-9
AMONIJ BROMID extra pure NH ₄ Br Mr 97,95	2.RM1100F 2.RM1100G 2.RM1100H	100 g 250 g 500 g	12124-97-9
AMONIJ BROMID Ph.Eur. (Ammonium bromide) NH ₄ Br Mr 97,95	2.RM11001F 2.RM11001G 85.RM6595H	100 g 250 g 500 g	12124-97-9
tri-AMONIJ CITRAT p.a. * C ₆ H ₁₄ N ₂ O ₇ Mr 226,19	2.RM473F 2.RM473G 85.RM473H	100 g 250 g 500 g	3458-72-8
AMONIJ DIHIDROGEN FOSFAT p.a. * NH ₄ H ₂ PO ₄ Mr 115,03	2.RM3886E 2.RM3886F 85.RM3886H 85.RM3886I	50 g 100 g 500 g 1000 g	7722-76-1
AMONIJ DIHIDROGEN FOSFAT Ph.Eur. (Ammonium dihydrogen phosphate) NH ₄ H ₂ PO ₄ Mr 115,03	2.141126E RH.GRM1205H	50 g 500g	7722-76-1
AMONIJ DIHROMAT p.a. * (NH ₄) ₂ Cr ₂ O ₇ Mr 252,06	2.RM474D 2.RM474E 2.RM474F 2.RM474G 85.RM474H	25g 50g 100 g 250 g 500 g	7789-09-5

AMONIJ di-NATRIJ PENTACIJANOAMINO ŽELJEZO (II)-H₂O C ₅ H ₇ FeN ₇ Na ₂ x 2H ₂ O Mr 303,00	2.RM9255D	25 g	206658-96-0
AMONIJ FLUORID p.a. NH ₄ F Mr 37,04	2.RM1191G RH.GRM1191H	250 g 500g	12125-01-8
AMONIJ FLUORID p.a. NH ₄ F Mr 37,04	R.132351H R.132351I	500 g 1000 g	12125-01-8
AMONIJ FLUORID Ph.Eur. NH ₄ F Mr 37,04	R.142351H R.142351I	500 g 1000 g	12125-01-8
AMONIJ FORMIJAT p.a. HCO ₂ NH ₄ Mr 63,06	2.RM1336F 85.RM1336H	100 g 500g	540-69-2
AMONIJ FOSFAT MONOBASIC (MB) NH ₄ H ₂ PO ₄ Mr 115,03 *Za molekularnu biologiju	RH.MB193H	500g	7727-76-1
AMONIJ FOSFAT DIBASIC (MB) (NH ₄) ₂ H ₂ PO ₄ Mr 132,06 *Za molekularnu biologiju	RH.MB192H	500g	7783-28-0
di-AMONIJ HIDROGEN CITRAT p.a. (di-Ammonium hydrogen citrate) C ₆ H ₁₄ N ₂ O ₇ Mr226,49	11.P735.1	500g	3012-65-5
di-AMONIJ HIDROGEN CITRAT Ph.Eur. (di-Ammonium hydrogen citrate) C ₆ H ₁₄ N ₂ O ₇ Mr226,49	2.131120F 2.131120G RH.GRM6578H	100 g 250 g 500g	3012-65-5
di-AMONIJ HIDROGEN CITRAT (MB) (di-Ammonium hydrogen citrate) C ₆ H ₁₄ N ₂ O ₇ Mr226,49 *Za molekularnu biologiju	RH.MB184H	500g	3012-65-5
AMONIJ HIDROGEN di-FLUORID p.a. NH ₅ F ₂ Mr 57,04	85.RM3037H	500 g	1341-49-7
di-AMONIJ HIDROGEN FOSFAT p.a. * (di-Amonij fosfat) (NH ₄) ₂ HPO ₄ Mr 132,06	2.RM3888F 2.RM3888G RH.GRM1271H	100 g 250 g 500 g	7783-28-0
di-AMONIJ HIDROGEN FOSFAT Ph.Eur. (di-Amonij fosfat) (NH ₄) ₂ HPO ₄ Mr 132,06	RH.GRM1102H	500g	7783-28-0
AMONIJ HIDROGEN KARBONAT p.a. * Ammonii hydrogencarbonate (Bicarbonate) (NH ₄)HCO ₃ Mr 79,06	2.RM1201E 2.RM1201F 85.RM1201H	50 g 100 g 500 g	1066-33-7
AMONIJ HIDROGEN KARBONAT Ph.Eur. (Ammonii hydrogencarbonate (Bicarbonate)) (NH ₄)HCO ₃ Mr 79,06	2.141116F 2.141116G RH.GRM1021H RH.GRM1021K	100 g 250 g 500g 5kg	1066-33-7
AMONIJ HIDROGEN KARBONAT (BIKARBONAT) E503ii aditiv (Ammonium Bicarbonate) NH ₄ HCO ₃ Mr 79,06	2.FCF0215F 2.FCF0215G 161.0215I 161.0215K 161.0215.2	100g 250g 1000g 5 kg 25 kg	1066-33-7
AMONIJ HIDROKSID 25% p.a. NH ₃ aq Mr 17,03+aq	2.ADK006G 2.ADK006I RP.141129	250 mL 1000 mL 25 L	1336-21-6
AMONIJ HIDROKSID 25% Ph.Eur.8.0. (Ammonium hydroxide solution 25%) NH ₃ x aq Mr 17,03+aq	2.ADK0061F 2.ADK0061I RP.121129	100 mL 1000 mL 25 L	1336-21-6
AMONIJ HIDROKSID 25% tehnički NH ₃ x aq Mr 17,03+aq	2.ADK084K 2.ADK084L 2.OAM001	5 L 10 L 60 L	1336-21-6
AMONIJ HIDROKSID 30% p.a NH ₃ aq Mr 17,03 + aq	RR.CP17.1	1000 mL	1336-21-6
AMONIJ HIDROKSID 20% (TMA) Hiperpur® NH ₃ aq Mr 17,03+aq	R.721128H	500 mL	1336-21-6
AMONIJ HLORID p.a. * Ammonii chloridum NH ₄ Cl Mr 53,49)	2.AD018E 2.AD018F 2.AD018G RH.GRM717H	50 g 100 g 250 g 500 g	12125-02-9
AMONIJ HLORID Ph.Eur.8.0. (Ammonii chloridum; Nišador) NH ₄ Cl Mr 53,49	2.ADK007C 2.ADK007D 2.ADK007E 2.ADK007F	10 g 25 g 50g 100 g	12125-02-9

	RH.GRM730H RR.P726.11 RR.P726.3 RDC.100940	500 g 1000 g 5kg 25kg	
AMONIJ HLORID tehnički Ammonii chloridum, NH ₄ Cl Mr 53,49	INT.360	25 kg	12125-02-9
AMONIJ HROMAT p.a. CrH ₈ N ₂ O ₄ Mr 152,07	2.141124F 2.141124G 2.141124H	100 g 250 g 500 g	7788-98-9
AMONIJ HROMAT p.a. CrH ₈ N ₂ O ₄ Mr 152,07	R.121124H	500 g	7788-98-9
AMONIJ HROMAT Ph.Eur. CrH ₈ N ₂ O ₄ Mr 152,07	R.141124H	500 g	7788-98-9
AMONIJ JODID p.a. NH ₄ I Mr 144,94	RH.GRM477E RH.GRM477G	50 g 250 g	12027-06-4
AMONIJ KARBAMAT >99,5% p.a. CH ₆ N ₂ O ₂ Mr 78,07	R.09699G R.09699I	250 g 1000 g	1111-78-0
AMONIJ KARBONAT p.a. sa 30-33% NH ₃	2.AK019E 2.AK019F 2.AK019G 2.AK019H 2.AK019I	50 g 100 g 250 g 500 g 1000 g	506-87-6
AMONIJ KARBONAT Ph.Eur. sa 30-33% NH ₃	RH.GRM716H	500g	506-87-6
AMONIJ KARBONAT E 503ii aditiv (Ammonium carbonate) (NH ₄) ₂ CO ₃ Mr 96,09	2.FCF5159F 161.5159I 161.5159.2 161.5159.3	100g 1000g 5 kg 25 kg	10361-29-2
AMONIJ LAKTAT Ph.Eur. (Ammonium Lactate) CH ₃ CH(OH)CO ₂ NH ₄ Mr 107.11	2.AF0220H 161.0220I 161.0220	500 g 1000 g 5 kg	515-98-0
AMONIJ MOLIBDAT-4-HIDRAT p.a. * (NH ₄) ₆ Mo ₇ O ₂₄ x 4H ₂ O Mr 1235,86	2.AD019C 2.AD019E 2.AD019F 2.AD019G 2.AD019H 2.AD019I	10 g 50 g 100 g 250 g 500 g 1000 g	12054-85-2
AMONIJ MOLIBDAT-4-HIDRAT p.a. (NH ₄) ₆ Mo ₇ O ₂₄ x 4H ₂ O Mr 1235,86	R.131134F R.131134G R.131134I	100 g 250 g 1000 g	12054-85-2
AMONIJ MOLIBDAT-4-HIDRAT Ph.Eur. (NH ₄) ₆ Mo ₇ O ₂₄ x 4H ₂ O Mr 1235,86	R.141134F R.141134G R.141134I	100 g 250 g 1000 g	12054-85-2
AMONIJ MOLIBDAT-4-HIDRAT (MB) (NH ₄) ₆ Mo ₇ O ₂₄ x 4H ₂ O Mr 1235,86 *Za molekularnu biologiju	RH.MB249F RH.MB249H	100g 500g	12054-85-2
AMONIJ NITRAT p.a. * NH ₄ NO ₃ Mr 80,04	2.AD020E 2.AD020F 2.AD020G 2.AD020H 2.AD020I	50 g 100 g 250 g 500 g 1000 g	6484-52-2
di-AMONIJ OKSALAT-1-HIDRAT p.a. * (NH ₄) ₂ C ₂ O ₄ x H ₂ O Mr 142,11	2.AD021E 2.AD021F 2.AD021G RH.GRM1010H	50 g 100 g 250 g 500g	6009-70-7
di-AMONIJ OKSALAT-1-HIDRAT Ph.Eur. (NH ₄) ₂ C ₂ O ₄ x H ₂ O Mr 142,11	RH.GRM309H	500g	6009-70-7
AMONIJ PERHLORAT p.a. NH ₄ ClO ₄ Mr 117,49	R.09910E R.09910G	50 g 250 g	7790-98-9
AMONIJ PERHLORAT p.a. NH ₄ ClO ₄ Mr 117,49	R.121137G	250 g	7790-98-9
di-AMONIJ PEROKSIDISULFAT p.a. * (NH ₄) ₂ S ₂ O ₈ Mr 228,20	2.AK010E 2.AK010F 2.AK010G RH.GRM1095H	50 g 100 g 250 g 500g	7727-54-0
di-AMONIJ PEROKSIDISULFAT Ph.Eur. (NH ₄) ₂ S ₂ O ₈ Mr 228,20	RH.GRM1094H	500g	7727-54-0

di-AMONIJ PEROKSIDISULFAT (MB) (NH₄)₂S₂O₈ Mr 228,20 *Za molekularnu biologiju	RH.MB003D RH.MB003F RH.MB003H	25g 100g 500g	7727-54-0
AMONIJ PIROLIDINDITIO KARBAMAT purum (Pyrrolidine dithiocarbamate ammonium salt) (PDTC, PDC), C ₅ H ₁₂ N ₂ S ₂ Mr 164,29	85.RM1437C 85.RM1437D	10 g 25 g	5108-96-3
AMONIJ SULFAT 99% p.a. * (Ammonium sulfuricum) (NH ₄) ₂ SO ₄ Mr 132,14	2.AD022E 2.AD022F 2.AD022G 2.AD022H RDC.101050	50 g 100 g 250 g 500 g 25 kg	7783-20-2
AMONIJ SULFAT 99% Ph.Eur. * (Ammonium sulfuricum) (NH ₄) ₂ SO ₄ Mr 132,14	2.AD0221E 2.AD0221F 2.AD0221G RH.GRM1192H RR.9218I RH.GRM1192K RR.9218.5	50 g 100 g 250 g 500 g 1000 g 5kg 25 kg	7783-20-2
AMONIJ SULFAT tehnički (NH ₄) ₂ SO ₄ Mr 132,14	2.OAM003	50 kg	7783-20-2
AMONIJ SULFAT (MB) (NH₄)₂SO₄ Mr 132,14 *Za molekularnu biologiju	RH.MB004G RH.MB004H	250g 500g	7783-20-2
AMONIJ SULFID 20%v/v H ₈ N ₂ S Mr 68,14	2.AD032F 2.AD032G 2.AD032I	100 mL 250 mL 1000 mL	12135-76-1
di-AMONIJ TARTARAT (L+) (NH ₄) ₂ C ₄ H ₄ O ₆ Mr 184,15	85.RM1210F 85.RM1210H	100 g 500 g	3164-29-2
di-AMONIJ TARTARAT(L+) p.a. (NH ₄) ₂ C ₄ H ₄ O ₆ Mr 184,15	2.0222H 161.0222I 161.0222K	500g 1000 g 5 kg	3164-29-2
AMONIJ TIOCIJANAT p.a. (Amonij rodanid) NH ₄ SCN Mr 76,12	2.RM1055F 2.RM1055G 85.RM1055H	100 g 250 g 500 g	1762-95-4
AMONIJ TIOCIJANAT Ph.Eur. (Amonij Rodanid) NH ₄ SCN Mr 76,12	RH.GRM1055H	500g	1762-95-4
AMONIJ TIOCIJANAT 0,1 mol/l (0,1N) 7,612g NH ₄ SCN	R.38020I	1000 mL	1762-95-4
AMONIJ TIOCIJANAT Ph.Eur. (Amonij Rodanid) NH₄SCN Mr 76,12 *Za molekularnu biologiju	RH.MB260H	500 g	1762-95-4
AMONIJ TIOSULFAT stabiliziran sa 2% Na-tiosulfatom H ₈ N ₂ O ₃ S ₂ Mr 148,20	2.141148F 2.141148G 2.141148H 2.141148I	100 g 250 g 500 g 1000 g	7783-18-8
AMONIJ meta-VANADAT p.a. * NH ₄ VO ₃ Mr 116,98	2.AD1365E 2.AD1365F 2.AD1365G 85. RM1365H	50 g 100 g 250 g 500 g	7803-55-6
AMONIJ meta-VANADAT p.a. NH ₄ VO ₃ Mr 116,98	R.132352G R.132352I	250 g 1000 g	7803-55-6
AMONIJ meta-VANADAT Ph.Eur. NH ₄ VO ₃ Mr 116,98	R.142352G R.142352I	250 g 1000 g	7803-55-6
AMONIJ meta-WOLFRAMAT HIDRAT ≥90 % WO₃, p.a. (NH ₄) ₆ H ₂ W ₁₂ O ₄₀ x H ₂ O Mr 2956,42 x H ₂ O g/mol	RR.0742.1D RR.0742.2F RR.0742.3H	25 g 100 g 500 g	12028-48-7
AMONIJ ŽELJEZO (III) CITRAT 15% ZELJEZA, ZELENI C ₆ H ₁₁ FeNO ₇ Mr 265 9366.3	2.9366F 2.9366G R.RM476H 11.9366.3	100g 250g 500g 1000g	1185-57-5
AMONIJ ŽELJEZO (II) SULFAT-6-HIDRAT p.a. * (Mohrova so) (NH ₄) ₂ Fe(SO ₄) ₂ x 6H ₂ O Mr 392,14	2.AD037E 2.AD037F 2.AD037G RH.GRM1026H RH.GRM1026K	50 g 100 g 250 g 500g 5kg	7783-85-9
AMONIJ ŽELJEZO (II) SULFAT-6-HIDRAT p.a. (Morova so), (NH ₄) ₂ Fe(SO ₄) ₂ x 6H ₂ O Mr 392,14	R.131368H R.131368I	500 g 1000 g	7783-85-9
AMONIJ ŽELJEZO (II) SULFAT-6-HIDRAT Ph.Eur.	RH.GRM302H	500g	7783-85-9

(Morova so), $(\text{NH}_4)_2\text{Fe}(\text{SO}_4)_2 \times 6\text{H}_2\text{O}$ Mr 392,14	RH.GRM302K	5kg	
AMONIJ ŽELJEZO (III) SULFAT-12-HIDRAT p.a. $\text{NH}_4\text{Fe}(\text{SO}_4)_2 \times 12\text{H}_2\text{O}$ Mr 482,19	2.AD036F 2.AD036G 85.RM1335H	100 g 250 g 500 g	7783-83-7
AMONIJ ŽELJEZO (II) SULFAT 0,1 mol/l (0,1N) $(\text{NH}_4)_2\text{Fe}(\text{SO}_4)_2$ Mr 284,05	R.38002I	1000 mL	10045-89-3
AMPICILIN Na so 99,97% (Ampicillin sodium salt)	RR.K029.1 RR.K029.1D RR.K029.2F	10 g 25 g 100g	69-52-3
ANHIDRID FTALNE KISELINE p.a. $\text{C}_8\text{H}_4\text{O}_3$ Mr 148,10	2.3544.2H RR.3544.2	500g 1000g	85-44-9
ANHIDRID FTALNE KISELINE p.a. $\text{C}_8\text{H}_4\text{O}_3$ Mr 148,10	R.131155H R.131155I	500 g 1000 g	85-44-9
ANHIDRID FTALNE KISELINE Ph.Eur. $\text{C}_8\text{H}_4\text{O}_3$ Mr 148,10	R.161155G R.161155I	250 g 1000 g	85-44-9
ANHIDRID JANTARNE KISELINE Ph.Eur. (Succinic anhydride) $\text{C}_4\text{H}_4\text{O}_3$ Mr 100,07	R.15A714G R.15A714I	250 g 1000 g	108-30-5
ANHIDRID MALEINSKE KISELINE p.a. $\text{C}_4\text{H}_2\text{O}_3$ Mr 98,06	2.RM6020F 2.RM6020H	100 g 500 g	108-31-6
ANHIDRID SIRČETNE KISELINE p.a. $\text{C}_4\text{H}_6\text{O}_3$ Mr 102,09	2.AD023I RP.141147	1000 mL 25 L	108-24-7
ANHIDRID SIRČETNE KISELINE p.a. $\text{C}_4\text{H}_6\text{O}_3$ Mr 102,09	R.131147I R.131147J	1000 mL 2,5 L	108-24-7
ANHIDRID SIRČETNE KISELINE Ph.Eur. $\text{C}_4\text{H}_6\text{O}_3$ Mr 102,09	R.141147I R.141147J	1000 mL 2,5 L	108-24-7
ANILIN p.a. $\text{C}_6\text{H}_5\text{NH}_2$ Mr 93,13	2.AD024G 2.AD024I	250 mL 1000 mL	62-53-3
ANILIN p.a. $\text{C}_6\text{H}_5\text{NH}_2$ Mr 93,13	R.131156G	250 mL	62-53-3
ANILIN Ph.Eur. $\text{C}_6\text{H}_5\text{NH}_2$ Mr 93,13	R.141156I	1000 mL	62-53-3
ANILIN HIDROHLORID p.a. $\text{C}_6\text{H}_5\text{NH}_2 \times \text{HCl}$ Mr 129,59	2.121157E 2.121157F 2.121157G 2.121157H	50 g 100 g 250 g 500 g	142-04-1
ANILIN HIDROHLORID p.a. (Anilinum chloride) $\text{C}_6\text{H}_5\text{NH}_2 \times \text{HCl}$ Mr 129,59	R.121157H	500 g	142-04-1
ANILIN HIDROHLORID Ph.Eur. (Anilinum Chloride) $\text{C}_6\text{H}_5\text{NH}_2 \times \text{HCl}$ Mr 129,59	R.151157F R.151157H	100 g 500 g	142-04-1
ANILINSKO PLAVO Ind. Topiv u vodi (Anilin Blue 22, Coton plavo, China plavo, Methyl blue) –PAZI=ISTO! W-1B-501 $\text{C}_{37}\text{H}_{27}\text{N}_3\text{Na}_2\text{O}_9\text{S}_3$ Mr 799,8	2.AD042D RH.GRM901F	25 g 100 g	28983-56-4
ANILINSKO PLAVO Ind. Topiv u alkoholu (Anilin Blue 22, , Coton plavo, China plavo) $\text{C}_{37}\text{H}_{27}\text{N}_3\text{Na}_2\text{O}_9\text{S}_3$ Mr 799,8	2.AD0421D	25g	28983-56-4
ANILINSKO PLAVO Ind. Topiv u alkoholu (C.I. 42775 za mikroskopiju) $\text{C}_{37}\text{H}_{27}\text{N}_3\text{Na}_2\text{O}_9\text{S}_3$ Mr 799,8	I903.D02E	50g	28983-56-4
ANILINSKO PLAVO Ind. Topiv u vodi (C.I. 41000 za mikroskopiju) $\text{C}_{37}\text{H}_{27}\text{N}_3\text{Na}_2\text{O}_9\text{S}_3$ Mr 799,8	I903.D03E	50g	28983-56-4
ANISOL p.a. (Methoxybenzene) $\text{C}_7\text{H}_8\text{O}$ Mr 108,14	2.163913G 2.163913H 2.163913I	250 mL 500 mL 1000 mL	100-66-3
ANTIMON metal, komadi 99,9999% Sb Ar121,75 (prah)	R.212722C R.212722F RH.GRM6598G	10 g 100 g 250g	7440-36-0
ANTIMON (III) HLORID p.a. * SbCl_3 Mr 228,11	2.AD1274F RH.GRM1274G	100 g 250g	10025-91-9
ANTIMON (V) HLORID p.a. SbCl_5 Mr 299,02	R.451673C	10 g	7647-18-9
ANTIMON (III) OKSID p.a. Sb_2O_3 Mr 291,50	2.RM3038F 2.RM3038G	100 g 250 g	1309-64-4

	RH.GRM3038H	500g	
ANTIMON (V) OKSID p.a. SbO ₅ Mr 323,50	2.RM1945E 2.RM1945F 2.RM1945G RH.GRM1943H	50 g 100 g 250 g 500g	1314-60-9
ANTIMON (III) OKSID HLORID p.a. (Antimonil hlorid) SbOCl Mr 173,20	2.RM1943D 2.RM1943F RH.GRM19743H	25 g 100 g 500 g	7791-08-4
DL-ARABINOZA p.a. C ₅ H ₁₀ O ₅ Mr 150,13	85.RM483C	10 g	147-81-9
L(+)-ARABINOZA p.a. C ₅ H ₁₀ O ₅ Mr 150,13	85.RM037D 85.RM037E 85.RM037F	25 g 50 g 100 g	5328-37-0
ARAPSKA GUMA E 414 aditiv (Arabic gum)	2.FCF1222F 2.FCF1222H 161.1222I	100g 500g 1000g	9000-01-5
ARBUTIN, F.C.C. beta-arbutin C ₁₂ H ₁₆ O ₇ Mr 272,25	161.0276F	100 g	497-76-7
L-ARGININ 99% p.a. * C ₆ H ₁₄ N ₄ O ₂ Mr 174,20	85.RM038D 85.RM038F 85.RM038I	25 g 100 g 1000 g	74-79-3
L-ARGININ (F.C.C.) aditiv C ₆ H ₁₄ N ₄ O ₂ Mr 174,20	2.203464I 2.203464K	1000 g 5 kg	74-79-3
DL-ARGININ HIDROHLORID-MONOHIDRAT, 99% (Arginini hydrochloridum) C ₆ H ₁₅ N ₄ O ₂ Cl Mr 210,67	RH.RM1475D RH.RM1475F	25g 100g	3130-87-8
L-ARGININ HIDROHLORID Ph.Eur. * (Arginini hydrochloridum) C ₆ H ₁₅ N ₄ O ₂ Cl Mr 210,67	85.RM039D 85.RM039F 85.RM039I	25 g 100 g 1000 g	1119-34-2
L-ARGININ HIDROHLORID Ph.Eur. (Arginini hydrochloridum) C ₆ H ₁₅ N ₄ O ₂ Cl Mr 210,67	R.144653G R.144653I	250 g 1000 g	1119-34-2
L-ARGININ HIDROHLORID USP EP F.C.C. Arginine C ₆ H ₁₄ N ₄ O ₂ ·HCl Mr 210,7	2.AF0286F 2.AF0286G 161.0286.1 161.0286.2 161.0286.3	100g 250g 1000g 5 kg 25 kg	1119-34-2
ARSEN (III) OKSID p.a. As ₂ O ₃ Mr 197,84	2.RM1338E 2.RM1338F 2.RM1338H 2.RM1338K	50 g 100 g 500 g 5 kg	1327-53-3
ARSEN (V) OKSID-1-HIDRAT As ₂ O ₅ x aq Mr 229,84+aq	RH.GRM7845D	25g	12044-50-7
p-ARSANILNA KISELINA purum * (p-Aminobenzene 12ydroge acid) C ₆ H ₉ AsNO ₃ Mr 217,10	85.RM1474F	100 g	98-50-0
ARSENSKA KISELINA sirupasta H ₃ AsO ₄ Mr 141,90, Arsenic acid syrupy	2.RM4989F	100 mL	7778-39-4
ASKORBIL PALMITAT E 304 aditiv (Ascorbyl Palmitate) C ₂₂ H ₃₈ O ₇ Mr 414,5	2.FCF0319F 2.FCF0319H 161.0319I 161.0319.2	100g 500g 1000g 5 kg	137-66-6
L-ASPARAGIN-1-HIDRAT p.a. * (L-Aspartic acid amid) C ₄ H ₈ N ₂ O ₃ x H ₂ O Mr 150,14	85.RM041D 85.RM041F 85.RM041H	25 g 100 g 500 g	5794-13-8
DL-ASPARAGINSKA KISELINA p.a. *** (DL- Aspartic Acid) C ₄ H ₇ NO ₄ Mr 133,11	2.AD034D 2.AD034E RH.GRM042F	25 g 50 g 100g	617-45-8
L-ASPARAGINSKA KISELINA p.a. (L-Aspartic acid) C ₄ H ₇ NO ₄ Mr 133,11	2.AD025D 2.AD025E 2.AD025F RH.GRM043D RH.GRM043F RH.GRM043H	25 g 50 g 100 g 25g 100g 500g	56-84-8
L-ASPARAGINSKA KISELINA Ph.Eur. (L-Aspartic Acid) C ₄ H ₇ NO ₄ Mr 133,11	R.142034H	500 g	56-84-8
ASPARTAM PRAH aditiv (Aspartame powder) C ₁₄ H ₁₈ O ₅ N ₂ Mr 294,31	RH.GRM1749B 2.FCF0327F 2.FCF0327H 161.0327I	5g 100g 500g 1000g	22839-47-0

AURAMIN O Ind. * (Basic žuti 2) $C_{17}H_{22}ClN_3 \times H_2O$ Mr 321,86	2.AD027B 2.AD027C 2.AD027D RH.GRM903F	5 g 10 g 25 g 100g	2465-27-2
AURAMINE, (C.I.41000) za mikroskopiju $C_{17}H_{22}ClN_3 \times H_2O$ Mr 321,86	1904.D01E	50g	2465-27-2
AZOCARMINE G, C.I.50085 (Acid red 101, Resinduline), $C_{28}H_{18}N_3NaO_6S_2$ Mr 579,59	2.AD048B 2.AD048C	5 g 10 g	25641-18-3
AZOMETIN-H-mono NATRIJEVA so – monoHIDRAT $C_{17}H_{12}NO_8S_2Na$ Mr 445,40	85.RM1626A 85.RM1626B	1 g 5 g	206752-32-1
B			
DL-BADEMOVA KISELINA *** ((±)-α-Hydroxyphenyl acetic acid), $C_8H_8O_3$ Mr 152,15	2.BK016F 85.RM1703H	100 g 500 g	90-64-2
BAKAR kuglice >99,9 % Cu Mr 63,55	R.2728.1F	100 g	7440-50-8
BAKAR prah p.a. * Cu Mr 63,55 RR.CP21.2	2.RM720E 2.RM720F 2.RM720G 11.CP21.2	50g 100 g 250 g 500g	7440-50-8
BAKAR LIM 0,1 mm; dužina 60 cm	R.8540.1G R.8540.1I	250 g 1000 g	7440-50-8
BAKAR, štapići za elementarnu analizu (reduk. Sredstvo), Cu Mr 63,55	R.61154G	250g	7440-50-8
BAKAR u strugotinama	2.GRM6827E 2.GRM6827F 2.GRM6827G RH.GRM6827H	50g 100 g 250 g 500g	7440-50-8
BAKAR žica Cu Mr 63,55	2.15A754E 2.15A754F 2.15A754G	50g 100 g 250 g	7440-50-8
BAKAR žica 0,025mm>99,9985 Cu Mr 63,55	85.RM5116G	10 m ili 250 g	7440-50-8
BAKAR (II) ACETAT-1-HIDRAT p.a. * $C_4H_6CuO_4 \times H_2O$ Mr 199,65	2.BDK101E 2.BDK101F RH.GRM1360G	50 g 100 g 250g	6046-93-1
BAKAR (II) ACETAT-1-HIDRAT Ph.Eur. (Copper (II) acetate monohydrate) $C_4H_6CuO_4 \times H_2O$ Mr 199,65	2.BDK1011E 161.1950F 2.BDK1011G 161.1950.2	50 g 100 g 250 g 5kg	6046-93-1
BAKAR AMONIJ HLORID-2-HIDRAT (Amonij bakar tetrahlorid-2-hidrat) $(NH_4)_2CuCl_4 \times 2H_2O$ Mr 259,3	2.0634F 2.0634G 2.0634I	100 g 250 g 1000 g	10060-13-6
BAKAR (II) GLUKONAT F.C.C. aditiv (D-Gluconic acid copper(II) salt) $C_{12}H_{22}CuO_{14}$ Mr 453,8	2.FCF1954F 2.FCF1954H 161.1954.2	100 g 500 g 5kg	527-09-3
BAKAR(II) HIDROKSI KARBONAT * p.a. $CH_2Cu_2O_5$ Mr 221,10	2.BDK007E 2.BDK007F 2.BDK007G RH.GRM721H	50 g 100 g 250 g 500g	12069-69-1
BAKAR(II) HIDROKSI KARBONAT p.a. $CH_2Cu_2O_5$ Mr 221,10	R.121262I	1000 g	12069-69-1
BAKAR(II) HIDROKSI KARBONAT Ph.Eur. $CH_2Cu_2O_5$ Mr 221,10	R.141262H R.141262I	500 g 1000 g	12069-69-1
BAKAR(I) HLORID p.a. CuCl Mr 98,99	2.161265E 2.161265F 2.161265G 2.161265H 2.161265I	50 g 100 g 250 g 500 g 1000 g	7758-89-6
BAKAR(I) HLORID Ph.Eur. CuCl Mr 98,99	R.161265I	1000 g	7758-89-6
BAKAR(II) HLORID anhidrovani p.a. CuCl ₂ Mr 134,45	2.RM1307E 2.RM1307F 2.RM1307G RH.GRM1307H	50 g 100 g 250 g 500g	7447-39-4
BAKAR(II) HLORID-2-HIDRAT p.a. * CuCl ₂ x 2H ₂ O Mr 170,48	2.RM1361F 2.RM1361G RH.GRM1361H	100 g 250 g 500g	10125-13-0

BAKAR(II) HLORID-2-HIDRAT p.a. CuCl ₂ x 2H ₂ O Mr 170,48	R.131264H R.131264I	500 g 1000 g	10125-13-0
BAKAR(II) HLORID-2-HIDRAT Ph.Eur. CuCl ₂ x 2H ₂ O Mr 170,48	RH.GRM1051H	500g	10125-13-0
BAKAR HROMIT p.a.* (Bakar hrom oksid), 2CuO x Cr ₂ O ₃ Mr 311,08	85.RM1579F 85.RM1579H	100 g 500 g	12053-18-8
BAKAR(I) JODID p.a. * CuJ Mr 190,44	85.RM1362F 85.RM1362H	100 g 500 g	7681-65-4
BAKAR(II) NITRAT-2,5-HIDRAT p.a. * Cu(NO ₃) ₂ x 2,5H ₂ O Mr 232,59	2.BDK008F 2.BDK008G 2.BDK008H 2.BDK008I	100 g 250 g 500 g 1000 g	19004-19-4
BAKAR(II) NITRAT-3-HIDRAT p.a. Cu(NO ₃) ₂ x 3H ₂ O Mr 241,60	2.141267E 2.141267F 2.141267G RH.GRM1363H	50 g 100 g 250 g 500g	10031-43-3
BAKAR(II) NITRAT-3-HIDRAT p.a. Cu(NO ₃) ₂ x 3H ₂ O Mr 241,60	R.141267H R.141267I	500 g 1000 g	10031-43-3
BAKAR(I) OKSID-mali štapići za elementarnu analizu Cu ₂ O Mr 143,08	R.61205F R.61205H	100 g 500 g	1317-39-1
BAKAR(I) OKSID >95 % crveni Cu ₂ O Mr 143,08	2.2733.1F 2.2733.1G	100 g 250 g	1317-39-1
BAKAR(I) OKSID ≥86% crveni Cu ₂ O Mr 143,08	2.12841F	100 g	1317-39-1
BAKAR(II) OKSID p.a. * CuO Mr 79,54	2.RM719E 2.RM719F 2.RM719G RH.GRM732H	50g 100 g 250g 500g	1317-38-0
BAKAR(II) OKSID Ph.Eur. CuO Mr 79,54	RH.GRM719H	500g	1317-38-0
BAKAR (II) OROTAT-2-HIDRAT p.a. C ₁₀ H ₆ CuN ₄ O ₈ Mr 373,7	R.1955B R.1955E	10 g 50 g	61573-60-2
BAKAR(II) SULFAT anhidrovani p.a. CuSO ₄ Mr 159,60	2.BD001F 2.BD001G RH.GRM6391H	100 g 250 g 500g	7758-98-7
BAKAR SULFAT anhidrovani tehnički CuSO ₄ Mr 159,60	2.BDK001I 2.BDK001	1 kg 25 kg	7758-98-7
BAKAR(II) SULFAT-5-HIDRAT p.a. * CuSO ₄ x 5H ₂ O Mr 249,68	2.BDK009F 2.BDK009G RH.GRM677H	100 g 250g 500g	7758-99-8
BAKAR SULFAT 5-HIDRAT Ph.Eur. Copper Sulfate Pentahydrate CuSO ₄ · 5H ₂ O Mr 249,7	2.BDK019F 2.BDK019G 2.BDK019H RH.GRM630H RH.GRM630I 161.1957I RR.8175.5	100g 250g 500g 1000 g 5 kg 25 kg 25kg	7758-99-8
BAKAR(II) SULFAT-5-HIDRAT (MB) CuSO ₄ x 5H ₂ O Mr 249,68 *Za molekularnu biologiju	RH.MB238F RH.MB238H	100g 500g	7758-99-8
BALZAM PERUVIANUM Ph.Eur.7.0. (Peruanski balzam; Peru balsam) 1,156 g/ml COSMER: PERU BALSAM	2.BK002F 2.BK002G 161.0350H 161.0350I COS.BK002	100 ml 250 ml 500 ml 1000 ml 21 L (25kg)	8007-00-9
BARBITURNA KISELINA puris (2,4,6 – Trihydroxypyrimidine) C ₄ H ₄ N ₂ O ₃ Mr 128,09	85.RM1211D 85.RM1211E 85.RM1211F 85.RM1211H	25 g 50 g 100 g 500 g	67-52-7
BARIJ ACETAT p.a. * C ₄ H ₆ BaO ₄ Mr 255,43	2.RM1339F RH.GRM1339H	100 g 500g	543-80-6
BARIJ ACETAT p.a. C ₄ H ₆ BaO ₄ Mr 255,43	R.131180H R.131180I	500 g 1000 g	543-80-6
BARIJ ACETAT Ph.Eur. C ₄ H ₆ BaO ₄ Mr 255,43	R.141180H R.141180I	500 g 1000 g	543-80-6
BARIJ DIFENILAMIN 4-SULFONAT C ₂₄ H ₂₀ BaN ₂ O ₆ S ₂ Mr 633.90	RH.RM1341D	25g	6211-24-1
BARIJ HIDROKSID-8-HIDRAT p.a. *	2.BD006E	50 g	12230-71-6

Ba(OH) ₂ x 8H ₂ O Mr 315,48	2.BD006F 2.BD006G RH.GRM1275H	100 g 250 g 500g	
BARIJ HIDROKSID-8-HIDRAT p.a. Ba(OH) ₂ x 8H ₂ O Mr 315,48	R.131188H R.131188I	500 g 1000 g	12230-71-6
BARIJ HIDROKSID-8-HIDRAT Ph.Eur. Ba(OH) ₂ x 8H ₂ O Mr 315,48	RH.GRM279H RH.GRM279K	500g 5kg	12230-71-6
BARIJ HLORID-2-HIDRAT p.a. * BaCl ₂ x 2H ₂ O Mr 244,28	2.BD002E 2.BD002F 2.BD002G 2.BD002H RDC.114050	50 g 100 g 250 g 500 g 25 kg	10326-27-9
BARIJ HLORID-2-HIDRAT Ph.Eur. BaCl ₂ x 2H ₂ O Mr 244,28	2.BD0021H RH.GRM290H RH.GRM290K	500g 500g 5kg	10326-27-9
BARIJ HLORID 0,05 mol/l (0,05 N) *** 12,214g BaCl ₂ x 2H ₂ O	R.38030I	1000 ml	10361-37-2
BARIJ HLORID 0,1 mol/l (0,1N) 24,428g BaCl ₂ x 2H ₂ O	R.34252I	1000 ml	10361-37-2
BARIJ HROMAT p.a. BaCrO ₄ Mr 253,33	2.RM1953E 2.RM1953F 2.RM1953G RH.GRM1953H	50 g 100 g 250 g 500g	10294-40-3
BARIJ KARBONAT p.a. * BaCO ₃ Mr 197,37	2.RM3896F RH.GRM1340H	100 g 500g	513-77-9
BARIJ KARBONAT Ph.Eur. BaCO ₃ Mr 197,37	2.GRM454F RH.GRM454H RH.GRM454K	100g 500g 5kg	513-77-9
BARIJ NITRAT p.a. * Ba(NO ₃) ₂ Mr 261,35	2.RM3898F 2.RM3898G RH.GRM351H	100 g 250 g 500 g	10022-31-8
BARIJ NITRAT Ph.Eur. Ba(NO ₃) ₂ Mr 261,35	RH.GRM413H	500g	10022-31-8
BARIJ PERHLORAT p.a. BaCl ₂ O ₈ Mr 336,24	RH.GRM1955F RH.GRM1955H	100g 500g	13465-95-7
BARIJ PERHLORAT 0,005 M otopina u 2-propanolu i vodi BaCl ₂ O ₈ Mr 336,24	R.35053I	1000 ml	13465-95-7
BARIJ PEROKSID p.a. Ba ₂ O ₂ Mr 169,34	2.RM1956F 2.RM1956H	100 g 500 g	1304-28-5
BARIJ SULFAT p.a. (Barii sulfas) BaSO ₄ Mr 233,40	RH.GRM1343H	500g	7727-43-7
BARIJ SULFAT Ph.Eur. USP Barium Sulfate BaSO ₄ Mr 233,4	2.AF1342F 2.AF1342G 2.AF1342H 161.5097I	100g 250g 500g 1000 g	7727-43-7
BARIJ SULFAT za rendgenske snimke (za radiologiju) X-zrake (Barii sulfas for radiology) BaSO ₄ Mr 233,40	2.DC101520H 2.DC101520I DC101520	500g 1000 g 25 kg	7727-43-7
BATOCUPROSULFONAT Na so p.a. C ₂₆ H ₁₈ N ₂ N ₂ O ₆ S ₂ Na ₂ Mr 564,55	RH.GRM1598A	1g	52698-84-7
BATOPHENANTROLIN SULFONAT Na so x aq p.a. C ₂₄ H ₁₄ N ₂ Na ₂ O ₆ S ₂ x 3H ₂ O Mr 590,54	RH.RM1523 RH.RM1523A	500 mg 1 g	52746-49-3
BAZIČNI FUKSIN ZA SHIFF- OV REAGENS (Fuchsin, basisch f. Schiff's Reag.) Ph. Eur C ₂₀ H ₂₀ ClN ₃ Mr 337,85	RW.1B-295B RW.1B-295C RW.1B-295D RW.1B-295F	5 g 10 g 25 g 100 g	632-99-5
BENTONIT Ph. Eur. (Montonorillonite; Bentonitum; Almosilikat)	2.BD034E 2.BD034F RH.GRM785H RR.0113.1	50 g 100 g 500 g 2,5 kg	1302-78-9
BENZALDEHID p.a. C ₆ H ₅ CHO Mr 106,12	R.4372.3	1000 ml	100-52-7
BENZALKONIJ HLORID Ph.Eur. (za kapi za oči)	RR.2999.1F	100 g	63449-41-2

(Benzalkonii chloridum; Alkylbenzoldimethylammonium Chloride) C ₈ H ₁₇ do C ₁₈ H ₃₇ Mr 354-360	RR.2999.3	1 kg	
BENZALKONIJ HLORID 50% (Alkylbenzoldimethylammonium Chloride) C ₈ H ₁₇ do C ₁₈ H ₃₇	2.BD004F 161.0392F 2.BD004H 2.BD004I	100 ml 100 ml 500 ml 1000 ml	63449-41-2
BENZALKONIJ HLORID 80% Površinski aktivna supstanca koja se najčešće koristi za proizvodnju biocidnih sredstava, deterdženata i omekšivača za tekstil.	2.BD005I	1000 ml	
BENZAMIDE (Benzojeva kiselina amid), C ₆ H ₅ CoNH ₂ Mr 121,10	85.RM1345F 85.RM1345H	100 g 500 g	55-21-0
BENZEN p.a. (Benzol) C ₆ H ₆ Mr 78,12	2.BK003G 2.BK003I	250 ML 1000 ML	71-43-2
BENZEN p.a. (Benzol) C ₆ H ₆ Mr 78,12	R.131192I R.131192J	1000 ML 2,5 L	71-43-2
BENZEN Ph.Eur. (Benzol) C ₆ H ₆ Mr 78,12	2.BK0031F 2.BK0031H	100ml 500ml	71-43-2
BENZEN ≥99,7% Ph.Eur. (Benzol) C ₆ H ₆ Mr 78,12	I906.026J	2,5L	71-43-2
BENZEN za HPLC (Benzol), C ₆ H ₆ Mr 78,12	R.361192I R.361192J	1000 ML 2,5 L	71-43-2
BENZEN SULFONSKA KISELINA Na so (Sodium benzenesulphonate) C ₆ H ₅ SO ₃ Na Mr 180,20	85.RM1643D	25 g	515-42-4
BENZIL p.a. * (Dibenzol, Difeniletanediol), C ₁₄ H ₁₀ O ₂ Mr 210,24	2.RM1347F RH.GRM1347G	100 g 250g	134-81-6
BENZIL ETER (Dibenzyl ether), C ₁₄ H ₁₄ O Mr 198,27	2.RM2103H 85.RM2103H	500 ml 500ml	103-50-4
BENZIL HLORID > 99% C ₇ H ₇ Cl Mr 126,54	2.15A726I	1000 ML	100-44-7
BENZIL HLORID > 99% C ₇ H ₇ Cl Mr 126,54	R.15A726G R.15A726I	250 ML 1000 ML	100-44-7
BENZIL SULFONIL HLORID C ₆ H ₅ SO ₂ Cl Mr 176,62	R.12620F R.12620H	100 ML 500 ML	98-09-9
BENZIN MEDICINSKI Ph. Eur. Benzinum medicinale DC Fine Matrix	2.MED001F 2.MED001G 2.MED001H 2.MED001I RFG.MED001	100 ml 250 ml 500 ml 1000 ml 200 L	64742-49-0
BENZOFENON (Difenilketon), C ₁₃ H ₁₀ O Mr 182,22	2.BK011E 2.BK011F 2.BK011G RH.GRM490H RH.GRM490K	50 g 100g 250 g 500g 5kg	119-61-9
BENZOIL HLORID p.a. C ₇ H ₅ ClO Mr 140,57	2.15A729H 2.15A729I	500 ML 1000 ML	98-88-4
BENZOIL HLORID Ph.Eur. C ₇ H ₅ ClO Mr 140,57	R.162720H R.162720I	500 ML 1000 ML	98-88-4
BENZOIL PEROKSID sa 25% vode (Benzoyl superoxide) C ₁₄ H ₁₀ O ₄ Mr 242,23	2.BK004F RP.142357H	100 g 500 g	94-36-0
BENZOIN α-Hydroxy-α-phenylacetophenone; C ₁₄ H ₁₂ O ₂ Mr 212,25	85.RM1106F 85.RM1106G	100g 250g	119-53-9
BENZOJEVA KISELINA p.a. * C ₇ H ₆ O ₂ Mr 122,12	2.BD025E 2.BD025F 2.BD025H DC.114160	50 g 100 g 500 g 25kg	65-85-0
BENZOJEVA KISELINA C723 Standard za kalorimetriju 26457J/g ± 20J/g pakovanje 50 tableta a 0,5g, C ₇ H ₆ O ₂ Mr 122,12	55.3243000	pak	65-85-0
BENZOPURPURIN 4B, CERTIFICIRAN (Benzopurpurine 4B) C ₃₄ H ₂₆ N ₆ Na ₂ O ₆ S ₂ Mr 724,72	85.RM4054B	5 g	992-59-6
BES PUFER (MB) N,N-Bis[2-hydroxyethyl]-2-aminoethane sulphonic acid C ₆ H ₁₅ NO ₅ S Mr 213.25 *Za molekularnu biologiju	RH.MB118D RH.MB118F	25g 100g	10191-18-1
BETAIN HIDROHLORID USP	2.AF0413F	100g	590-46-5

Betaine Hydrochloride C ₅ H ₁₁ NO ₂ ·HCl Mr 153,61	2.AF0413G RH.RM3252H	250g 500g	
BETAKAROTEN 10% WATER DISPRESIBLE aditiv (BETAKAROTEN 10% WATER DISPRESIBLE) C ₄₀ H ₅₆ Mr 536,85	2.FCF0407F 2.FCF0407H 161.0407I 161.0407.2	100g 500g 1000g 5 kg	7235-40-7
BETAKAROTEN 30% LIPOSOLUBILNI aditiv (Betacarotene 30% Liposoluble) C ₄₀ H ₅₆ Mr 536,85	2.FCF408AF 2.FCF408AH 161.408A.5 161.408A.6	100 ml 500 ml 1000 ml 5 L	7235-40-7
BICINE (MB) N,N-bis(2-hydroxyethyl)glycine C ₆ H ₁₃ NO ₄ Mr 163.17 *Za molekularnu biologiju	RH.MB133D RH.MB133F RH.MB133H	25g 100g 500g	150-25-4
BIEBRICH SCARLET (Ponceau B, Ponceau BS, Acid Red 66) C ₂₂ H ₁₄ N ₄ Na ₂ O ₇ S ₂ Mr 556,49	2.PD030C RH.RM3204C	10 g 10g	4196-99-0
BIEBRICH SCARLET WS (Biebricher Scharlach) C ₂₂ H ₁₄ N ₄ Na ₂ O ₇ S ₂ Mr 556,49	RW.1A-398C RW.1A-398D RW.1A-398F	10 g 25 g 100 g	4196-99-0
BIFENIL (Difenil) C ₁₂ H ₁₀ Mr 154,00	R.161893E R.161893F R.161893H RH.RM1524I	50 g 100 g 500 g 1000g	92-52-4
BIFENIL Na-kompleks otopina, teh. (0,7M u dietilen glikolu dietil eteru) C ₆ H ₅ C ₆ H ₅ Na Mr 177,20	R.14446	Pakovanje (20 x 15 mL)	5137-46-2
BIS-TRIS (MB) Bis(2-hidroksietil)amino-tris(hidroksimetil)metan C ₈ H ₁₉ NO ₅ Mr 209.24 *Za molekularnu biologiju	RH.MB006D RH.MB006F	25g 100g	6976-37-0
BIURET (MB) C ₂ H ₅ N ₃ O ₂ Mr 103.08 *Za molekularnu biologiju	RH.MB136D RH.MB136F	25g 100g	108-19-0
BIZMARCK BROWN R u citologiji (Vezuvin), C ₂₁ H ₂₄ N ₈ x 2HCl Mr 461,40	2.BD050D 2.BD050F	25 g 100 g	5421-66-9
BIZMARCK BROWN R C.I.21010 u citologiji (Vezuvin), C ₂₁ H ₂₄ N ₈ x 2HCl Mr 461,40	R.253934D R.253934F	25 g 100 g	5421-66-9
BIZMARCK BROWN (Y).C.I.21000 (Vezuvin), C ₂₁ H ₂₄ N ₈ x 2HCl Mr 461,40	2.BD010D RH.GRM487D RH.GRM487F	25 g 25g 100g	5421-66-9
BIZMUT metal prah Bi Mr 209,00	2.RM3245E 2.RM3245F	50 g 100 g	7440-69-9
BIZMUT (III) HLORID p.a. BiOCl Mr 260,43	RH.GRM10075C	10g	7787-59-9
BIZMUT(III) HLORID Ph. Eur. BiCl ₃ Mr 315,34	2.RM1799E 2.RM1799F 2.RM1799G 2.RM1799H	50 g 100 g 250 g 500 g	7787-60-2
BIZMUT (III) NITRAT-5-HIDRAT p.a. * Bi(NO ₃) ₃ x 5H ₂ O Mr 485,07	2.BDK011E 2.BDK011F 2.BDK011G RH.GRM742H	50g 100 g 250 g 500g	10035-06-0
BIZMUT(III) NITRAT-5-HIDRAT Ph.Eur. Bi(NO ₃) ₃ x 5H ₂ O Mr 485,07	RH.GRM1222F RH.GRM1222H	100g 500g	10035-06-0
BIZMUT(III) OKSID p.a. * Bi ₂ O ₃ Mr 465,96	2.RM1348F 2.RM1348G RH.GRM1348F	100 g 250 g 500g	1304-76-3
BIZMUT SUBKARBONAT Ph.Eur. (Bismuthi subcarbonas; Bizmut(III) Karbonat bazični; Bizmut(III) Hidroksi Karbonat) (BiO) ₂ CO ₃ Mr 509,97	2.BK019F 2.BK019G 2.BK019H 161.0449H 161.0449I 161.0449.2	100 g 250 g 500 g 500 g 1000 g 5kg	5892-10-4
BIZMUT SUBKARBONAT Ph.Eur.	R.141195G	250 g	5892-10-4

Bismuthi subcarbonas (Bizmut(III) Karbonat bazični; Bizmut(III) Hidroksi Karbonat); (BiO) ₂ CO ₃ Mr 509,97	R.141195I	1000 g	
BIZMUT SULFAT p.a. Bi ₂ (SO ₄) ₃ Mr 706,14	2.RM1349E 2.RM1349F 2.RM1349G RH.GRM1349H	50 g 100 g 250 g 500g	7787-68-0
BORNA KISELINA p.a. * Acidum boricum H ₃ BO ₃ Mr 61,83	2.BD011E 2.BD011F 2.BD011G 2.BD011I RH.GRM1224H	50 g 100g 250g 1000 g 500g	10043-35-3
BORNA KISELINA (MB) Acidum boricum, H ₃ BO ₃ Mr 61,83 *Za molekularnu iologiju	RH.MB007H	500g	10043-35-3
BRIJ [®]-35 *** (Polyethylene glycol dodecyl ether, Laureth 23)	2.BDK016G RH.GRM4587H	250 g 500g	9002-92-0
BRIJ [®]-35, vodena otopina 30% non ionic deterđzent u kliničkoj hemiji, Laureth 2	R.252317I	1000 mL	9002-92-0
BRILJANT KREZOL PLAVO Ind. (C ₁₇ H ₂₀ ClN ₃ O) ₂ ZnCl ₂ Mr 771,92	2.BD013B 2.BD013C 2.BD013D	5 g 10 g 25 g	81029-05-2
BRILJANT PLAVO 85% E133 aditiv (Brilliant blue; boja plava)	2.BDK094D 161.5248.2	25g 1000g	3844-45-9
BRILJANT PLAVO R-250 (MB) (Brilliant blue; boja plava) C ₄₅ H ₄₄ N ₃ NaO ₇ S ₂ Mr 825.97 *Za molekularnu biologiju	RH.MB153B RH.MB153D RH.MB153F	5g 25g 100g	6104-59-2
BRILJANT ZELENO CI 42040	RW.1B-285C R.GRM911D	10 g 25 g	633-03-4
BROM p.a. Br ₂ Mr 159,81	2.BD022G	250 mL	7726-95-6
BROM Ph.Eur. Br ₂ Mr 159,81	R.141199F R.141199G	100 mL 250 mL	7726-95-6
BROM 0,05 mol/l (0,1 N) (2,784g KbrO ₃ +27,8g KBr)	R.38040I	1000 mL	7726-95-6
4-BROMANILIN p.a. C ₆ H ₆ BrN Mr 172,02	RH.RM4087D RH.RM4087F RH.RM4087H	25g 100g 500g	106-40-1
BROM FENOL CRVENO Ind. C ₁₉ H ₁₂ Br ₂ O ₅ S Mr 512,19	2.BD016A RH.RM7960B	1 g 5g	2800-80-8
BROM FENOL PLAVO Ind. * C ₁₉ H ₁₀ Br ₄ O ₅ S Mr 669,99	2.BD017B RH.GRM914D	5 g 25g	115-39-9
BROM FENOL PLAVO Ind. (MB) C ₁₉ H ₁₀ Br ₄ O ₅ S Mr 669,99 *Za molekularnu biologiju	RH.MB123B RH.MB123D	5 g 25 g	115-39-9
BROM HLOR FENOL PLAVO Na so Ind. C ₁₉ H ₉ Br ₂ Cl ₂ O ₅ Sna Mr 643,04	2.BD012B	5 g	102185-52-4
BROM KREZOL PURPURNO Ind. C ₂₁ H ₁₈ Br ₂ O ₅ S Mr 540,24	2.BD018B RH.GRM912D	5 g 25 g	115-40-2
BROM KREZOL ZELENO Ind. C ₂₁ H ₁₄ Br ₄ O ₅ S Mr 698,04	2.BD019B RH.GRM118B RH.GRM118D	5 g 5 g 25 g	76-60-8
BROM KREZOL ZELENO Na so C ₂₁ H ₁₃ Br ₄ NaO ₅ S Mr 720,00	2.BD051B 85.MB336D	5 g 25 g	62825-32-5
BROM KSILENOL PLAVO Ind. C ₂₃ H ₂₀ Br ₂ O ₅ S Mr 568,29	2.BD021C	10 g	40070-59-5
BROM PIROGALOL CRVENO Ind. C ₁₉ H ₁₀ Br ₂ O ₈ S Mr 558,17	R.122638B	5 g	16574-43-9
BROM TIMOL PLAVO Ind. * C ₂₇ H ₂₈ Br ₂ O ₅ S Mr 624,41	2.BD023B	5 g	76-59-5
BROM TIMOL PLAVO (MB) C ₂₇ H ₂₈ Br ₂ O ₅ S Mr 624,41 *Za molekularnu biologiju	RH.MB196B RH.MB196E	5g 50g	76-59-5
BROM TIMOL PLAVO Na so Ind. * C ₂₇ H ₂₇ Br ₂ NaO ₅ S Mr 646,37	2.BD052B RH.RM917D	5 g 25 g	34722-90-2
BROMOFORM 99% stabilizirani, 1% etanola	2.161201I	1000 mL	75-25-2

(Tribromomethene), CHBr ₃ Mr 252,75			
BROMOFORM Ph.Eur. (Tribromomethene), CHBr ₃ Mr 252,75	85.RM3040G 85.RM3040I	250 mL 1000 mL	75-25-2
BROMO SIRČETNA KISELINA p.a. C ₂ H ₃ BrO ₂ Mr 138,95	85.RM3206D 85.RM3206F	25 g 100 g	79-98-2
BRUCIN \square 97% * C ₂₃ H ₂₆ N ₂ O ₄ Mr 394,47	2.RM492B 2.RM492C 2.RM492D	5 g 10 g 25 g	357-57-3
1,3-BUTANEDIOL p.a. (1,3-dihidroksibutan, 1,3 butilen glikol) C ₄ H ₁₀ O ₂ Mr 90,12	2.15A591H 2.15A591I	500 mL 1000 mL	107-88-0
1,4-BUTANDIOL (1,4-Butanediol), C ₄ H ₁₀ O ₂ Mr 90,12	2.BDP220I RR.4211.3	1 L 10 L	110-63-4
BUTANAL 99% Ph.Eur. (n-Butyraldehyde), C ₄ H ₈ O Mr 72,11	2.15A835I	1000 mL	123-72-8
izo-BUTANOL p.a. (2-Methyl-1-Propanol;iso-Butyl Alcohol), C ₄ H ₁₀ O Mr 74,12	2.131089I	1000 mL	78-83-1
izo-BUTANOL p.a. (2-Methyl-1-Propanol;iso-Butyl Alcohol), C ₄ H ₁₀ O Mr 74,12	R.131089I R.131089J	1000 mL 2,5 L	78-83-1
izo-BUTANOL Ph.Eur. (2-Methyl-1-Propanol;iso-Butyl Alcohol), C ₄ H ₁₀ O Mr 74,12	R.141089I R.141089J	1000 mL 2,5 L	78-83-1
izo-BUTANOL F.C.C. aditiv (2-Methyl-1-Propanol;iso-Butyl Alcohol), C ₄ H ₁₀ O Mr 74,12	RP.201089I	1000 ml	78-83-1
terc-BUTANOL p.a. (2-Methyl-2-Propanol;terc-Butyl Alcohol), C ₄ H ₁₀ O Mr 74,12	2.131903I	1000 mL	76-65-0
terc-BUTANOL p.a. (2-METIL-2-PROPANOL) C ₄ H ₁₀ O Mr 74,12	R.131903I	1000 mL	75-65-0
terc-BUTANOL Ph.Eur. (2-METIL-2-PROPANOL) C ₄ H ₁₀ O Mr 74,12	R.141903I	1000 mL	75-65-0
1-BUTANOL p.a. (Butyl Alcohol;n-Butanol), C ₄ H ₁₀ O Mr 74,12	2.BD131082G 2.BD131082I	250 mL 1000 mL	71-36-3
1-BUTANOL Ph.Eur. *** (Butyl Alcohol;n-Butanol), C ₄ H ₁₀ O Mr 74,12	2.BD030G 2.BD030I	250 mL 1000 mL	71-36-3
1-BUTANOL Ph.Eur. (Butyl Alcohol;n-Butanol), C ₄ H ₁₀ O Mr 74,12	R.141082I R.141082J	1000 mL 2,5 L	71-36-3
1-BUTANOL UV-IR-HPLC (Butyl Alcohol;n-Butanol) , C ₄ H ₁₀ O Mr 74,12	R.361082I	1000 mL	71-36-3
2-BUTANOL p.a. (sec-Butyl alcohol;2-Hydroxybutane), C ₄ H ₁₀ O Mr 74,12	2.123851I	1000 mL	78-92-2
2-BUTANOL p.a. (sec-Butyl alcohol;2-Hydroxybutane), C₄H₁₀O Mr 74,12	R.123851I R.123851J	1000 mL 2,5 L	78-92-2
2-BUTANOL Ph.Eur (sec-Butyl alcohol;2-Hydroxybutane), C ₄ H ₁₀ O Mr 74,12	R.163851I R.163851J	1000 mL 2,5 L	78-92-2
2-BUTANON \square 99,5 % p.a. (Metil Etil Keton-MEK; Etil Metil Keton), C ₄ H ₈ O Mr 72,1 PREKUR.	2.BD131429G 2.BD131429I	250 mL 1000 mL	78-93-3
2-BUTANON \square 99,5 % Ph.Eur. (Metil Etil Keton-MEK; Etil Metil Keton), C ₄ H ₈ O Mr 72,1 PREKUR.	R.141429I R.141429J	1000 mL 2,5 L	78-93-3
2-BUTANON \square 99,5 % UV-IR-HPLC (Metil Etil Keton-MEK), C ₄ H ₈ O Mr 72,1 PREKUR.	R.361429I	1000 mL	78-93-3
1-BUTANSULFONSKA KISELINA Na so, za HPLC C ₄ H ₉ NaO ₃ S Mr 160,20	85.RM1175B 85.RM1175D	5 g 25 g	2386-54-1
1-BUTANSULFONSKA KISELINA Na so, za sintezu C ₄ H ₉ NaO ₃ S Mr 160,20	R.841661C R.841661E	10 g 50 g	2386-54-1
BUTERNA KISELINA p.a. C ₄ H ₈ O ₂ Mr 88,11	2.164445H 2.164445I	500 mL 1000 mL	79-34-5
n-BUTIL ACETAT p.a. (1-Butil acetate), C ₆ H ₁₂ O ₂ Mr 116,60	2.141202I	1000 mL	123-86-4
n-BUTIL ACETAT Ph.Eur.	2.BDK018I	1000 mL	123-86-4

(1-Butil acetate), $C_6H_{12}O_2$ Mr 116,60	COS.BDK018	200 kg (133L)	
n-BUTIL ACETAT (F.C.C.) aditiv (1-Butil acetate) $C_6H_{12}O_2$ Mr 116,60	2.201202I 2.201202K 2.201202I	1000 mL 5 L 25 L	123-86-4
izo-BUTIL ACETAT p.a. $C_6H_{12}O_2$ Mr 116,60	2.121373I	1000 mL	110-19-0
izo-BUTIL ACETAT p.a. $C_6H_{12}O_2$ Mr 116,60	R.121373I	1000 mL	110-19-0
izo-BUTIL ACETAT Ph.Eur. $C_6H_{12}O_2$ Mr 116,60	R.161373I	1000 mL	110-19-0
tert-BUTIL ACETAT $C_6H_{12}O_2$ Mr 116,60	R.15A505H	500 mL	540-88-5
di-n-BUTILAMIN p.a. $C_8H_{19}N$ Mr 129,25	2.161891I	1000 mL	111-92-2
di-n-BUTIL-FTALAT p.a. (Dibutil ftalat), $C_{16}H_{22}O_4$ Mr 278,35	R.121937F R.121937I	100 mL 1000 mL	84-74-2
di-n-BUTIL-FTALAT purum (Dibutil ftalat), $C_{16}H_{22}O_4$ Mr 278,35	R.141937I	1000 mL	84-74-2
BUTILDIGLIKOL Ph.Eur. (Diethylen Glykol mono-Butyl Ether), $C_8H_{18}O_3$ Mr 162,23	2.BD027I	1000 mL	112-34-5
tert-BUTIL HLORID p.a. (2-Hloro-2-Metilpropan), C_4H_9Cl Mr 92,57	2.19780I	1000 mL	507-20-0
tert-BUTIL METIL ETER p.a. $C_5H_{12}O$ Mr 88,0	2.133312I	1000 mL	1634-04-4
tert-BUTIL METIL ETER >99% p.a. $C_5H_{12}O$ Mr 88,0	1908.022I	2,5L	1634-04-4
tert-BUTIL METIL ETER >99,8% p.a. $C_5H_{12}O$ Mr 88,0	1908.027I	2,5L	1634-04-4
tert-BUTIL METIL ETER p.a. $C_5H_{12}O$ Mr 88,0	R.133312I	1000 mL	1634-04-4
tert-BUTIL METIL ETER Ph.Eur. $C_5H_{12}O$ Mr 88,0	R.143312I R.143312J	1000 mL 2,5 L	1634-04-4
C			
CALCEIN Ind. $C_{30}H_{26}N_2O_{13}$ Mr 622,53	RH.GRM494B RH.GRM494D	5g 25g	1461-15-0
CALCEIN Na so Ind. * $C_{30}H_{24}N_2Na_2O_{13}$ Mr 666,50	2.RM494B	5 g	1461-15-0
CALCON Ind. (Eriochrome blue black B), $C_{20}H_{13}N_2NaO_5S$ Mr 416,39	85.RM3041B 85.MB337D	5 g 25 g	2538-85-4
CAPS (MB) 3-(Cyclohexylamino)-1-propanesulfonic acid $C_9H_{19}NO_3S$ Mr 221,32 *Za molekularnu biologiju	RH.MB008D RH.MB008F RH.MB008D	25g 100g 250g	1135-40-6
CARBENCILLIN (di-Na) $C_{17}H_{16}N_2Na_2O_6S$ Mr 422,40	RR.6344.2 RR.6344.3	5 g 25g	4800-94-6
CEFADROKSIL $C_{16}H_{17}N_3O_5S$ Mr 363,40	85.RM3309A	1 g	66592-87-8
CEFAKLOR $C_{15}H_{14}ClN_3O_4S$ Mr 367,80	85.RM3310A	1 g	53994-73-3
CEFALEKSIN (Cephalexin hydrate), $C_{16}H_{17}N_3O_4S \cdot x H_2O$ Mr 347,40	85.RM647A	1 g	15686-71-2
CEFALOTIN Na so $C_{16}H_{15}N_2O_6S_2Na$ Mr 418,40	85.RM648A	1 g	58-71-9
CEFAZOLIN Na so $C_{14}H_{13}N_8O_4S_3Na$ Mr 476,50	85.RM650A	1 g	27164-46-1
CEFOTAKSIM Na so $C_{18}H_{21}NO_4$ Mr 315,40 *Za molekularnu biologiju	RH.MB134A RH.MB134B	1 g 5g	64485-83-4
CEFTAZIDIM (Ceftazidime pentahydrate)	85.RM1194A	1 g	72558-82-8
CEFTRIAKSON Na so $C_{18}H_{16}N_8O_7S_3Na_2$ Mr 598,50	85.RM1334A	1 g	104376-79-6
CELESTIN PLAVO za mikrobiologiju	2.CD331B	5 g	1562-90-9

(Mordant blue 14), C ₁₇ H ₁₈ ClN ₃ O ₄ Mr 363,80			
CELESTIN PLAVO za mikrobiologiju (Mordant blue 14), C ₁₇ H ₁₈ ClN ₃ O ₄ Mr 363,80	85.RM331B	5 g	1562-90-9
CELITE, pomoćno sredstvo za filtriranje (dijatomska zemlja)	85.RM226H 85.RM226I 85.RM226J	500 g 1000 g 2,5 kg	91053-39-3
D(+) CELOBIOZA \square 98% u biohemiji (Cellobiose), C ₁₂ H ₂₂ O ₁₁ Mr 342,29	85.RM098B 85.RM098D	5 g 25 g	528-50-7
CELLOIDIN (Celuloid) za mikroskopiju	85.RM5706F	100 g	99994-22-6
CELULOZA, za hromatografiju dužina vlakana 0,02-0,1mm	R.5873.1H	500 g	9004-34-6
CELULOZA ACETO-FALAT, puder (cellacefate, CAP) C ₁₁₆ H ₁₁₆ O ₆₄ Mr 2534.12	R.10292F R.10292G	100 g 250 g	9004-38-0
CERIJ(IV) AMONIJ NITRAT p.a. * CeH ₈ N ₈ O ₁₈ Mr 548,23	2.RM1202E RH.GRM1202F	50 g 100g	16774-21-3
CERIJ(IV) AMONIJ NITRAT p.a. CeH ₈ N ₈ O ₁₈ Mr 548,23	R.134758F	100 g	16774-21-3
CERIJ(IV) AMONIJ SULFAT-2-HIDRAT H ₁₆ CeN ₄ O ₁₆ S ₄ x 2H ₂ O Mr 632,55	2.RM298F 2.RM298G RH.GRM298H	100 g 250 g 500g	10378-47-9
CERIJ(IV) SULFAT-4-HIDRAT p.a. CeO ₈ S ₂ x 4H ₂ O Mr 404,30	2.121298E RH.GRM1443F	50 g 100g	10294-42-5
CERIJ(IV) SULFAT-4-HIDRAT p.a. CeO ₈ S ₂ x 4H ₂ O Mr 404,30	R.121248F R.121248G R.121248I	100 g 250 g 1000 g	10294-42-5
CERIJ(IV) SULFAT-4-HIDRAT Ph.Eur. CeO ₈ S ₂ x 4H ₂ O Mr 404,30	R.141248F R.141248G R.141248I	100 g 250 g 1000 g	10294-42-5
CERIJ(IV) SULFAT 0,05mol/l (0,05N) CeO ₈ S ₂ Mr 332,20	R.34253I	1000 mL	10294-42-5
CERIJ(IV) SULFAT 0,1mol/l (0,1N) CeO ₈ S ₂ Mr 332,20	R.35066I	1000 mL	10294-42-5
CETRIMIDE Ph.Eur. (Cetilmetil amonij bromid; Hexadeciltrimetil amonij bromid) C ₁₉ H ₄₂ BrN Mr 364,50	2.CDK019E 2.CDK019G	50 g 250g	57-09-0
CETRIMIDE p.a., za IPC, \square 99,0% (Cetilmetil amonij bromid; Hexadeciltrimetil amonij bromid) C ₁₉ H ₄₂ BrN Mr 364,50	R.52367C	10 g	57-09-0
CEZIJ HLORID \square 99,99% p.a. * CsCl Mr 168,36	2.CD004E 2.CD004F 2.CD004G RH.RM330I	50 g 100 g 250 g 1000g	7647-17-8
CEZIJ HLORID ekstra pure, za biohemiju CsCl Mr 168,36	R.7878.1	100 g	7647-17-8
CHAPS (MB) 3-[[3-Cholamidopropyl] dimethyl ammonio]-1-propanesulfonate C ₃₂ H ₅₈ N ₂ O ₇ S Mr 614.88 *Za molekularnu biologiju	RH.MB084A RH.MB084B RH.MB084C	1g 5g 10g	75621-03-3
CHELEX-100 Na forma (MB) *Za molekularnu biologiju	RH.MB160D	25g	11139-85-8
CIKLOHEKSIMID (AKTIDION) C ₁₅ H ₂₃ NO ₄ Mr 281,36	RR.8682.1A RR.8682.3B RR.8682.4C	1 g 5 g 10 g	66-81-9
CIKLOHEKSAN p.a. C ₆ H ₁₂ Mr 84,16	2.131250I I912.012	1000 mL 2,5L0	110-82-7
CIKLOHEKSAN Ph.Eur. C ₆ H ₁₂ Mr 84,16	R.141250I R.141250J	1000 mL 2,5 L	110-82-7
CIKLOHEKSAN za UV, IR, HPLC, p.a. C ₆ H ₁₂ Mr 84,16	R.361250J	2,5 L	110-82-7
CIKLOHEKSAN – PESTANAL za hromatografiju, C ₆ H ₁₂ Mr 84,16	R.T163.1I	1000 mL	110-82-7
CIKLOHEKSANOL p.a. C ₆ H ₁₂ O Mr 100,16	2.CD012I	1000 mL	108-93-0
CIKLOHEKSANON 99,5% C ₆ H ₁₀ O Mr 98,15	2.161890I	1000 mL	108-94-1

bis-CIKLOHEKSANON OKSALDIHIDRAZON p.a. ≥99 % C ₁₄ H ₂₂ N ₄ O ₂ Mr 278,35	R.14690D	25 g	370-81-0
CIKLOHEKSEN p.a. C ₆ H ₁₀ Mr 82,15	2.15A747I	1000 mL	110-83-8
CIKLOPENTAN p.a. C ₅ H ₁₀ Mr 70,13	56.818769I	1000 mL	287-92-3
CIKLOPENTANOL 99% puris C ₅ H ₁₀ O Mr 86,14	2.15A087H	500 mL	120-92-3
CIKLOPENTANOL 99% puris C ₅ H ₁₀ O Mr 86,14	R.15A087F R.15A087H	100 mL 500 mL	120-92-3
CIKLOPENTANON 99% puris C ₅ H ₈ O Mr 84,12	2.15A090G 2.15A090I	250 mL 1000 mL	120-92-3
CIKLOPENTANON 99% puris C ₅ H ₈ O Mr 84,12	R.15A090G R.15A090I	250 mL 1000 mL	120-92-3
CIMETNA KISELINA (Cinnamic acid); C ₉ H ₈ O ₂ Mr 132,16	RH.GRM1445G RH.GRM1445H	250g 500g	140-10-3
CINK GRANULE p.a. * Zn Ar 65,38	2.CD007E 2.CD007F 2.CD007G 2.CD007H	50g 100 g 250 g 500g	7440-66-6
CINK PRAH p.a. * Zn Ar 65,38	2.9524.1E 2.9524.1F 2.9524.1G 2.9524.1H RR.9524.1	50 g 100 g 250 g 500 g 2,5kg	7440-66-6
CINK ACETAT-2-HIDRAT p.a. * C ₄ H ₆ O ₄ Zn x 2H ₂ O Mr 219,50	2.CD006F 2.CD006G RH.GRM1434H	100 g 250 g 500g	5970-45-6
CINK ACETAT-2-HIDRAT Ph.Eur. (Zinci acetat); C ₄ H ₆ O ₄ Zn x 2H ₂ O Mr 219,50	2.CD0061H 2.CD0061I 161.2445.2	500 g 1000 g 5 kg	5970-45-6
CINK BROMID 98% Ph.Eur. ZnBr ₂ Mr 225,21	RH.GRM2550F	100g	7699-45-8
CINK CIJANID p.a. Zn(CN) ₂ Mr 117,42	R.11836F R.11836H	100 g 500 g	557-21-1
CINK CIJANID Ph.Eur. Zn(CN) ₂ Mr 117,42	R.141778G	250 g	557-21-1
CINK CITRAT Ph.Eur. (Zinc citrate (tribasic) trihydrate) C ₁₂ H ₁₀ O ₁₄ Zn ₃ · 3H ₂ O Mr 628,39	2.AF11416F 2.AF11416G RH.GRM7674H 161.11416I 161.11416.2	100 g 250 g 500g 1000 g 5 kg	546-46-3
CINK FENOLSULFONAT-8-HIDRAT Ph.Eur. C ₁₂ H ₁₀ O ₈ S ₂ Zn x 8H ₂ O Mr 555,83	R.141781I	1000 g	127-82-2
CINK GLUKONAT p.a. C ₁₂ H ₂₂ O ₁₄ Zn Mr 455,68	2.RM9096F 2.RM9096G RH.GRM9096H	100 g 250 g 500g	4468-02-4
CINK GLUKONAT Ph.Eur. C ₁₂ H ₂₂ O ₁₄ Zn Mr 455,68	2.AF2450F 2.AF2450G 2.AF2450H 161.2450I 161.2450.2	100 g 250 g 500 g 1000 g 5 kg	4468-02-4
CINK HIDROKSI KARBONAT Ph.Eur. C ₂ H ₆ O ₁₂ Zn ₅ Mr 549,02	RH.GRM1884H	500g	5263-02-5
CINK HLORID p.a. ZnCl ₂ Mr 136,29	2.CD002E 2.CD002F 2.CD002G RH.GRM696H	50 g 100 g 250 g 500g	7646-85-7
CINK HLORID p.a. (Zinci chloridum); ZnCl ₂ Mr 136,29	R.131779H R.131779I	500 g 1000 g	7646-85-7
CINK HLORID Ph.Eur. (Zinci chloridum); ZnCl ₂ Mr 136,29	2.CD0021F 2.CD0021H 2.CD0021I 161.2449.6	100 g 500 g 1000 g 5 kg	7646-85-7
CINK HLORID 1mol/l (1N) u dietileteru, ZnCl ₂ Mr 136,29	R.96472F	100 ml	7646-85-7
CINK HLORID 0,5mol/l (0,5N) u tetrahidrofurano, ZnCl ₂ Mr 136,29	R.96474F	100 ml	7646-85-7

CINK JODID purum 98% ZnI ₂ Mr 319,20	85.RM4551D 85.RM4551E	25 g 50 g	10139-47-6
CINK NITRAT-6-HIDRAT p.a. * Zn(NO ₃) ₂ x 6H ₂ O Mr 297,48	2.RM691E 2.RM691F 2.RM691G RH.GRM691H 11.6634.2	50 g 100 g 250 g 500g 1000g	10196-18-6
CINK NITRAT-6-HIDRAT p.a. Zn(NO ₃) ₂ x 6H ₂ O Mr 297,48	R.121784H R.121784I	500 g 1000 g	10196-18-6
CINK NITRAT-6-HIDRAT Ph.Eur. Zn(NO ₃) ₂ x 6H ₂ O Mr 297,48	R.141784H R.141784I	500 g 1000 g	10196-18-6
CINK PICOLINATE Ph.Eur (Zinc picolinate monohydrate) C ₁₂ H ₈ O ₄ N ₂ Zn·H ₂ O Mr 327,61	2.AF2455F 2.AF2455H 161.2455I 161.2455.2	100 g 500 g 1000 g 5 kg	17949-65-4
CINK PYRITHIONE 48% Ph.Eur. (Bis[1-hydroxypyridine-2(1H)-thionato]zinc) C ₁₀ H ₈ O ₂ N ₂ S ₂ Zn Mr 317,70	2.AF2456F 161.2456G 2.AF2456H 161.2456.2	100g 250 g 500g 5 kg	13463-41-7
CINK SULFAT-1-HIDRAT p.a. * ZnSO ₄ x 1H ₂ O Mr 179,48	2.RM1180E 2.RM1180F 2.RM1180G RH.GRM1180H	50 g 100 g 250 g 500g	7446-19-7
CINK SULFAT-7-HIDRAT p.a. * ZnSO ₄ x 7H ₂ O Mr 287,54	2.RM695E 2.RM695F 2.RM695G RH.GRM695H	50 g 100 g 250 g 500g	7446-20-0
CINK SULFAT-7-HIDRAT Ph.Eur.8.0. (Zinc sulfate heptahydrate) ZnSO ₄ x 7H ₂ O Mr 287,54	2.AF2453E 2.AF2453F 2.AF2453G RH.GRM1196H 161.2457I 161.2457.3	50 g 100 g 250 g 500g 1000 g 25 kg	7446-20-0
CINK SULFAT 7-HIDRAT F.C.C. aditiv (Zinc sulfate 7-hydrate) ZnSO ₄ ·7H ₂ O Mr= 287,54	2.AF201787F 2.AF201787H 2.AF201787I RP.201787K RP.201787	100g 500g 1000g 5 kg 25 kg	7446-20-0
CINK SULFAT 0,05mol/l (0,05N) 14,377g ZnSO ₄ x 7H ₂ O	R.38448I	1000 mL	7446-20-0
CINK SULFAT 0,1mol/l (0,1N) 28,754g ZnSO ₄ x 7H ₂ O	R.38343I	1000 mL	7446-20-0
CINK SULFID p.a. ZnS Mr 97,44	2.RM1897F RH.GRM1897H	100 g 500g	1314-98-3
CINKON p.a. C ₂₀ H ₁₅ N ₄ NaO ₆ S x H ₂ O Mr 480,43	R.122667A R.122667B	1 g 5 g	62625-22-3
CIRKONIJ p.a. prah Metal, Zr Mr 91,22	R.14602F	100 g	7440-67-7
CIRKONIJ(IV)OKSI HLORID-8-HIDRAT (Cirkonil hlorid oktahidrat) ZrOCl ₂ x 8H ₂ O Mr 322,25	85.RM3837F	100 g	13520-92-8
CIRKONIJ(IV) OKSI NITRAT-1-HIDRAT* (Cirkonil nitrat-1-hidrat), N ₂ O ₇ Zr x H ₂ O Mr 231,31 x H ₂ O	85.RM1856D 85.RM1856F	25 g 100 g	14985-18-3
L(-)-CISTEIN (L-Cysteine); C ₃ H ₇ NO ₂ S Mr 121,16	R.30090C R.30090D	10 g 25 g	52-90-4
D(-)-CISTEIN (L-Cysteine); C ₃ H ₇ NO ₂ S Mr 121,16	R.30097B R.30097D	5 g 25 g	3374-22-9
L(-)-CISTEIN HIDROHLORID anhidrovani. (L-Cysteinehydrochloride) C ₃ H ₇ NO ₂ S x HCl Mr 157,62	RR.3468.1	10 g	52-89-1
L(-)-CISTEIN HIDROHLORID-1-HIDRAT p.a. (L-Cysteinehydrochloride monohydrate) C ₃ H ₇ NO ₂ S x HCl x H ₂ O Mr 175,64	2.RM046D RH.GRM046F	25 g 100g	7048-04-6
DL-CISTIN p.a. (DL-Cystine), C ₆ H ₁₂ N ₂ O ₄ S ₂ Mr 240,30	R.25565.1	1 g	56-89-3
L(-)-CISTIN p.a. (L-Cystine), C ₆ H ₁₂ N ₂ O ₄ S ₂ Mr 240,30	85.RM047D 85.RM047F 85.RM047H	25 g 100 g 500 g	56-89-3

L-CISTIN Ph.Eur. Cystine-L $C_6H_{12}N_2O_4S_2$ Mr 240,30	2.AF4222F 2.AF4222G 161.4222H 161.4222K 161.4222	100g 250g 500g 5 kg 25 kg	56-89-3
CITOHROM C >90% za biohemiju (Cytochrome C, Iron porphyrin protein complex) Mr ~ 13000,00	R.6301.1	250 mg	9007-43-6
CITRONSKA KISELINA anhidrovana p.a. * $C_6H_8O_7$ Mr 192,13	2.CD008F 2.CD008G RH.GRM1023H	100 g 250 g 500 g	77-92-9
CITRONSKA KISELINA anhidrovana p.a. (Acidum citricum) $C_6H_8O_7$ Mr 192,13	R.131808H R.131808I	500 g 1000 g	77-92-9
CITRONSKA KISELINA $\geq 99,8\%$ Ph.Eur. (Acidum citricum) $C_6H_8O_7$ Mr 192,13	1910.057I 1910.046K	1000g 5000g	77-92-9
CITRONSKA KISELINA anhidrovana Ph.Eur.E330 aditiv (Acidum citricum) $C_6H_8O_7$ Mr 192,13	2.CD022F 2.CD022G 2.CD022H 161.0043I 161.0043.2 161.0043.3	100 g 250 g 500 g 1000g 5 kg 25 kg	77-92-9
CITRONSKA KISELINA anhidrovana (MB) (Acidum citricum) $C_6H_8O_7$ Mr 192,13 *Za molekularnu biologiju	RH.MB174H	500g	77-92-9
CITRONSKA KISELINA-1- HIDRAT p.a. * $C_6H_8O_7 \cdot x H_2O$ Mr 210,14	2.CD009F 2.CD009G 2.CD009H 2.CD009I RDC.103911	100 g 250 g 500 g 1000 g 25 kg	5949-29-1
CITRONSKA KISELINA-1- HIDRAT p.a. $C_6H_8O_7 \cdot x H_2O$ Mr 210,14	R.131018H R.131018I	500 g 1000 g	5949-29-1
CITRONSKA KISELINA-1-HIDRAT 99,5% Ph.Eur.8.0. E-330, F.C.C. aditiv (Acidum citricum monohydrate) $C_6H_8O_7 \cdot x H_2O$ Mr 210,14	2.CDK020F 2.CDK020G RH.GRM229H 161.0044I 161.0044.2 161.0044.3	100 g 250 g 500g 1000 g 5 kg 25kg	5949-29-1
CLIOQUINOL Ph.Eur.8.0. (5-Chloro-7-iodo-8-quinolinol, 5-Chloro-8-hydroxy-7-iodoquinoline; Clioquinol; Iodochlorhydroxyquin) C_9H_5ClINO Mr 305,5	161.2389C 161.2389F	10 g 100 g	130-26-7
COLCHICINE $\geq 97\%$ (HPLC) $C_{22}H_{25}NO_6$ Mr 399,44	R.27650A R.27650B	1 g 5 g	64-86-8
COOMASSIE BRILJANT PLAVO G-250 (Acid Blue 83, Brilljant plavo G) $C_{47}H_{48}N_3O_7S_2Na$ Mr 854,00	2.CD27815D 2.CD27815F	25 g 100 g	6104-58-1
COOMASSIE BRILJANT PLAVO G-250 (Acid Blue 83, Brilljant plavo G) $C_{47}H_{48}N_3O_7S_2Na$ Mr 854,00	R.27815D R.27815F	25 g 100 g	6104-58-1
COOMASSIE BRILJANT PLAVO R-250 (Acid Blue 83, Brilljant plavo R) $C_{45}H_{44}N_3NaO_7S_2$ Mr 825.97	85.RM344D 85.RM344F	25 g 100 g	6104-59-2
COOMASSIE BRILJANT PLAVO R-250 (Acid Blue 83, Brilljant plavo R) $C_{45}H_{44}N_3NaO_7S_2$ Mr 825.97	R.254932D	25 g	6104-59-2
COOMASSIE BRILJANT PLAVO G-250(MB) (Acid Blue 83, Brilljant plavo R) $C_{45}H_{44}N_3NaO_7S_2$ Mr 825.97 *Za molekularnu biologiju	RH.MB092B RH.MB092G	5g 25 g	6104-59-2
CUPFERRON p.a. $C_6H_9N_3O_2$ Mr 155,16	R.131827D R.131827F	25 g 100 g	135-20-6
CURCUMIN Ind. (Turmeric yellow) $C_{21}H_{20}O_6$ Mr 368,39	RH.RM1449B RH.RM1449C	5 g 10 g	458-37-7

CTAB (MB) N-Cetyl-N,N,N-trimethylammonium bromide C ₁₉ H ₄₂ BrN Mr 364.45 *Za molekularnu biologiju	RH.MB101F RH.MB101H	100g 500g	57-09-0
CYTOCHALASIN B (Phomin), C ₂₉ H ₃₇ NO ₅ , Mr 479.6 g/mol	R.C6762	1 mg	14930-96-2
D			
DEKSTRAN 35 za biohemiju; Mr ~35000,00	R.8943.1E	50 g	9004-54-0
DEKSTRAN 200 za biohemiju; Mr 200-300000,00	R.8946.1E	50 g	9004-54-0
DEKSTRAN 200 (MB) Mr 200-300000,00 *Za molekularnu biologiju	RH.MB221F	100g	9004-54-0
DEKSTRAN SULFAT Na so (MB) Mr 500000 *Za molekularnu biologiju	RH.MB146B RH.MB146D RH.MB146F	5g 25g 100g	9011-18-1
DEKSTRIN bijeli extra pure (Dextrin white) (C ₆ H ₁₀ O ₂) _n	2.6778F 2.6778H RR.6778.1	100 g 500 g 1000 g	9004-53-9
DEKSTRIN žuti extra pure (Dextrin yellow) (C ₆ H ₁₀ O ₅) _n x H ₂ O	2.6777F 2.6777H RR.6777.1	100 g 500 g 1000g	9004-53-9
DETERDŽENT "BASOSORB" prah sa indikatorom za neutralizaciju baznih tečnosti	11.3287.1	5 kg	
DETERDŽENT "BIOREX M" Tečni koncentrat za ručno čišćenje laboratorijske opreme. Bez fosfata i baza (alkalija). Biorazgradiv, bez rastvarača, razrijeđen nije opasan ta istresanje u kanalizaciju. Pogodan za staklo, porculan, keramiku, gumu, plastiku, silicon, nehrđajući čelik. Lahko se mjeri, efikasno čišćenje.	R.41406010 (Hecht)	5000 mL	
DETERDŽENT „DERQUIM LA12“ alkalno, čvrsto sredstvo za mašinsko pranje laboratorijskog posuđa uklanja zagorjele ostatke, škrob, 25droge,... Primjena: 0,2-0,4% T= 20°C	40.502604 40.02604L 40.2604-1	2 kg 10 kg 25 kg	
DETERDŽENT „DERQUIM LA13“ alkalno, čvrsto sredstvo za mašinsko pranje i snažno čišćenje i uklanjanje svih masnoća u laboratorijama. Primjena 0,2-0,4% T=20°C	40.502605-2 40.502605 40.502605-25	2 kg 10 kg 25 kg	
DETERDŽENT „DERQUIM so“ Primjena: za dekalifikaciju i omekšavanje vode u automatskim mašinama za pranje, Sadrži natrij hlorid kao pastille-grudvice	40.503468	10 kg	
DETERDŽENT „NEODISHER FT“ alkan, tečno, sredstvo za mašinsko pranje specijalno za mikrobiologiju, za pranje posuđa od ostataka ćelijskih i tkivnih kultura. Primjena: 3-4Ml/l na T=20°C	11.N334.1	10 L	
DETERDŽENT „NEODISHER N“ (Derquim LA21) kiselo, tečno sredstvo za mašinsko pranje i neutralizaciju instrumenata i laboratorijskog posuđa u mikrobiologiji, biohemiji, nuklearnoj 25drogen, citologiji, genetici, histopatologiji, kozmetici, lakirnicama,... Primjena: 1-4Ml/l T=20°C	11.N335.Z 11.N335.K 11.N335.L 11.N335-1	3 L 5 L 10 L 25 L	
DETERDŽENT „NEODISHER A8“ alkalni čistač sa izuzetnim prahom za čišćenje laboratorijskog stakla sa aktivnim hlorom	11.N330.2	10 kg	
DETERDŽENT "PYRACIDOSORB" za neutralizaciju kiselina	11.0411.1	5 kg	
DETERDŽENT "ROTICLEAN E" Sredstvo za uklanjanje toksičnih hemikalija sa kože, posebno za fenole, krezole, rasvarače, kiseline i bazne otopine	11.1529.1 11.15292I	250 mL 1000 mL	
DETERDŽENT "ROTISORB" idealna za apsorpciju zapaljivih tečnosti, ulja i agresivnih tečnosti	11.1710.1	800 g	
DETERDŽENT ULRASONOL 11 alkalni (Ph koncentrata 12,9), Deterdžent za čišćenje u ultrazvučnim kupatilima, gustina: 1,09 g/MI	11.5354.1 11.5354.2	1000 mL 5 L	
DETERDŽENT ULRASONOL 7 neutralni (Ph koncentrata 7), Deterdžent za čišćenje pozicija od svih čvrstih materijala, gustina: 1,072 g/MI	11.5356.1 11.5356.2	1000 mL 5 L	

DETERDŽENT ULTRASONIC Elma clean 10 (alkalni), Deterdžent za čišćenje laboratorijske opreme, medicinskog i stomatološkog pribora, instrumenata od čelika, stakla, plastike i keramike.	11.CC48.1	1000 mL	
DEVARD-ova legura Cu-50%; Al-45%; Zn-5%;	85.RM2732G	250 g	8049-11-4
D-Panthenol, Ph. Eur. C ₉ H ₁₉ NO ₄ Mr 205,25 g/mol	161.015883H 28.PKE0108	500 g 1000 g	81-13-0
Dgtp >98% liofilizirani (2'-Deoxyguanosine-5'-triphosphate, tri-sodium salt) C ₁₀ H ₁₃ N ₅ O ₁₃ P ₃ Na ₃ x 3H ₂ O Mr 627,16	R.K052.1 R.K052.2	10 mg 100 mg	93919-41-6
Dgtp >98% 100Mm otopina (2'-Deoxyguanosine-5'-triphosphate) C ₁₀ H ₁₃ N ₅ O ₁₃ P ₃ Mr 504,16	R.K037.1	250 µL (25 µmol)	93919-41-6
DIACETIL (2,3-Butanedione;Dimethylglyoxal;Diacetyl) C ₄ H ₆ O ₂ Mr 86,09	R.161946F RH.RM2019F	100 g 100g	431-03-8
DIACETILMONOKSIM p.a. * (2,3-butandion oxime), C ₄ H ₇ NO ₂ Mr 101,11	2.DD005D RH.RM1448F	25 g 100g	57-71-6
DIACETON ALKOHOLO p.a. (4-Hydroxy-4-Methyl-2-Pentanone), C ₆ H ₁₂ O ₂ Mr 116,16	RP.151083	2,5L	123-42-2
3,3'-DIAMINO BENZIDIN TETRAHIDROHLORID-2-HIDRAT p.a. za spektrofotometrijsko određivanje selena C ₁₂ H ₁₄ N ₄ x 4HCl x 2H ₂ O Mr 396,15	R.CN75.1 – ST R.CN75.2 – PP R.CN75.3 – PP	1 g 5 g 10 g	7411-49-6
1,6-DIAMINOHEXANE >99% puris (1,6-Hexanediamine), C ₆ H ₁₆ N ₂ Mr 116,02	R.33000F RH.RM1678D RH.RM1678F	100 g 25g 100g	124-09-4
1,2-DIBROMOETAN (Ethylene dibromide), C ₂ H ₄ Br ₂ Mr 187,90	R.36699I	1000 mL	106-93-4
2,6-DIBROMOKINON-4-HLORIMID p.a. C ₆ H ₂ Br ₂ ClNO Mr 299,30	85.RM1451B	5 g	537-45-1
DIBENZOFURAN C ₁₂ H ₈ O Mr 168,00	R.42978E R.42978G	50 g 250 g	132-64-9
DIETANOLAMIN p.a. (Diethanolaminum); C ₄ H ₁₁ NO ₂ Mr 105,14	2.DD031I	1000 mL	111-42-2
DIETANOLAMIN p.a. (Diethanolaminum); C ₄ H ₁₁ NO ₂ Mr 105,14	R.131287I	1000 mL	111-42-2
DIETANOLAMIN Ph.Eur. (Diethanolaminum); C ₄ H ₁₁ NO ₂ Mr 105,14	R.161287I R.161287J	1000 mL 2,5 L	111-42-2
DIETILAMIN p.a. C ₄ H ₁₁ N Mr 73,14	2.DD007I	1000 mL	109-89-7
DIETILAMIN Ph.Eur. C ₄ H ₁₁ N Mr 73,14	R.161288I R.161288J	1000 mL 2,5 L	109-89-7
4-DIETILAMINOBENZALDEHID p.a. C ₁₁ H ₁₅ NO Mr 177,25	RH.RM6887F	100g	120-21-8
DIETILEN GLIKOL p.a. C ₄ H ₁₀ O ₃ Mr 106,12	R.121289I	1000 mL	111-46-6
DIETILEN GLIKOL Ph.Eur. C ₄ H ₁₀ O ₃ Mr 106,12	2.151289I	1000 mL	111-46-6
DIETILEN GLIKOL Ph.Eur. C ₄ H ₁₀ O ₃ Mr 106,12	R.151289I R.151289J	1000 mL 2,5 L	111-46-6
DIETILETER 99,5 % p.a. (Aether); C ₄ H ₁₀ O Mr 74,12	2.DDK04G 2.DDK04I MC-1009212500	250 mL 1000 MI 2500ML	60-29-7
DIETILETER 99,5 % Ph.Eur.8.0. (Aether); C ₄ H ₁₀ O Mr 74,12	2.DDK041I	1000 ml	60-29-7
DIETILETER za hromatografiju (Aether); C ₄ H ₁₀ O Mr 74,12	R.T900.1J	2,5 L	60-29-7
DIETILETER za HPLC Stabiliziran u etanolu, (Aether); C ₄ H ₁₀ O Mr 74,12	R.362551I	1000 mL	60-29-7
DIETILETER PESTANAL (Aether); C ₄ H ₁₀ O Mr 74,12	R.T142.1J	2,5 L	60-29-7
N,N-DIETIL-p-FENILDIAMIN OKSALAT so 90% C ₁₀ H ₁₆ N ₂ x C ₂ H ₂ O ₄ Mr 254,30	2.AD0137D	25 g	62637-92-7
N,N-DIETIL-1,4(p)-FENILEN DIAMIN (DPD) C ₁₀ H ₁₆ N ₂ Mr 164,20	R.07660F R.07660H	100 mL 500 mL	93-05-0

N,N-DIETIL-p-FENILEN DIAMIN SULFAT >99,0%p.a. za spektrofotometrijsko određivanje S ²⁻ , Cl ₂ (4-AMINO-N,N-DIETILANILIN SULFAT p.) C ₁₀ H ₁₆ N ₂ x H ₂ SO ₄ Mr 262,30	R.07670D R.07670F	25 g 100 g	6283-63-2
N,N-DIETIL-p-FENILEN DIAMIN SULFAT >98,0%purum C ₁₀ H ₁₆ N ₂ x H ₂ SO ₄ Mr 262,30	R.07672D R.07672F	25 g 100 g	6283-63-2
DIETIL FTALAT 99% C ₁₂ H ₁₄ O ₄ Mr 222,20	R.15A766H R.15A766I	500 mL 1000 mL	84-66-2
DIFENILAMIN p.a. * (n-Difenilanilin) C ₁₂ H ₁₁ N Mr 169,23	2.RM520F 85.RM520G 85.RM520H	100 g 250 g 500 g	122-39-4
DIFENILAMIN p.a. (n-Difenilanilin) C ₁₂ H ₁₁ N Mr 169,23	R.121828F R.121828G	100 g 250 g	122-39-4
5,5-DIFENILHIDANTOIN (Diphenylhydantoinum, Phenyntion), C ₁₅ H ₁₂ N ₂ O ₂ Mr 252,30	R.A2219D R.A2219F	25 g 100 g	57-41-0
DIFENHIDRAMINUM HIDROHLORID (Diphenhydraminum hydrochloricum) C ₁₂ H ₈ Cl Mr 314,60	R.A2218C R.A2218D R.A2218F	10 g 25 g 100 g	147-24-0
DIFENIL KARBAZID p.a.* (1,5 Difenil karbazid), C ₁₃ H ₁₄ N ₄ O Mr 242,28	85.RM530D	25 g	140-22-7
DIFENIL KARBAZON p.a. C ₁₃ H ₁₂ N ₄ O Mr 240,30	85.RM2797D	25 g	538-62-5
DIGITONIN Ultra kvaLet, za biohemiju (Digitin); C ₅₆ H ₉₂ O ₂₉ Mr 1229,32	R.HN76.1 R.HN76.2A	250 mg 1 g	11024-24-1
DIGITONIN (Digitin); C ₅₆ H ₉₂ O ₂₉ Mr 1229,32	85.RM807A	1 g	11024-24-1
DIGOKSIN min 95% C ₄₁ H ₆₄ O ₁₄ Mr 780,90	85.RM1886A	1 g	20830-75-7
1,2-DIHLORETHAN > 99,5%p.a. (Etilen dihlord; Etilen hlord), C ₂ H ₄ Cl ₂ Mr 98,96	2.EDK030I	1000 mL	107-06-2
1,2-DIHLORETHAN > 99,5% Ph.Eur. (Etilen dihlord; Etilen hlord), C ₂ H ₄ Cl ₂ Mr 98,96	RR.6837.1 R.131286J RR.6837.2 RR.6837.3	1000 ML 2,5 L 2,5 L 10L	107-06-2
1,2-DIHLORETHAN suhi, max.0,005% vode (Etilen dihlord; Etilen hlord), C ₂ H ₄ Cl ₂ Mr 98,96	R.481286I	1000 mL	107-06-2
1,2-DIHLORETHAN za HPLC (Etilen dihlord), C ₂ H ₄ Cl ₂ Mr 98,96	85.RM2747I	1000 mL	107-06-2
2,6-DIHLORFENOL INDOPHENOL Na-2-HIDRAT C ₁₂ H ₆ Cl ₂ NaO ₂ x aq Mr 290,00xaq	R.HN79.2 R.HN79.3	5g 25 g	620-45-1
DIHLOROIZOCIJANURSKA KISELINA Na so, 2-HIDRAT (1,3-Dichloro-6-hydroxy-1,3,5-triazine- 2,4-dione sodium salt); C ₃ Cl ₂ N ₃ NaO ₃ x2H ₂ O Mr 255,98	85.RM2112F 85.RM2112G RH.RM2112H 85.RM2112I	100 g 250 g 500g 1000 g	2893-78-9
2,6-DIHLORKINON-4-HLORAMID p.a. (Gibbs-ov reagens), C ₆ H ₂ Cl ₃ NO Mr 210,40	85.RM806B	5 g	101-38-2
di-IZOBUTIL KETON Ph.Eur. C ₉ H ₁₈ O Mr 142,24	R.141290I	1000 mL	32779-58-1
DI-IZOPROPIL ETER p.a. (Izopropileter), C ₆ H ₁₄ O Mr 102,20	2.141314I	1000 mL	108-20-3
1,2-DIKLOROBENZEN 98% p.a. C ₆ H ₄ Cl ₂ Mr 147,00	R.161892I	1000 mL	95-50-1
1,2-DIKLOROBENZEN Ph.Eur. C ₆ H ₄ Cl ₂ Mr 147,00	R.121892I	1000 mL	95-50-1
2,4-DIKLOROFENOL p.a. C ₆ H ₄ Cl ₂ O Mr 163,00	85.RM2752E 85.RM2752F 85.RM2752H	50 g 100 g 500 g	120-83-2
1,2-DIKLORPROPAN p.a. (Propilen dihlord), C ₃ H ₆ Cl ₂ Mr 113,00	R.82270I	1000 mL	78-87-5
DIMEDON (5,5-Dimethyl-1-3 cyclohexanedione), C ₈ H ₁₂ O ₂ Mr 140,20	85.RM2768D	25g	126-81-8
N,N-DIMETILACETAMID p.a. C ₄ H ₉ NO Mr 87,12	R.38840I	1000 mL	127-19-5
N,N-DIMETILACETAMID p.a. C ₄ H ₉ NO Mr 87,12	R.123145I	1000 mL	127-19-5
N,N-DIMETILACETAMID Ph.Eur. C ₄ H ₉ NO Mr 87,12	R.143145I	1000 mL	127-19-5
DIMETILAMIN 40%	2.162727I	1000 mL	124-40-3

(CH ₃) ₂ NH Mr 45,08			
4-(DIMETILAMINO)BENZALDEHID p.a. * (p-Dymethylaminobenzaldehyde), C ₉ H ₁₁ NO Mr 149,19	2.DD011C 2.DD011D RH.RM809F RH.RM809I	10 g 25 g 100 g 1000g	100-10-7
N,N-DIMETILANILIN p.a. C ₈ H ₁₁ N Mr 121,18	2.121294I	1000 mL	121-69-7
N,N-DIMETILANILIN Ph.Eur. C ₈ H ₁₁ N Mr 121,18	R.161294I	1000 mL	121-69-7
p-DIMETILAMINOCINAMALDEHID p.a. (p-Dimethylaminocinnamaldehyde) C ₁₁ H ₁₃ NO Mr 175,23	2.DD1528C	10 g	6203-18-5
p-DIMETILAMINOCINAMALDEHID p.a. (p-Dimethylaminocinnamaldehyde) C ₁₁ H ₁₃ NO Mr 175,23	2.15A591I	10 g	6203-18-5
2,5-DIMETILFENOL p.a. (2,5-Xylenol), C ₈ H ₁₀ O Mr 122,20	85.RM2149F	100 g	95-87-4
2,6-DIMETILFENOL p.a. (2,6-Xylenol), C ₈ H ₁₀ O Mr 122,20	85.RM2150E 85.RM2150F 85.RM2150H	50 g 100 g 500 g	576-26-1
N,N-DIMETIL-p-FENILENDIAMIN p.a. C ₈ H ₁₂ N ₂ Mr 136,20	85.RM2791E	50 g	99-98-9
N,N-DIMETILFORMAMID p.a. C ₃ H ₇ NO Mr 73,10	2.TD082I RR.A529.3	1000 ml 500 ml	68-12-2
N,N-DIMETILFORMAMID ≥99% p.a. C ₃ H ₇ NO Mr 73,10	I914.042	2,5L	68-12-2
N,N-DIMETILFORMAMID Ph.Eur. C ₃ H ₇ NO Mr 73,10	R.141785I R.141785J	1000 mL 2,5 L	68-12-2
N,N-DIMETILFORMAMID UV, IR, HPLC C ₃ H ₇ NO Mr 73,10	R.361785I	1000 mL	68-12-2
DIMETILFLOKSIN Na so-8-HIDRAT C ₄ H ₆ NaN ₂ O ₂ x 2H ₂ O Mr 304,4	R.103061F	100 g	
DIMETILGLIOKSIM p.a. * (2,3-Butandione dioxim), C ₄ H ₈ N ₂ O ₂ Mr 116,12	85.RM933F 85.RM933H	100 g 500 g	95-45-4
DIMETILGLIOKSIM di-Na so- 8-HIDRAT p.a. C ₄ H ₆ N ₂ Na ₂ O ₂ X 8H ₂ O Mr 304,21	R.121594F R.121594H	100 g 500 g	75006-64-3
N,N-DIMETILOKILAMIN 95% CH ₃ (CH ₂) ₇ N(CH ₃) ₂ Mr 157,30	R.256226F	100 mL	7378-99-6
DIMETIL SULFOKSID ☐ 99,5% Ph.Eur (DMSO); (Dimethyl sulphoxide) C ₂ H ₆ OS Mr 78,13	2.DD023G 2.DD023I RR.7029.3 RR.7029.5	250 ml 1000 ml 10L 25 L	67-68-5
DIMETIL SULFOKSID ☐ 99,8% p.a. (DMSO) C ₂ H ₆ OS Mr 78,13	R.4720.4F R.4720.2H R.4720.1I	100 mL 500 mL 1000 mL	67-68-5
DIMETIL SULFOKSID ☐ 99,8% (max 0,02 % H₂O) ACS p.a. (DMSO) C ₂ H ₆ OS Mr 78,13	2.DDK022I	1000 mL	67-68-5
DIMETIL SULFOKSID ☐ 99,5% za molekul. Biologiju (DMSO) C ₂ H ₆ OS Mr 78,13	R.A994.1F R.A994.2G	100 mL 250 mL	67-68-5
DIMETIL SULFOKSID za UV-IR-HPLC, ☐ 99,9% (DMSO) C ₂ H ₆ OS Mr 78,13	R.361954I	1000 mL	67-68-5
5, 5'-Dithiobis(2-nitrobenzojeva kiselina C₁₄H₈N₂O₈S₂ Mr 396, 35	85.GRM1677	5 g	69-78-3
2,4-DINITROFENOL INDIKATOR C ₆ H ₄ N ₂ O ₅ Mr 184,11	85.RM145D 85.RM145F	25 g 100 g	51-28-5
2,4 DINITROFENIL HIDRAZIN p.a. C ₆ H ₆ N ₄ O ₄ Mr 198,14	2.DD012C 2.DD012D 2.DD012E 2.DD012F 2.DD012G	10 g 25 g 50 g 100 g 250 g	119-26-6
3,5 DINITROSALICILNA KISELINA Ph.Eur. 98% (2-Hydroxy-3,5-Dinitrobenzoic Acid); C ₇ H ₄ N ₂ O ₇ Mr= 228,12	RH.GRM1582D RH.GRM1582F	25g 100g	609-99-4
3,5 DINITROSALICILNA KISELINA (MB) (2-Hydroxy-3,5-Dinitrobenzoic Acid); C ₇ H ₄ N ₂ O ₇ Mr= 228,12	RH.MB232D RH.MB232F	25g 100g	609-99-4

*Za molekularnu biologiju

2,4 DINITROTOLUEN p.a. C ₇ H ₆ N ₂ O ₄ Mr 182,14	2.15A621E 2.15A621F 2.15A621H RH.RM5860F	50 g 100 g 500 g 100g	121-14-2
1,4-DIOKSAN za HPLC-UV-IR, stabiliziran sa 2ppm BHT C ₄₄ H ₈ O ₂ Mr 88,11	R.361296I	1000 mL	123-91-1
DIOKTIL-FTALAT purum (Bis(2-Ethylhexyl Phtalat), C ₂₄ H ₃₈ O ₄ Mr 390,57	R.15A733I	1000 mL	117-81-7
2,2 DIPIRIDIN p.a. (2,2-Bipyridine), C ₁₀ H ₈ N ₂ Mr 156,19	R.162371B RH.GRM791B RH.GRM791D	5 g 5g 25g	366-18-7
DIPROPILEN GLIKOL p.a. C ₆ H ₁₄ O ₃ Mr 134,17	2.DK012I	1000 mL	25265-71-8
DISULFIN PLAVO Ind. (Acid Blue 1), C ₂₇ H ₃₁ N ₂ NaO ₆ S ₂ Mr 566,67	2.DK009C RH.RM9519D	10 g 25g	129-17-9
DITIZON p.a. (1,5-Diphenylthiocarbazone), C ₁₃ H ₁₂ N ₄ S Mr 256,33	RH.GRM1816B	5g	60-10-6
1,4-DITIOTHREITOL >99% p.a. (DTT, Cleandov reagens), C ₄ H ₁₀ O ₂ S ₂ Mr 152,20	R.6908.1B R.6908.1D	5 g 25 g	3483-12-3
DL-DTT (MB) DL-Dithiothreitol C ₄ H ₁₀ O ₂ S ₂ *Za molekularnu biologiju	RH.MB070B RH.MB070D	5g 25g	3483-12-3
DODECIL HIDROGEN SULFAT Na so Ph.Eur.8.0. za IPC, LiChropur (Natrij laurilsulfat) C ₁₂ H ₂₅ NaO ₄ S Mr 288,38	RH.GRM205F	100g	151-21-3
DODECIL HIDROGEN SULFAT Na so (MB) (Natrij laurilsulfat) C ₁₂ H ₂₅ NaO ₄ S Mr 288,38 *Za molekularnu biologiju	RH.MB010D RH.MB010F RH.MB010H	25 g 100g 500g	151-21-3
DODEKAN >98% purum C ₁₂ H ₂₆ Mr 170,34	R.44020F	100 ml	112-40-3
1-DODEKANOL purum (N-Dodecane) 95% C ₁₂ H ₂₆ O Mr 186,34	85.RM2799F 85.RM2799G 85.RM2799I	100 mL 250 mL 1000 mL	112-53-8
DL-DOPA (DL-3,4-Dihydroxyphenylalanine) C ₉ H ₁₁ NO ₄ Mr 197,19	85.RM361B 85.RM361D	5 g 25 g	63-84-3
L-DOPA (L-3,4-Dihydroxyphenylalanine), C ₉ H ₁₁ NO ₄ Mr 197,19	85.RM360B	5 g	59-92-7
DULCITOL 99,0% za mikrobiologiju * (Galaktitol) C ₆ H ₁₄ O ₆ Mr 182,18 ; tačka topljenja 185-187°C	85.RM100D 85.RM100F	25 g 100 g	608-66-2
DUST OFF SPREJ Sprej za otklanjanje prašine	11.HXH3.1 11.HXH3.2	200ml 400ml	29118-24-9
E			
EDTA p.a. IDRANAL II * C ₁₀ H ₁₆ N ₂ O ₈ Mr 292,25	2.RM1279E 2.RM1279F 2.RM1279G 85.RM1279H	50 g 100 g 250 g 500 g	60-00-4
EDTA p.a. IDRANAL II C ₁₀ H ₁₆ N ₂ O ₈ Mr 292,25	R.131026G R.131026H R.131026I	250 g 500 g 1000 g	60-00-4
EDTA Ph.Eur. IDRANAL II C ₁₀ H ₁₆ N ₂ O ₈ Mr 292,25	RH.GRM678F RH.GRM678H	100g 500g	60-00-4
EDTA Ca-Na₂ C ₁₀ H ₁₂ CaN ₂ Na ₂ O ₈ Mr 374,27	2.RM1371F 85.RM1371H	100 g 500 g	62-33-9
EDTA Cu Na₂ so p.a. (EDTA cupric disodium salt), C ₁₀ H ₁₂ CuN ₂ Na ₂ O ₈ Mr 397,74	85.RM1680F	100 g	39208-15-6
EDTA Fe (III) Na so (ETDA ferric monosodium salt), C ₁₀ H ₁₂ FeN ₂ NaO ₈ Mr 367,05	85.RM1197F 85.RM1197H	100 g 500 g	15708-41-5
EDTA K₂-2-HIDRAT p.a. * C ₁₀ H ₁₄ K ₂ N ₂ O ₈ x 2H ₂ O Mr 404,46	2.ED001F RH.GRM3981H	100 g 500g	25102-12-9
EDTA K₂-2-HIDRAT Ph.Eur. C ₁₀ H ₁₄ K ₂ N ₂ O ₈ x 2H ₂ O Mr 404,46	RH.GRM1043F RH.GRM1043H	100g 500g	25102-12-9
EDTA K₃ p.a. *	2.KD024F	100 g	65501-24-8

$C_{10}H_{13}K_3Na_2O_8 \times 2H_2O$ Mr 442,57	2.KD024G 2.KD024I	250 g 1000 g	
EDTA K₃ p.a. $C_{10}H_{13}K_3Na_2O_8 \times 2H_2O$ Mr 442,57	R.144108G R.144108I	250 g 1000 g	65501-24-8
EDTA Mg-K₂-so IDRANAL II p.a. $C_{10}H_{12}K_2MgN_2O_8 \times 2H_2O$ Mr 428,75	2.142093F 2.142093G	100 g 250 g	15708-48-2
EDTA Mg-Na₂-so IDRANAL II p.a. $C_{10}H_{12}Na_2MgN_2O_8 \times 2H_2O$ Mr 394,54	2.6508.3F R.6508.1 R.6508.2	100 g 250g 500g	29932-54-4
EDTA-Na₂ p.a. –IDRANAL III (Komplekson III) $C_{10}H_{14}N_2Na_2O_8 \times 2H_2O$ Mr 372,24	2.EDK024E RH.GRM1370F 2.EDK024G 2.EDK024H RH.GRM1370I RDC.105901	50 g 100g 250 g 500 g 1000g 25 kg	6381-92-6
EDTA-Na₂ –IDRANAL III Ph.Eur. 8.0. (Kompleksal III; Ethylenedinitriletetraacetic Acid Disodium salt) $C_{10}H_{14}N_2Na_2O_8 \times 2H_2O$ Mr 372,24	2.EDK0241F RH.GRM1195H	100g 500g	6381-92-6
EDTA Na₂ III 0,01 mol/l (0,01N) (3,7224g $C_{10}H_{14}N_2Na_2O_8 \times 2H_2O$)	R.CN52.1	1000 mL	139-33-3
EDTA Na₂ III 0,05 mol/l (0,05N) (18,612g $C_{10}H_{14}N_2Na_2O_8 \times 2H_2O$)	3.8111I	1000 mL	139-33-3
EDTA Na₂ 0,10mol/l (0,1N) (37,224g $C_{10}H_{14}N_2Na_2O_8 \times 2H_2O$)	R.CN51.1	1000 mL	139-33-3
EDTA Na₄ p.a. $C_{10}H_{12}N_2Na_4O_8 \times 4H_2O$ Mr 452,24	2.ED003F RH.GRM4918F	100 g 100g	13235-36-4
EDTA Na₄ Ph.Eur. $C_{10}H_{12}N_2Na_4O_8 \times 4H_2O$ Mr 452,24	RH.GRM6352F RH.GRM6352H	100g 500g	13235-36-4
EGTA 98,0% p.a. (2-Etilen Glikol-bis-(2-Aminoetil)-Tetraacetik Acid) $C_{14}H_{24}N_2O_{10}$ Mr 380,25	RH.GRM1530C RH.GRM1530D	10g 25g	67-42-5
EGTA 98,0% p.a. (2-Etilen Glikol-bis-(2-Aminoetil)-Tetraacetik Acid) $C_{14}H_{24}N_2O_{10}$ Mr 380,25 *Za molekularnu biologiju	RH.MB130C	10 g	67-42-5
1,4 DITIOERITRIROL (CLELANDS REAGENS)	85.GRM359B	5g	6892-68-8
ELASTIN HIDROLIZIRANI 10% (Hydrolyzed elastin) Vodena otopina hidrolizata elastina iz goveđe aorte	2.EK029F 2.EK029G 2.EK029H 161.9659I	100 ml 250 ml 500 ml 1000 ml	91080-18-1; 9007-58-3
EOZIN B Ind. Topiv u vodi crveni* (Acid Red 91;; Scarlet) $C_{20}H_6Br_2N_2Na_2O_9$ Mr 624,09	2.ED008D RR.0306.3 85.GRM937	25 g 50g 100g	56360-46-4
EOZIN B Ind. Topiv u vodi crveni* (Acid Red 91; Eosin B; Scarlet) $C_{20}H_6Br_2N_2Na_2O_9$ Mr 624,09	RW.1B-403F	100 g	56360-46-4
EOZIN B za mikroskopiju (C.I. 45400) $C_{20}H_6Br_2N_2Na_2O_9$ Mr 624,09 g/mol	RR.0306.3	50 g	548-24-3
EOZIN ŽUTI (Y) – Ind.topiv u vodi (Acid Red 87) $C_{20}H_6Br_2Na_2O_5$ Mr 691,88	2.ED009D RH.GRM938D 2.ED009E RH.GRM938F 161.0956I	25 g 25g 50 g 100g 1000 g	15086-94-9
EOZIN ŽUTI (Y) – Ind.topiv u alkoholu (Acid Red 87) $C_{20}H_6Br_2Na_2O_5$ Mr 691,88	RH.GRM1060D 2.EDK022E RH.GRM1060F	25g 50 g 100g	15086-94-9
ERIOHROM AZUROL S, certificiran (Chromazurol S) $C_{23}H_{13}Cl_2Na_3O_9S$ Mr 605,29	85.RM336C	10 g	1667-99-8
ERIOHROM CIJANIN R Ind. $C_{23}H_{15}Na_3O_9S$ Mr 536,40	RH.RM1565C	10g	3564-18-9
ERIOHROM CRNO B Ind. (Eriohrom plavo-crno B), $C_{20}H_{13}N_2NaO_5S$ Mr 416,39	RH.GRM4238B	5g	3564-14-5
ERIOHROM CRNO T Ind. $C_{20}H_{13}N_2NaO_5S$ Mr 416,39	RH.GRM939D RH.GRM939F	25 g 100 g	1787-61-7

ERITRITOL E 968 aditiv (Erythritol) $C_4H_{10}O_4$ Mr 122,12	2.FCF12923F 2.FCF12923H 161.12923.10 161.12923.11	100g 500g 5 kg 25 kg	149-32-6
ERITROZIN B, C.I.45430 (Acid Red 51), $C_{20}H_{14}Na_2O_5$ Mr 879,87	2.ED012C RH.GRM941D	10 g 25g	16423-68-0
ESKULIN HIDRAT 97,50% (Aesculin) $C_{15}H_{16}O_9 \times 1,5H_2O$ Mr 367,31	85.RM097B 85.RM097D 85.RM097F	5 g 25g 100 g	66778-17-4
ETANOL 96% Ph.Eur.8.0. u medicini (Ethanolum 96%); C_2H_6O Mr 46,07	2.7000I	1000 ml	64-17-5
ETANOL apsolutni 99% p.a. u medicini C_2H_6O Mr 46,07	2.8000I	1000 ml	64-17-5
ETANOL AMIN 99% p.a. (2-Aminoetanol; Monoetanolamin) $D \sim 1,02$, C_2H_7NO Mr 61,0	2.131924I	1000 ml	141-43-5
ETANOL AMIN 99% p.a. (2-Aminoetanol; Monoetanolamin) $D \sim 1,02$, C_2H_7NO Mr 61,0	R.0342.2I	1000 ml	141-43-5
ETAMBUTOL DIHIDROHLORID (2,2'-Ethanediylidimino)bis-1-butanol dihydrochloride) $C_{10}H_{24}N_2O_2 \times HCl$ Mr 277,2	R.E4630D R.E4630F	25 g 100 g	1070-11-7
1,2 ETANDISULFONSKA KISELINA di-Na so za IPC (Natrij 1,2-etandisulfonat); $C_2H_4Na_2O_6S_2$ Mr 234,16	R.02374B R.02374D	5 g 25 g	5325-43-9
ETANSULFONSKA KISELINA za sintezu $C_2H_6O_3S$ Mr 110,13	R.820016B R.820016D	5 ml 25 ml	594-45-6
ETIDIUM BROMID p.a. 98% $C_{21}H_{20}BrN_3$ Mr 394,33	R.7870.2A R.7870.2B	1 g 5 g	1239-45-8
ETIDIUM BROMID 1%w/v (10mg/ml) $C_{21}H_{20}BrN_3$ Mr 394,0	R.2218.1B R.2218.2	10 ml 30 ml	1239-45-8
ETIL ACETAT p.a $C_4H_8O_2$ Mr 88,11	2.EDK026I	1000 ml	141-78-6
ETIL ACETAT Ph.Eur.8.0. (Aethylis acetat, Aether aceticus) $C_4H_8O_2$ Mr 88,11	2.EDK027I RP.141318K RP.141318	1000 ml 5 L 25 L	141-78-6
ETIL ACETAT F.C.C. aditiv (Acetic acid ethyl ester) $C_4H_8O_2$ Mr 88,11	2.AF201318H RP.201318I	500 ml 1000 ml	141-78-6
ETIL ACETAT 99,9% za HPLC $C_4H_8O_2$ Mr 88,11	R.361318J	2,5 L	141-78-6
ETILENDIAMIN pure (1,2-Diaminoetan), $C_2H_8N_2$ Mr 60,10	R.161869I	1000 ml	107-15-3
ETILENDIAMIN DIHIDROHLORID puris $C_2H_8N_2 \times 2HCl$ Mr 133,02	RH.RM1606E	50g	333-18-6
ETIL FORMIJAT p.a. $C_3H_6O_2$ Mr 74,08	R.06480I	1000 ml	109-94-4
ETILEN GLIKOL p.a. (Glicol; 1,2-Ethandiol), $C_2H_6O_2$ Mr 62,07	2.EDK028G 2.EDK028I	250 ml 1000 ml	107-21-1
ETILEN GLIKOL 99% p.a. (Glicol; 1,2-Ethandiol), $C_2H_6O_2$ Mr 62,07	I920.032	2,5L	107-21-1
ETILEN GLIKOL mono-BUTIL ETER Ph.Eur. (2-Butoxyethanol; Butylglycol), $C_6H_{14}O_2$ Mr 118,17	2.141888I R.141888I	1000 ml	111-76-2
ETILEN GLIKOL mono-FENIL ETER Ph.Eur. (2-Phenoxyethanol), $C_8H_{10}O_2$ Mr 138,16	2.ED016H 2.ED016I	500 ml 1000 ml	122-99-6
ETILEN GLIKOL mono-METIL ETER Ph.Eur. (2-Methoxyethanol), $C_3H_8O_2$ Mr 76,09	R.161897I	1000 ml	109-86-4
ETIL VIOLET Ind. $C_{31}H_{42}ClN_3$ Mr 492,10	85.RM2825D	25 g	2390-59-2
EUCERIN ANHIDROVANI podloga za kreme	2.EK016F 2.EK016H 161.1021I	100 g 500 g 1000 g	
EUROSORB B SODA LIME AGL (Natron kreč; Soda Lime; Natron kalk) Vidi Natron kreč	SL-4500-A	4,5 kg (5 litara Kanister)	8006-28-8
EVANS-ovo PLAVO (Evans blue), $C_{34}H_{24}H_6Na_{14}S_4$ Mr 960,82	RH.GRM942B RH.GRM942D	5 g 25 g	314-13-6
F			
FAST CRNO K so hemi (cink hlorid) so	R.44760D	25 g	64071-86-9

(Fast black Ksalt; Azoic Diazo No.38) $C_{14}H_{12}N_5O_4 \times \frac{1}{2} ZnCl_4$ Mr 417,88	R.44760F	100 g	
FAST PLAVO BB so hemi (cink hlorid) so (Fast blue bb salt), $C_{17}H_{18}ClN_3O_3 \cdot \frac{1}{2} ZnCl_2$ Mr 415,94	RH.GRM7002D	25 g	5486-84-0
FAST SULFON CRNO F Ind. (Fast sulphon black F); za EDTA titraciju	85.RM173C	10 g	3682-47-1
FAST ZELENO FCF (Fast green FCF), $C_{37}H_{34}N_2Na_2O_{10}S_3$ Mr 808,85	RH.GRM147B RH.GRM147C	5g 10g	2353-45-9
FAST ZELENO FCF (MB) (Fast green FCF), $C_{37}H_{34}N_2Na_2O_{10}S_3$ Mr 808,85 *Za molekularnu biologiju	RH.MB187C RH.MB187D	10g 25g	2353-45-9
FENACETIN Ph.Eur. (Phenacetinum) $C_{10}H_{13}NO_2$ Mr 598,80	2.FK001E 85.RM2941F	50 g 100 g	62-44-2
1,10-FENANTROLIN-1-HIDRAT p.a. $C_{12}H_8N_2 \times H_2O$ Mr 198,22	RH.GRM1138B RH.GRM1138D	5g 25g	5144-89-8
FENAZONIJ Ph.Eur.7.0. (Antipirin; Phenylidimethyl pyrazolon) $C_{11}H_{12}N_2O$ Mr 188,23	85.RM1462F	100 g	60-80-0
D-FENILALANIN ((\oplus) -2-Amino-3-phenylpropionic acid); $C_9H_{11}NO_2$ Mr 165,19	RH.RM1738B RH.RM1738D RH.RM17358F	5g 25g 100g	673-06-3
DL-FENILALANIN ((\oplus) -2-Amino-3-phenylpropionic acid) $C_9H_{11}NO_2$ Mr 165,19	RH.RM059D RH.RM059F	25g 100g	150-30-1
L-FENILALANIN * ((S) -2-Amino-3-phenylpropionic acid) $C_9H_{11}NO_2$ Mr 165,19	RH.GRM060D RH.GRM060F RH.GRM060H	25 g 100 g 500 g	63-91-2
L-FENILALANIN ((S) -2-Amino-3-phenylpropionic acid) $C_9H_{11}NO_2$ Mr 165,19	R.142047F	100 g	63-91-2
4-(FENILAMINO) BENZENSULFONSKA KISELINA Na SO p.a. $C_{12}H_{10}NNaO_3S$ Mr 271,27	R.132845C R.132845D	10 g 25 g	6152-67-6
(p)-1,4-FENILENDIAMIN DIHIDROHLORID (1,4-Diaminobenzen dihidrohlorid) $C_6H_8N_2 \times 2HCl$ Mr 181,07	85.RM1743E 85.RM1743G	50 g 250 g	624-18-0
(p)-1,4-FENILENDIAMIN 97% (1,4-Diaminobenzen); $C_6H_8N_2$ Mr 108,14	R.4499.1F	100 g	106-50-3
FENILHIDRAZIN p.a. $C_6H_8N_2$ Mr 108,14	2.FD028G	250 ml	100-63-0
FENILHIDRAZIN HIDROHLORID p.a. $C_6H_9ClN_2$ Mr 144,60	2.122328F	100 g	59-88-1
FENILHIDRAZIN HIDROHLORID p.a. $C_6H_9ClN_2$ Mr 144,60	R.122328F R.122328G	100 g 250 g	59-88-1
FENILMETANSULFONIL FLUORID $C_7H_7FO_2S$ Mr 174,19	RH.MB144B	5 g	329-98-6
FENOKSIETANOL (Phenoksietanol) $C_8H_{10}O_2$ Mr 138,16 Antimikrobni konzervansi; preporučena doza 0,5-1,0% u lokalnim pripravcima	2.FE1040I 161.1040K	1000 ml 5 L	122-99-6
FENOL $\geq 99,5\%$ p.a. (Hydroxy 32droge), C_6H_5OH Mr 94,11	2.FDK030F 2.FDK030G 2.FDK030H 2.FDK030I	100 g 250 g 500 g 1000 g	108-95-2
FENOL $\geq 99,5\%$ Ph.Eur.8.0. (Phenolum cryst.; Acidum carbolicum) C_6H_5OH Mr 94,11	2.FDK0303F 2.FDK0303G 2.FDK0303H RP.144852I RP.144852	100 g 250 g 500 g 1000 g 25kg	108-95-2
FENOL 90% u vodi p.a. (Phenol 90% aqueous solution) C_6H_5OH Mr 94,11	2.FDK029H RP.141323I RP.141323	500 ml 1000 ml 25 L	108-95-2
FENOL 90% u vodi p.a. C_6H_5OH Mr 94,11	R.131322H R.131322I	500 g 1000 g	108-95-2
FENOL 90% w/v * C_6H_5OH Mr 94,11	R.141323I	1000 ml	108-95-2
FENOL uravnoteženi, stabilizirani (Carbolic Acid, Hydroxybenzene, Phenic Acid)	RP.A1153F RP.A1153G	100 ml 250 ml	108-95-2

Stabiliziran sa 0,1% 8-Hydroxykinolinom, ekstrahovan sa Trisom - rastvorom	RP.A1153H	500 ml	
FENOL CRVENO Ind. C ₁₉ H ₁₄ O ₅ S Mr 354,38	2.FD020C RH.GRM975D RH.GRM975F	10 g 25g 100g	143-74-8
FENOL CRVENO Na so Ind. C ₁₉ H ₁₃ NaO ₅ S Mr 376,36	2.FD003D RH.RM976D	25 g 25g	34487-61-1
FENOLFTALEIN Ind. C ₂₀ H ₁₄ O ₄ Mr 318,32	RH.GRM076D 2.FD004E RH.GRM076F RH.GRM076I	25 g 50 g 100g 1000g	77-09-8
FENOLFTALEIN Ind. Ph.Eur.7.0. (Phenolphthalein) C ₂₀ H ₁₄ O ₄ Mr 318,32	2.FD0041D 2.FD0041E 2.FD0041F 161.16680G	25 g 50 g 100 g 250g	77-09-8
FENOL/HLOROFORM/ IZO-AMILNI ALKOHOL=25 : 24 : 1 u TE puferu, za ekstrakciju nukleinskih kiselina	R.A156.2I	1000 MI	
FEROIN 0,025M p.a. [Fe(C ₁₂ H ₈ N ₂) ₃]SO ₄ Mr 692,52	R.46270E R.46270G	50 MI 250 MI	14634-91-4
FEROIN 0,025M p.a. [Fe(C ₁₂ H ₈ N ₂) ₃]SO ₄ Mr 692,52	R.283462F R.283462G	100 MI 250 MI	14634-91-4
FIKOLL TIP 400	85.RM885B	5 g	26873-85-8
FLOKSIN B u mikroskopiji (Acid Red 92; Cyanosin) C ₂₀ H ₂ Br ₄ Cl ₄ Na ₂ O ₅ Mr 829,64	RH.RM885B RH.RM885D	5g 25g	18472-87-2
FLOKSIN B u mikroskopiji (MB) (Acid Red 92; Cyanosin) C ₂₀ H ₂ Br ₄ Cl ₄ Na ₂ O ₅ Mr 829,64 *Za molekularnu biologiju	RH.MB167B RH.MB167D	5g 25g	18472-87-2
FLORISIL 60-100 mesh za hromatografiju (MgO ₃ Si Mr 100,39)	85.RM817F 85.RM817H	100 g 500 g	1343-88-0
FLOROGLUCINOL p.a. (1,3,5-Trihydroxybenzene); C ₆ H ₆ O ₃ Mr 126,11	85.RM834D 85.RM834F	25 g 100 g	108-73-6
FLUORESCIN p.a. (Acid Yellow 73), C ₂₀ H ₁₂ O ₅ Mr 332,32	RH.GRM943D RH.GRM943F	25g 100g	2321-07-5
FLUORESCIN NATRIJUM Ph.Eur. 6.0 EP (Uranin) C ₂₀ H ₁₀ Na ₂ O ₅ Mr 376,28	RR.5283.3 161.1082F 85.RM374I	25 g 100G 1000 g	518-47-8
9-FLUORENILMETIL HLOROFORMATE (Fmoc chloride), C ₁₅ H ₁₁ ClO ₂ Mr 258,70	85.RM2209B	5g	28920-43-6
FLUORIDNA KISELINA 40% Ph.Eur. HF Mr 20,01	2.FD213070I 2.FD213070K	1000 MI 5 L	7664-39-3
FLUORIDNA KISELINA 48% Rotipuran®, Supra kvalitet HF Mr 20,01	R.HN54.1H	500 MI	7664-39-3
FLUORIDNA KISELINA 48% Hiperpur® HF Mr 20,01	R.721028H	500 MI	7664-39-3
FORMALDEHID 36-37% tehnički Formaldehidi sol	2.FDK031I	1000 ml	50-00-0
FORMAMID Ph.Eur. CH ₃ NO Mr 45.04	2.141956I	1000 MI	75-12-7
FORMAMID Ph.Eur. CH ₃ NO Mr 45.04	R.141956I	1000 MI	75-12-7
FORMAMID za molekularnu biologiju CH ₃ NO Mr 45.04	R.MB012H R.MB012I	500 MI 1000 MI	75-12-7
FOSFADITILHOLIN aditiv (Phosphatidylcholine) C ₁₀ H ₂₀ NO ₈ P Mr 313.24	2.FCF1092F 2.FCF1092G 2.FCF1092I 161.1092.2 161.1092.3	100g 250 g 1000g 5 kg 25 kg	26853-31-6
FOSFATNA KISELINA 85% p.a. H ₃ PO ₄ Mr 98,00 D~1,14	2.FD006G 2.FD006I RP.141032	250 MI 1000 MI 25 L	7664-38-2
FOSFATNA KISELINA ≥85% p.a. H ₃ PO ₄ Mr 98,00	1959.062	2,5L	7664-38-2
FOSFATNA KISELINA 85% Ph. Eur.7.0. (ortho-Phosphoric Acid 85%) H ₃ PO ₄ Mr 98,00 D~1,14	2.AF141032I RP.141032I	1000 ml 1000 ml	7664-38-2
FOSFATNA KISELINA 85% F.C.C. aditiv (orto-Phosphoric Acid)	2.AF201032H 2.AF201032I	500 ml 1000 ml	7644-38-2

H ₃ PO ₄ Mr 98,00 D~1,14	RP. 201032K	5 L	
FOSFATNA KISELINA 75% tehnička H ₃ PO ₄ Mr 98,00 D~1,14	2.FDK032K 2.FDK032L 2.OF0001	5 L 10 L 60 L	7664-38-2
meta-FOSFATNA KISELINA 100% (HPO ₃) _n ; u komadima	85.RM1875F 85.RM1875H	100 g 500 g	37267-86-0
meta-FOSFATNA KISELINA 65% p.a. (HPO ₃) _n	R.79615H	500 g	37267-86-0
meta-FOSFATNA KISELINA 33,5-36,5% p.a. (HPO ₃) _n	R.79613F	100 g	37267-86-0
FOSFOR CRVENI p.a. P Mr 30,98	2.RM2386B 2.RM2386C 2.RM2386E 2.RM2386F 2.RM2386G 2.RM2386H	5 g 10 g 25 g 100 g 250 g 500 g	7723-14-0
FOSFOR MOLIBDENSKA KISELINA-HIDRAT p.a. H ₃ [P(Mo ₃ O ₁₀) ₄] _x aq Mr 1825+aq	RH.RM629D RH.RM629F RH.RM629H	25g 100g 500g	51429-74-4
FOSFOR (V) OKSID p.a. (di-Fosfor penta-oksidi; Phosphorus ydrazide) P ₂ O ₅ Mr 141,94	2.9076.3F 2.9076.3G 2.9076.3H 2.9076.3I RR.9076.3	100 g 250 g 500 g 1000 g 2,5 KG	1314-56-3
FOSFOR (V) SULFID (di-Fosfor penta-sulfid), P ₂ S ₅ Mr 222,30	2.FD017F 2.FD017H	100 g 500 g	1314-80-3
FOSFOR VOLFRAMSKA KISELINA-HIDRAT p.a. (Phosphotungstic acid hidrat); H ₃ [P(W ₃ O ₁₀) ₄] _x aq Mr 2880,17+aq	2.FD008D 2.FD008E RH.GRM398F RH.GRM398H	25 g 50 g 100g 500g	12501-23-4
FOSFORIL HLORID p.a. (Fosfor oksid trihlorid); Cl ₃ OP Mr 153,33	R.15A800E R.15A800F R.15A800H	50 g 100 g 500 g	10025-87-3
D(-) FRUKTOZA p.a. (Fructosum); C ₆ H ₁₂ O ₆ Mr 180,16	2.RM1355F 2.RM1355G RH.GRM1355H	100 g 250 g 500g	57-48-7
D (-) FRUKTOZA Ph. Eur.8.0. (Fructosum) C ₆ H ₁₂ O ₆ Mr 180,16	2.AFRM196F 2.AFRM196G 85.RM196H RR.4981.6 161.1116.3	100 g 250 g 500 g 10 kg 25 kg	57-48-7
D(-) FRUKTOZA p.a. (MB) (Fructosum); C ₆ H ₁₂ O ₆ Mr 180,16 *Za molekularnu biologiju	RH.MB197F RH.MB197H RH.MB197I	100 g 500 g 1000g	57-48-7
FTALEIN PURPUR (o-Cresolphtaleine Complex Ind.), C ₃₂ H ₃₂ N ₂ O ₁₂ Mr 636,62	RH.GRM345B RH.GRM345D	5g 25g	2411-89-4
FTALEIN PURPUR (o-Cresolphtaleine Complex Ind.), C ₃₂ H ₃₂ N ₂ O ₁₂ Mr 636,62	R.132637A	1 g	2411-89-4
o-FTALDIALDEHID Extra pure (Phthaldialdehyde), C ₈ H ₆ O ₂ Mr 134,10	85.RM1143B 85.RM1143D	5 g 25 g	643-79-8
FUKSIN BAZIČNI ind. (Rozaniline hidrohlorid, Magenta, Basic Violet) C ₂₀ H ₂₀ ClN ₃	2.FD010F RH.GRM1089D RH.GRM1089F	100 g 25g 25g	58969-01-0
FUKSIN NOVI ind. (Magenta III, Fuksin N), C ₂₂ H ₂₃ N ₃ HCl Mr 365,91	RH.RM356C	10g	3248-91-7
FUKSIN KISELI ind. (Rubin S, Fuksin S), C ₂₀ H ₁₇ N ₃ Na ₂ O ₉ S ₃ Mr 585,54	85.GRM1330D	25g	3244-88-0
FUMARNA KISELINA Na so C ₄ H ₂ Na ₂ O ₁₀ Mr 160,04	85.RM1152F 85.RM1152H	100 g 500g	17013-01-3
FURFURIL ALKOHOL 98% p.a. (2-(Hydroxymethyl)furan) C ₅ H ₆ O ₂ Mr 98,10	2.15A706I	1000 ML	98-00-0
G			
D(+)-GALAKTOZA ≥ 99% p.a. C ₆ H ₁₂ O ₆ Mr 180,16	2.AFRM101D 85.RM101F	25 g 100 g	59-23-4
D(+)-GALAKTOZA (MB)	RH.MB177F	100g	59-23-4

C₆H₁₂O₆ Mr 180,16 *Za molekularnu biologiju	RH.MB177H RH.MB177I	500g 1000g	
GALIJ 99,9999% Ga Mr=69,72	GIBERELI	5g	7440-55-3
GALNA KISELINA –1-HIDRAT (3, 4, 5-Trihidroksi benzojeva kiselina-1-hidrat) C ₇ H ₆ O ₅ x H ₂ O Mr 188,14	85.RM233F 85.RM233G 85.RM233H	100 g 250 g 500 g	5995-86-8
GENCIJANA VIOLET Ind.Ph.Eur.8.0. (Gentian violet; Methylrosanilini chloride dac) C ₂₅ H ₃₀ ClN ₃ Mr 407,99	2.GDK050C RH.GRM6354D 2.GDK050E RH.GRM6354F 85.RM6354I 161.2394.2	10 g 25 g 50 g 100 g 1000 g 5kg	548-62-9
GENCIJANA VIOLET Ind.Ph.Eur.8.0. (Gentian violet; Methylrosanilini chloride dac) C ₂₅ H ₃₀ ClN ₃ Mr 407,99	RW.1B-345C RW.1B-345D RW.1B345F	10 g 25 g 100 g	548-62-91
GIBERELINSKA KISELINA GA3 (Gibberellic acid, Gibberellin A3) C ₁₉ H ₂₂ O ₆ Mr 346,38	R.7464.1 85.RM1867A 85.RM1867C	250 mg 1 g 10 g	77-06-5
GIEMSA boja u prahu (Azur eozin metilen plavo)	2.AD030C 2.AD030D 2.AD030F RH.GRM945D RH.GRM945F	10 g 25 g 100 g 25g 100g	51811-82-6
GLICEROL 85% p.a. C ₃ H ₈ O ₃ Mr 92,10	2.GD006G 2.GD006H 2.GD006I	250 MI 500 MI 1000 MI	56-81-5
GLICEROL 85% Ph.Eur. C ₃ H ₈ O ₃ Mr 92,10	2.GD0061I	1000ml	56-81-5
GLICEROL 99,5% p.a. C ₃ H ₈ O ₃ Mr 92,10	2.GD0066G 2.GD0066I RDC.106542	250 mL 1000 MI 25L	56-81-5
GLICEROL 99,5% Ph.Eur.8.0. (Glycerolum); C ₃ H ₈ O ₃ Mr 92,10 Povećava vlažnost kože	2.GDK033E 2.GDK033F 2.GDK033G 2.GDK033I 2.GDK033K 2.GDK033L COSM004	50 ml 100 ml 250 ml 1000 ml 5 L 10 L 200L (250kg)	56-81-5
GLICIL GLICIN ≥ 99%, PUFFERAN®, ultra kvalet (Diglycine; GLY-GLY); C ₄ H ₈ N ₂ O ₃ Mr 132,12	R.3794.1C R.3794.2F R.3794.3G	10 g 100 g 250 g	556-50-3
GLICIN p.a. * (Glycocol; Aminosirćetna kiselina) C ₂ H ₅ NO ₂ Mr 75,07	2.GD008F RH.GRM199F RH.GRM199G RH.GRM199H RH.GRM199K	100 g 100g 250g 500g 5kg	56-40-6
GLICIN Ph.Eur.7.0. (Glycocol; Aminosirćetna kiselina) C ₂ H ₅ NO ₂ Mr 75,07	2.AF14780F 2.AF14780G 161.14780H 161.14780	100 g 250 g 500 g 25 kg	56-40-6
GLICIN aditiv Glycine (GLYCOCOLLE) C ₂ H ₅ NO ₂ Mr 75,1	2.FCF1204F 161.1204I 161.1204.2 161.1204.3	100g 1000g 5 kg 25 kg	56-40-6
GLICIN E 640 aditiv Glycine C ₂ H ₅ NO ₂ Mr 75,1	2.FCF14369F 2.FCF14369G 161.14369H 161.14369.10	100g 250g 500g 25 kg	56-40-6
GLICIN (MB) (Glycocol; Aminosirćetna kiselina) C ₂ H ₅ NO ₂ Mr 75,07 *Za molekularnu biologiju	RH.MB013F RH.MB013H RH.MB013I RH.MB013K	100g 500g 1000g 5kg	56-40-6
GLIKOGEN Iiofilizirani, iz kamenice, za molekularnu biologiju i biohemiju (Glycogen)	R.HP51.1 R.HP51.2B R.HP51.3C R.HP51.4D	1 g 5 g 10 g 25 g	9005-79-2
GLIKOLNA KISELINA 98% Ph.Eur. (Glycolic acid 70%, Hydroxyacetic acid), C ₂ H ₄ O ₃ Mr 76,05	RH.RM1820D RH.RM1820F	25g 100g	79-14-1

	RH.RM1820H	250g	
α- (D+)- GLUKOZA anhidrovana p.a. C ₆ H ₁₂ O ₆ Mr 180,16	2.GDK034S 2.GDK034F 2.GDK034G 2.GDK034H 2.GDK034I RP.131341	75g(OGTanaliza) 100 g 250 g 500 g 1000 g 25 kg	50-99-7
α – (D+)- GLUKOZA anhidrovana Ph.Eur.8.0. (Glucosum anhydricum) C ₆ H ₁₂ O ₆ Mr 180,16	2.GDK035S 2.GDK035F 2.GDK035G 2.GDK035H 161.13458I 161.13458	75g(OGTanaliza) 100 g 250 g 500 g 1000 g 25kg	50-99-7
α- (D+)- GLUKOZA anhidrovana (MB) C ₆ H ₁₂ O ₆ Mr 180,16 *Za molekularnu biologiju	RH.MB037F RH.MB037H	100g 500g	50-99-7
α- (D+)- GLUKOZA anhidrovana (IP) C ₆ H ₁₂ O ₆ Mr 180,16 *Za farmaciju	RH.IP009	500g	50-99-7
α – (D+)- GLUKOZA-1-HIDRAT p.a. (Glucosum monohydricum) C ₆ H ₁₂ O ₆ x H ₂ O Mr 198,17	2.GDK010SS 2.GDK010F 2.GDK010G 2.GDK010H RP.A1349	82g(OGTanaliza) 100 g 250 g 500 g 25kg	14431-43-7
α – (D+)- GLUKOZA-1-HIDRAT Ph. Eur.8.0 (Glucosum monohydricum) C ₆ H ₁₂ O ₆ x H ₂ O Mr 198,17	2.GDK036SS 2.GDK036F 2.GDK036G 2.GDK036H 2.GDK036I 161.1216.3	82g(OGTanaliza) 100 g 250 g 500 g 1000g 25 kg	14431-43-7
α – (D+)- GLUKOZA-1-FOSFAT diNATRIJ-4H2O -D-Glucose-1-phosphate disodium salt tetrahydrate C ₆ H ₁₁ Na ₂ O ₉ P · 4 H ₂ O Mr 376,17 g/mol	R.6119.2 RH.RM377B	1g 5g	56401-20-8
GLUKOZA RASTVOR ZA ORALNU UPOTREBU Namjenjena za provođenje dijagnostičkih testova povezanih sa metabolizmom glukoze. Za diagnostiku: Test tolerancije glukoze u procjeni bolesti dijabetesa i srodnih bolesti. Spremno za upotrebu. Naručuje se pakovanje 4x12 kom	R.986517 oranž R.986524 limun	75g u 200mL 75g u 200mL	
L-GLUTAMIN (L-Glutamic acid 5-amide) C ₅ H ₁₀ N ₂ O ₃ Mr 146,15	85.RM049D 85.RM049F 85.RM049H	25 g 100 g 500 g	56-85-9
L-GLUTAMINSKA KISELINA 99% p.a. C ₅ H ₉ NO ₄ Mr 147,13	2.3774.1D 2.3774.1E RH.RM048F RH.RM048H	25 g 50 g 100g 500g	56-86-0
L-GLUTAMINSKA KISELINA E620, F.C.C. aditiv (Glutamic Acid L) C ₅ H ₉ NO ₄ Mr 147,13	2.FCF0062F 2.FCF0062G 161.0062I 161.0062.2 161.0062.3	100g 250g 1000g 5 kg 25 kg	56-86-0
GLUTARALDEHID 25% u vodi (Glutardialdehid); C ₅ H ₁₂ O ₂ Mr 100,12	2.GD015G 2.GD015I	250 mL 1000 MI	111-30-8
GLUTARALDEHID 25% p.a. u vodi (Glutardialdehid); C ₅ H ₁₂ O ₂ Mr 100,12	R.253857I	1000 MI	111-30-8
GLUTARALDEHID 25% p.a. u vodi Mini Pak – za elektronsku mikroskopiju (Glutardialdehid) C ₅ H ₁₂ O ₂ Mr 100,12	R.4157.2	10 x 1 MI	111-30-8
GLUTARALDEHID 50% u vodi (Glutardialdehid) C ₅ H ₁₂ O ₂ Mr 100,12	R.15A807G R.15A807I	250 MI 1000 MI	111-30-8
GUAJACOL, oksidacijski indikator (2-Methoxyphenol, Catechol monomethyl ether) (CH ₃ O)C ₆ H ₄ OH Mr 124,14	RH.RM1118G RH.RM1118I	250g 1000g	90-05-1
GVANIDIN HIDROHLORID Extra pure (Guanidine hydrochloride for Biochemistry) C ₅ H ₅ N ₅ OHCl Mr 187,59	85.RM1504D 85.RM1504F	25 g 100 g	50-01-1
GVANIDIN TIOCIJANAT 99% (GTC), CH ₅ N ₃ HSCN Mr 118,20	85.RM865D 85.RM865F	25 g 100 g	593-84-0
GVANIDIN TIOCIJANAT (MB)	RH.MB015D	25g	593-84-0

(GTC), CH ₅ N ₃ HSCN Mr 118,20 *Za molekularnu biologiju	RH.MB015F RH.MB015H	100g 500g	
GVANIN extra pure C ₅ H ₅ N ₅ O Mr 151,10	85.RM235B 85.RM235D	5 g 25 g	73-40-5
GVANIN (MB) C ₅ H ₅ N ₅ O Mr 151,10 *Za molekularnu biologiju	RH.MB213E	50g	73-40-5
H			
HEKSADEKAN purum >98,0% (GC) (Cetan); C ₁₆ H ₃₄ Mr 226,44	R.52210H	500 MI	544-76-3
HEKSAHLOROFEN (Hexachlorophenum) C ₃ H ₆ Cl ₆ O ₂ Mr 406,90	2.A2248C 2.A2248D 2.A2248F	10 g 25 g 100 g	70-30-4
HEKSAHLORPLATINSKA KISELINA x H ₂ O H ₂ PtCl ₆ aq Mr 409,80	R.00699A R.00699B	1 g 5 g	26023-84-7
HEKSAHLORPLATINSKA KISELINA x 6H ₂ O H ₂ PtCl ₆ x 6H ₂ O Mr 517,92	R.134433A	1 g	18497-13-7
n-HEKSAN p.a. C ₆ H ₁₄ Mr 86,18	2.163242I	1000 MI	110-54-3
n-HEKSAN ≥98% C ₆ H ₁₄ Mr 86,18	I930.027	2,5L	110-54-3
n-HEKSAN p.a. C ₆ H ₁₄ Mr 86,18	R.132063I R.132063J	1000 MI 2,5 L	110-54-3
n-HEKSAN ≥99% za HPLC C ₆ H ₁₄ Mr 86,18	R.363242J	2,5 L	110-54-3
n-HEKSAN UV/IR-grade za hromatografiju i spektrometriju C ₆ H ₁₄ Mr 86,18	R.T908.1J	2,5 L	110-54-3
n-HEKSAN PESTANAL C ₆ H ₁₄ Mr 86,18	R.T861.1J	2,5 L	110-54-3
izo-HEKSAN p.a. C ₆ H ₁₄ Mr 86,18	2.165261I	1000 MI	92112-69-1
izo-HEKSAN p.a. C ₆ H ₁₄ Mr 86,18	R.165261I	1000 MI	92112-69-1
izo-HEKSAN p.a. C ₆ H ₁₄ Mr 86,18	R.125261I R.125261J	1000 MI 2,5 L	92112-69-1
izo-HEKSAN (UV-IR-HPLC) C ₆ H ₁₄ Mr 86,18	R.365261J	2,5 L	92112-69-1
izo-HEKSAN PESTINAL C ₆ H ₁₄ Mr 86,18	R.T904.1J	2,5 L	92112-69-1
n-HEKSANSKA KISELINA p.a. 99% C ₆ H ₁₂ O ₂ Mr 116,16 1L=0,927kg	2.162589H 2.162589I	500 MI 1000 MI	142-62-1
n-HEKSANOL p.a. (1-Hexanol), C ₆ H ₁₄ O Mr 102,18	2.165794I	1000 MI	111-27-3
1-HEKSANSULFONSKA KISELINA Na so za HPLC (1-Hexanesulphonic acid sodium salt) C ₆ H ₁₃ NaO ₃ S x H ₂ O Mr 206,24	85.RM1536B 85.RM1536D	5 g 25 g	207300-91-2
1-HEKSANSULFONSKA KISELINA Na so-1-H ₂ O za HPLC i IPC (1-Hexanesulphonic acid sodium salt) C ₆ H ₁₃ NaO ₃ S x H ₂ O Mr 206,24	R.52862 R.52862C R.52862E	2,5 g 10 g 50 g	207300-91-2
1-HEKSANSULFONSKA KISELINA Na so-1-HIDRAT za HPLC (1-Hexanesulphonic acid sodium salt) C ₆ H ₁₃ NaO ₃ S x H ₂ O Mr 206,24	R.363428D	25 g	207300-91-2
1-HEKSEN p.a. C ₆ H ₁₂ Mr 84,16	R.15A610I	1000 MI	592-41-6
HEMATOKSILIN Ind. C ₁₆ H ₁₄ O ₆ x H ₂ O Mr 302,29	2.HD001B 2.HD001C 2.HD001D 2.HD001F RH.GRM9946B RH.GRM9946D	5 g 10 g 25 g 100 g 5g 25g	517-28-2
HEMIN HLORID (Hemin) C ₃₄ H ₃₂ ClFeN ₄ O ₄ Mr 652,00	RR.7629.1 RR.7629.2	1 g 5 g	16009-13-5
HEMOGLOBIN prah za HPLC iz (RBC) krvi govečeta	85.RM238F	100 g	9008-02-0
HEPARIN NATRIJUMOVA SO CAS 9041-08-1	RH.RM554A	1g	9041-08-1
HEPES (MB)	RH.MB016D	25g	7365-45-9

N-(2-Hydroxy ethyl)-piperazine ethane sulfonic acid C ₈ H ₁₈ N ₂ O ₄ S Mr 238,3 *Za molekularnu biologiju	RH.MB016F RH.MB016H	100g 500g	
HEPES, Na-so (MB) N-(2-Hydroxy ethyl)-piperazine-N'-(2-ethane sulfonic acid) sodium C ₈ H ₁₇ N ₂ NaO ₄ S Mr 260,29 *Za molekularnu biologiju	RH.MB017D RH.MB017F RH.MB017H	25g 100g 500g	75277-39-3
n-HEPTAN p.a. C ₇ H ₁₆ Mr 100,21	R.122062I R.122062J	1000 MI 2,5 L	142-82-5
n-HEPTAN Ph.Eur. C ₇ H ₁₆ Mr 100,21	R.142062I R.142062J	1000 MI 2,5 L	142-82-5
n-HEPTAN za HPLC C ₇ H ₁₆ Mr 100,21	R.7339.1J	2,5 L	142-82-5
n-HEPTAN PESTILAN C ₇ H ₁₆ Mr 100,21	R.X878.1J	2,5 L	142-82-5
1-HEPTANOL (n-Heptanol; Heptil alcohol); C ₇ H ₁₆ O Mr 116,2	2.RM2838H	500 MI	111-70-6
1-HEPTAN SULFONSKA KISELINA Na so za HPLC * C ₇ H ₁₅ NaOS Mr 202,25	85.RM820B 85.RM820D	5 g 25 g	22767-50-6
1-HEPTAN SULFONSKA KIS. Na so-1-H ₂ O>99% za HPLC i IPC C ₇ H ₁₅ NaO ₃ S x H ₂ O Mr 220,26	R.51832 R.51832C R.51832D	2,5 g 10 g 50 g	207300-90-1
1-HEPTAN SULFONSKA KISELINA Na so-1-H ₂ O>99% za HPLC C ₇ H ₁₅ NaO ₃ S x H ₂ O Mr 220,26	R.364897D	25 g	207300-90-1
n-HEPTANON purum 96% C ₇ H ₁₄ O Mr 114,2	R.43570H	500 MI	123-19-3
HIDRAZIN DIHIDROKLORID p.a. * NH ₂ NH ₂ x 2HCl Mr 104,97	85.RM821F	100 g	5341-61-7
HIDRAZIN DIHIDROKLORID p.a. NH ₂ NH ₂ x 2HCl Mr 104,97	R.122595H R.122595I	500 g 1000 g	5341-61-7
HIDRAZIN HIDRAT 80% (Hydrazinium Hydroxide); NH ₂ NH ₂ x H ₂ O Mr 50,06	2.HD010I 2.HD010K	1000 MI 5000 MI	10217-52-4
HIDRAZIN HIDRAT 80% p.a. (Hydrazinium Hydroxide); NH ₂ NH ₂ x H ₂ O Mr 50,06	R.121349I	1000 MI	10217-52-4
HIDRAZIN HIDRAT 100% (Hydrazinium Hydroxide); NH ₂ NH ₂ x H ₂ O Mr 50,06	2.15A811I	1000 MI	7803-57-8
HIDRAZIN SULFAT p.a. * NH ₂ NH ₂ x H ₂ SO ₄ Mr 130,12	2.HD007F RH.GRM2847F RH.GRM2847H	100 g 100g 500g	88491-70-7
HIDROBROMNA KISELINA p.a. HBr Mr 80,92	2.141017I R.141017I	1000 MI	10035-10-6
HIDROKINON p.a. * (Hydrochinonum; 1,4-Benzenediol) C ₆ H ₆ O ₂ Mr 110,11	2.HDK098E 2.HDK098F 2.HDK098G RH.GRM822H	50 g 100 g 250 g 500g	123-31-9
HIDROKINON USP Hydroquinone C ₆ H ₆ O ₂ Mr 110,11	2.HDK0981F 2.HDK098G 161.1260H 161.1260.2	100g 250g 500g 5 kg	123-31-9
HIDROKSILAMIN HIDROKLORID p.a. * (Hydroxylamine hydrochloride) NH ₂ OH x HCl Mr 69,49	2.HD008F 2.HD008G RH.GRM1028F RH.GRM1028H	100 g 250 g 100g 500g	5470-11-1
HIDROKSILAMONIJ SULFAT p.a. * (Hydroxylamine sulfate); H ₈ N ₂ O ₆ S Mr 164,14	2.RM558F RH.RM558H	100 g 500 g	10039-54-0
HIDROKSILAMONIJ SULFAT Ph.Eur. (Hydroxylamine sulfate); H ₈ N ₂ O ₆ S Mr 164,14	R.151925F R.151925I	100 g 1000 g	10039-54-0
HIDROKSJETIL CELULOZA (NATROSOL) CAS 9004-62-0	85.GRM7126H	500 g	9004-62-0
8-HIDROKSI-KINOLIN p.a. * (8-Quinolinol); C ₉ H ₇ NO Mr 145,16	2.HDK035D 2.HDK035E RH.GRM7135F RH.GRM7135H	25 g 50 g 100g 500g	148-24-3
8-HIDROKSI-KINOLIN Ph.Eur. (8-Quinolinol); C ₉ H ₇ NO Mr 145,16	RH.GRM1061F RH.GRM1061H	100g 500g	148-24-3

4-HIDROSIKUMARIN C ₉ H ₆ O ₃ Mr 162,15	85.RM3498F	100 g	1076-38-6
4-HIDROKSI-4-METIL-2-PENTANON p.a. C ₆ H ₁₂ O ₂ Mr 116,16	R.141083I R.141083J	1000 MI 2,5 L	123-42-2
HIDROKSIPROPIL METILCELULOZA (METOLOSE 90HS; Cellulose hydroxypropyl methyl ether)	R.428432500	250g	9004-65-3
HIDROKSIPROPIL CELULOZA (Hydroxypropill cellulose)	2.AF5444F 2.AF5444G 161.5444I	100 g 250 g 1000 g	
L-HISTIDIN 98,5% Ph.Eur. * (Histidine); C ₆ H ₉ N ₃ O ₂ Mr 155,16	85.RM050D 85.RM050F 85.RM050H	25 g 100 g 500 g	71-00-1
L-HISTIDIN HIDROHLORID-MONOHIDRAT * C ₆ H ₉ N ₃ O ₂ x HCl x H ₂ O Mr 209,63	85.RM051D 85.RM051F 85.RM051H	25 g 100 g 500 g	5934-29-2
DL-HISTIDIN HIDROHLORID MONOHIDRAT C ₆ H ₉ N ₃ O ₂ x HCl x H ₂ O Mr 209,63	85.RM1238C	10 g	123333-71-1
HLORAMIN T-3-HIDRAT Ph.Eur. (Chloraminum) C ₇ H ₇ ClNNaO ₂ S x 3H ₂ O Mr 281,69	2.HD009F 2.HD009G 161.0797H 161.0797I	100g 250g 500g 1000g	7080-50-4
HLOR BENZEN Ph.Eur. (Chlorobenzene); C ₆ H ₅ Cl Mr 112,56	R.141953I R.141953J	1000 MI 2500 MI	108-90-7
1-HLOR BUTAN (Butil hlorid) p.a. C ₆ H ₉ Cl Mr 92,5	R.164343I	1000 MI	109-69-3
1-HLOR BUTAN (Butil hlorid) UV, IR, HPLC C ₆ H ₉ Cl Mr 92,5	R.364343I	1000 MI	109-69-3
1-HLOR-2,4-DINITROBENZEN C ₆ H ₃ ClN ₂ O ₄ Mr 202,55 *Za molekularnu biologiju	RH.MB216H	500g	97-00-7
HLOR FENOL CRVENO Ind. C ₉ H ₇ Cl ₂ O ₃ S Ind. PH=4,6-7,0	RH.RM142B RH.RM142D	5 g 25 g	4430-20-0
2-HLOR PROPAN HPLC (Izopropyl Chloride), C ₃ H ₇ Cl Mr 78,54	R.59379I	1000 MI	75-29-6
HLORSULFONSKA KISELINA 98% p.a. (Chlorosulfonic Acid) HClO ₃ S Mr 116,52	2.15A676G	250 ML	7790-94-5
HLORIDNA KISELINA 32% p.a. (Acidum hydrochloricum); Hclxaq Mr 36,46+aq PREKUR.	2.132176I INT.721	1000 MI 25L/21kg	7647-01-0
HLORIDNA KISELINA 31-33% tehnička (Acidum hydrochloricum); Hclxaq Mr 36,46+aq PREKUR.	2.721K 2.721L	5 L 10 L	7647-01-0
HLORIDNA KISELINA min 37% p.a. (Acidum hydrochloricum); Hclxaq Mr 36,46+aq ρ=1,18g/ML PREKUR.	2.KDK043G ECP.P133901 RP.141020	250 MI 1L 25 L	7647-01-0
HLORIDNA KISELINA 37% E-507, F.C.C. aditiv (Acidum hydrochloricum); Hclxaq Mr 36,46 PREKUR.	2.AF201020I RP.201020K RP.201020I	1000 ml 5 L 25 L	7647-01-0
HLORIDNA KISELINA 37% max 0,0000005% Hg p.a. (Acidum hydrochloricum); Hclxaq Mr 36,46+aq ρ=1,18g/ML PREKUR.	R.471020I	1000 MI	7647-01-0
HLORIDNA KISELINA 37% TMA (ANALPUR) (Acidum hydrochloricum); Hclxaq Mr 36,46+aq ρ=1,18g/ML PREKUR.	R.381020G R.381020I	250 MI 1000 MI	7647-01-0
HLORIDNA KISELINA 35% (TMA) Hiperpur® (Acidum hydrochloricum); Hclxaq Mr 36,46+aq ρ=1,18g/ML PREKUR.	R.721019H R.721019J	500 MI 2,5 L	7647-01-0
HLORIDNA KISELINA 35% Suprapur (Acidum hydrochloricum); Hclxaq Mr 36,46+aq ρ=1,18g/ML PREKUR.	R.HN53.1H R.HN53.2I R.HN53.3J	500 MI 1000 MI 2,5 L	7647-01-0
HLORIDNA KISELINA 0,05mol/l(0,05N) (Acidum hydrochloricum); (1,823g HCl u vodi) PREKUR.	R.35320I	1000 MI	7647-01-0
HLORIDNA KISELINA 0,10mol/l(0,1N) (Acidum hydrochloricum); (3,646g HCl u vodi) PREKUR.	MC-1099730001	1000 MI	7647-01-0
HLORIDNA KISELINA 0,50mol/l (0,5N) (Acidum hydrochloricum); (18,231g HCl u vodi) PREKUR.	3.38285I	1000 MI	7647-01-0
HLORIDNA KISELINA 1,0mol/l (1N) (Acidum hydrochloricum); (36,461g HCl u vodi) PREKUR.	MC-1099700001	1000 MI	7647-01-0

HLORIDNA KISELINA 2mol/l (2N) (Acidum hydrochloricum); (72,922g HCl u vodi) PREKUR.	2.KD003I	1000 MI	7647-01-0
HLORIDNA KISELINA 3mol/l (3N) (Acidum hydrochloricum); (109,383g HCl u vodi) PREKUR.	2.KD071I	1000 MI	7647-01-0
HLORIDNA KISELINA 5mol/l (5N) (Acidum hydrochloricum); (182,305g HCl u vodi) PREKUR.	2.KD035I	1000 MI	7647-01-0
HLORIDNA KISELINA 10mol/l (10N) (Acidum hydrochloricum); (364,61g HCl u vodi) PREKUR.	R.38283I	1000 MI	7647-01-0
4-HLORO-3,5-DIMETILFENOL C ₈ H ₉ ClO Mr 156,60	85.RM505D 85.RM505F	25 g 100 g	88-04-0
HLOROFIL LIPOSOLUBLE (Hlorofil-Magnezij-Kompleks) Sastav: Chlorophyll alpha: 3-6% Chlorophyll beta: 0,4-0,8% Total chlorophyll: 3,4-6,8%	2.HD012D 161.0801F 161.0801G 161.0801I	25 g 100 g 250 g 1000 g	1406-65-1
HLOROFORM p.a. (Triclorometan), CHCl ₃ Mr 119,38	2.KDK044G 2.KDK044I	250 MI 1000 MI	67-66-3
HLOROFORM Ph.Eur. BP 2008 (Triclorometan; Chloroformium) CHCl ₃ Mr 119,38	2.KDK0441I EC.KDK0441	1000 MI 200 L	67-66-3
HLOROFORM za HPLC (Triclorometan); CHCl ₃ Mr 119,38	R.73311J	2,5 L	67-66-3
HLOROFORM PESTANAL (Triclorometan); CHCl ₃ Mr 119,38	R.T901.1J	2,5 L	67-66-3
HLOROFORM PESTANAL PLUS 99,9% (Triclorometan); CHCl ₃ Mr 119,38	R.T7554.1J	2,5 L	67-66-3
trans-HLOROGENSKA KISELINA (trans-Hlorogenska kiselina), C ₆ H ₂ Cl ₂ O ₄ Mr 209,00	85.RM2705A 85.RM2705B	1 g 5 g	327-97-9
HLOROKREZOL Ph.Eur. (Chlorocresol)	RH.GRM1366H	500g	59-50-7
HOLNA KISELINA Na so (Cholic acid sodium salt) C ₂₄ H ₃₉ O ₅ Na Mr 430,60	RH.RM202D RH.RM202F	25g 100 g	361-09-1
DL-HOMOTROPIN HIDROBROMID (za kapi za oči) (Homotropini hydrobromidum) C ₁₆ H ₂₁ NO ₃ x HBr Mr 356,30	RH.RM1238C	10g	51-56-9
L-HOMOTROPIN HIDROHLORID puris C ₇ H ₁₆ N ₄ O ₂ x HCl Mr 224,70	85.RM5241B	5 g	637-21-8
HROM 99% p.a. Cr Mr 52,00	2.RM2068E RH.GRM2068F RH.GRM2068G	50 g 100g 250g	7440-47-3
HROM(III) HLORID-6-HIDRAT p.a. * CrCl ₃ x 6H ₂ O Mr 266,45	2.RM1800E 2.RM1800F 2.RM1800G RH.GRM1800H	50 g 100 g 250 g 500g	10060-12-5
HROM(III) KALIJ SULFAT -12-HIDRAT p.a. (Chrome Alum); CrK ₂ O ₈ S ₂ x 12H ₂ O Mr 499,41	2.RM3043F RH.GRM3042H	100 g 500g	7788-99-0
HROM(III) KALIJ SULFAT -12-HIDRAT p.a. (Chrome Alum); CrK ₂ O ₈ S ₂ x 12H ₂ O Mr 499,41	R.131284H R.131284I	500 g 1000 g	7788-99-0
HROM(III) KALIJ SULFAT -12-HIDRAT Ph.Eur. (Chrome Alum); CrK ₂ O ₈ S ₂ x 12H ₂ O Mr 499,41	RH.GRM3043H	500g	7788-99-0
HROM(III) NITRAT-9-HIDRAT Cr(NO ₃) ₃ x 9H ₂ O Mr400,15	2.121275F 2.121275G RH.GRM5744H	100 g 250 g 500g	7789-02-8
HROM(III) NITRAT-9-HIDRAT p.a. Cr(NO ₃) ₃ x 9H ₂ O Mr400,15	R.121275H R.121275I	500 g 1000 g	7789-02-8
HROM(III) NITRAT-9-HIDRAT Ph.Eur. (Chromium nitrate 9-hydrate) Cr(NO ₃) ₃ x 9H ₂ O Mr400,15	R.141275H R.141275I	500 g 1000 g	7789-02-8
HROM(III) OKSID p.a. Cr ₂ O ₃ Mr 151,99	2.12236E 2.12236F 2.12236H RH.RM10863B	50 g 100 g 500 g 5g	1308-38-9
HROM(VI)OKSID p.a. (Kromna kiselina) CrO ₃ Mr 99,99	2.CD1057E 2.CD1057F 2.CD1057G	50 g 100 g 250 g	1333-82-0

	RH.GRM1357H	500g	
HROM(VI)OKSID Ph.Eur. (Kromna kiselina; Hrom trioksid), CrO ₃ Mr 99,99	RH.RM1057H RH.RM1057I	500g 1000g	1333-82-0
HROM(III) SULFAT-1-HIDRAT p.a. * Cr ₂ O ₁₂ S ₃ x H ₂ O Mr 392,18	2.RM1801F RH.GRM5745H	100 g 500g	15244-38-9
HROMOTROPNA KISELINA Na so -2-HIDRAT p.a. C ₁₀ H ₆ Na ₂ O ₈ S ₂ Mr 364,30	85.RM800D	25 g	5808-22-0
HROMOTROPNA KISELINA Na so -2-HIDRAT p.a. C ₁₀ H ₆ Na ₂ O ₈ S ₂ Mr 364,30	R.131024D	25 g	5808-22-0
HUMINSKA KISELINA p.a. (NHA; Humic acid; Nitrohumic acid; Humicacids; Humification); C ₉ H ₉ NO ₆ Mr. 227.16g/mol	2.7821.1C 2.7821.1E 2.7821.1F	10 g 50 g 100 g	1415-93-6
HUMINSKA KISELINA p.a. (NHA; Humic acid; Nitrohumic acid; Humicacids; Humification); C ₉ H ₉ NO ₆ Mr. 227.16g/mol	R.7821.1F	100 g	1415-93-6
HUMINSKA KISELINA-Na so (MB) Humic acid,sodium salt C ₉ H ₈ Na ₂ O ₄ Mr 226,14 *Za molekularnu biologiju	RH.MB152F	100g	68131-141-4
HYAMIN 1622 (Benzethonium chloride); C ₂₇ H ₄₂ ClNO ₂ Mr 448,10	85.RM1585F 85.RM1585G	100 g 250 g	121-54-0
HYAMIN 1622 0,004mol/l otopina (Benzethonium chloride), C ₂₇ H ₄₂ ClNO ₂ Mr 448,10	85.RM2845I	1000 ml	121-54-0
4-HYDROXYBENZOTRIFLUORIDE 98% purum (4-Trifluorometilfenol) C ₇ H ₅ F ₃ O Mr 162,11	85.RM4709B	5 g	402-45-9
I			
IMIDAZOLE p.a. (Glyoxaline) C ₃ H ₄ N ₂ Mr 68,08	RH.GRM1864F RH.GRM1864H	100 g 500 g	288-32-4
IMIDAZOLE Ph.Eur. (Glyoxaline); C ₃ H ₄ N ₂ Mr 68,08	RH.GRM559F RH.GRM559H	100g 500g	288-32-4
IMIDAZOLE (MB) (Glyoxaline); C ₃ H ₄ N ₂ Mr 68,08 *Za molekularnu biologiju	RH.MB019F RH.MB019H	100g 500g	288-32-4
IMIDAZOLIDINIL UREA (KEMIPUR) (N,N'-Methylenebis[N'-[3-(hydroxymethyl)-2,5-dioxo-4-imidazolidinyl]-urea) C ₁₁ H ₁₆ N ₈ O ₈ Mr 388,29 Konzervans u kozmetičkim proizvodima	2.AF1273F 2.AF1273G 2.AF1273H 161.1273.1I 161.1273.2	100 g 250 g 500 g 1000 g 5 kg	
INDIAN INK	2.RM5259 85.RM5259	23 mL	
INDIGO Ind. (Indigo blue); C ₁₆ H ₁₀ N ₂ O ₂ Mr 262,27	2.RM2260E RH.GRM2260F	50 g 100g	482-89-3
INDIGO KARMIN 85% E 132 aditiv (Indigotin blue-Plava boja) C ₁₆ H ₈ N ₂ O ₈ S ₂ Na ₂ Mr 466,36	2.FCF5249C 2.FCF5249F 161.5249.2 161.5249.3 RH.GRM383D RH.GRM383F	10g 100g 1000g 5 kg 25g 100g	860-22-0
INDIJ kuglice 99,97%	RR.3906.1	10g	7440-74-6
INDOLE (2,3-Benzopyrrole) C ₈ H ₇ N Mr 117,15	85.RM824C 85.RM824D 85.RM824F	10 g 25 g 100 g	120-72-9
INDOL-3-BUTERNA KISELINA (IBA) C ₁₂ H ₁₃ NO ₂ Mr 203,2	85.RM385B 85.RM385D 85.RM385F	5 g 25 g 100 g	133-32-4
INDOL-3-KARBINOL (I3C) (3-Hydroxymethylindole, 3-Indolemethanol) C ₉ H ₉ NO Mr 147,18	R.5074F RH.RM8504B	100 g 5g	700-06-1
INDOL-3-SIRČETNA KISELINA (IAA) (Heteroauxine) C ₁₀ H ₉ NO ₂ Mr 175,5	85.RM384B 85.RM384D 85.RM384F	5 g 25 g 100 g	87-51-4
INFUZORIJSKA ZEMLJA hemijski čista	2.8019.1I	1000 g	61790-53-2
mio-INOSITOL 99,0% za mikrobiologiju * (Inositol; l-Inositol; meso-Inositol) C ₆ H ₁₂ O ₆ Mr 180,16	85.RM102D 85.RM102F 85.RM102I	25 g 100 g 1000 g	87-89-8

	R.TC140H	500g	
INOZIN (nukleozid) C ₁₀ H ₁₂ N ₄ O ₅ Mr 268,23	RH.RM560B RH.RM560C RH.RM560D RH.RM560F	5g 10g 25g 100g	58-63-9
INULIN p.a. C _{6n} H _{10n} +2O _{5n} +1	2.AF1281F 161.1281F 161.1281I	100g 100 g 1000g	9005-80-5
ISATIN p.a. (Indole-2,3-dione), C ₈ H ₅ NO ₂ Mr 147,14	85.RM1569D 85.RM1569F	25 g 100 g	91-56-5
ITRIJ HLORID-6-H₂O Cl ₃ Yx6H ₂ O Mr 303,4	RH.RM9902D	25g	10025-94-2
ITRIJ OKSID p.a. * Y ₂ O ₃ Mr 225,82	85.RM1473C 85.RM1473F	10 g 100 g	1314-36-9
ITRIJ NITRAT-6-HIDRAT Y(NO ₃) ₃ x 6H ₂ O Mr 383,01	85.RM2520D 85.RM2520F	25 g 100 g	13494-98-9
IZOPROPIL d-TIOGALAKTOPIRONOZID (MB) Isopropyl- β-D-thiogalactoside; IPTG C ₉ H ₁₈ SO ₅ Mr 238,3 *Za molekularnu biologiju	RH.RM072A RH.RM072B RH.RM072C RH.RM072D	1g 5g 10g 25g	367-93-1
J			
DL-JABUČNA KISELINA Ph.Eur. (ADITIV) (DL-Malic Acid); C ₄ H ₆ O ₅ Mr 134,09	2.JD010H 2.JD010I 161.0067.7	500 g 1 kg 25 kg	6915-15-7
JANTARNA KISELINA p.a. (Succinic Acid), C ₄ H ₆ O ₄ Mr 118,09	2.JD001E RH.GRM425F RH.GRM425H	50 g 100g 500g	110-15-6
JANTARNA KISELINA p.a. (Succinic Acid); C ₄ H ₆ O ₄ Mr 118,09	R.131883G	250 g	110-15-6
JANTARNA KISELINA 99% Ph.Eur. (Succinic Acid); C ₄ H ₆ O ₄ Mr 118,09	RH.GRM7509F RH.GRM7509H	100g 500g	110-15-6
JANTARNA KISELINA anhidrid p.a (Succinic 42hydrogen42) C ₄ H ₄ O ₃ Mr 100,1	2.15A714F 2.15A714G RH.GRM6243H	100 g 250 g 500g	108-30-5
JODATNA KISELINA HJO ₃ Mr 175,90	R.58062F	100 g	7782-68-5
JOD resublimirani p.a. * J ₂ Mr 253,81	2.JDK092C 2.JDK092D 2.JDK092E 2.JDK092F 2.JDK092G 2.JDK092H RR.7335.4	10 g 25 g 50 g 100 g 250 g 500 g 2,5 kg	7553-56-2
JOD resublimirani Ph.Eur.7.0. (Iodium resublimatum) J ₂ Mr 253,8 1	2.JDK010D 2.JDK010E 2.JDK010F 2.JDK010G 2.JDK010H RR.7335.2 RR.7335.4	25 g 50 g 100 g 250 g 500 g 1000 g 2,5kg	7553-56-2
JOD 0,01 mol/l (0,02 N), za određivanje slobodnog i ukupnog SO₂ u vinu, (2,538g J₂)	3.8530I	1000 MI	7553-56-2
JOD 0,025 mol/l (0,05 N) (6,345g J ₂)	3.8503I	1000 MI	7553-56-2
JOD 0,05 mol/l (0,1 N) (12,690g J ₂)	ECL.P155305	1000 MI	7553-56-2
JOD 0,1 mol/l u THF : piridin : H₂O J ₂ Mr 253,81 (78:20:2)	R.59923I	1000 MI	7553-56-2
JOD 0,25mol/l(0,5N) (63,45 J ₂ + 100g KJ)	R.38084I	1000 MI	7553-56-2
JOD 0,5 mol/l (1 N) (126,90 J ₂ +200g KJ)	2.JD005I	1000 MI	7553-56-2
JODNA KISELINA 57% p.a. (Hydriodic acid); HI Mr 127,91	R.132213I	1000 MI	10034-85-2
JODNA KISELINA 57% Ph. Eur. (Hydriodic acid); HI Mr 127,91	2.142213H	500 MI	10034-85-2
JODNA KISELINA 57% Ph. Eur. (Hydriodic acid); HI Mr 127,91	R.142213I	1000 MI	10034-85-2

1-JODOBUTAN n C ₄ H ₉ I Mr 184,02	R.15B247F	100 MI	542-69-8
JODOETAN p.a. C ₂ H ₅ I Mr 155,97	R.161831F R.161831G	100 MI 250 MI	75-03-6
JODOFORM Ph. Eur. USP 32 (Triiodomethane) CH ₃ I Mr 393,73	2.JDK093D 2.JDK093E 2.JDK093F 2.JDK093G 2.JDK093H 2.JDK093I RP.141909	25 g 50 g 100 g 250 g 500 g 1000 g 2,5 kg	75-47-8
JOD mono-BROMID p.a. JBr Mr 206,81	RH.GRM2875F	100 g	7789-33-5
JOD mono-HLORID Ph.Eur. (Iodine monochloride) JCl Mr 162,36	2.JD011F	100 g	7790-99-0
K			
KADMIJ metal 3mm > 99,5% Cd Ar 112,40	85.RM5064E 85.RM5064F	50 g 100 g	7440-43-9
KADMIJ metal, listići p.a. Cd Ar 112,40	R.141206G	250 g	7440-43-9
KADMIJ metal, prah p.a. Cd Ar 112,40	2.125427E 2.125427F 2.125427G	50 g 100 g 250 g	7440-43-9
KADMIJ metal, prah p.a. Cd Ar 112,40	R.125427G	250 g	7440-43-9
KADMIJ ACETAT-2-HIDRAT p.a. * Cd(CH ₃ COO) ₂ x 2H ₂ O Mr 266,52	2.RM458E 2.RM458F RH.GRM458H	50 g 100 g 500 g	5743-04-4
KADMIJ HLORID anhidrovani pure CdCl ₂ Mr 183,32	2.RM6751D 2.RM6751E RH.GRM8016F	25 g 50 g 100g	10108-64-2
KADMIJ HLORID p.a. anhidrovani CdCl ₂ Mr 183,32	R.20899D	25 g	10108-64-2
KADMIJ HLORID-1-HIDRAT p.a. CdCl ₂ x H ₂ O Mr 201,33	2.RM1225E 2.RM1225F RH.GRM1225F RH.GRM1225H	50 g 100 g 100 g 500 g	35658-65-2
KADMIJ HLORID-2,5-HIDRAT Ph.Eur. CdCl ₂ x 2,5H ₂ O Mr 228,36	R.141205H R.141205I	250 g 1000 g	7790-78-5
KADMIJ JODID p.a. CdJ ₂ Mr 366,21	RH.GRM1176F	100g	7790-80-9
KADMIJ JODID Ph.Eur. CdJ ₂ Mr 366,21	RH.GRM1354F RH.GRM1354H	100g 500g	7790-80-9
KADMIJ NITRAT-4-HIDRAT p.a. * Cd(NO ₃) ₂ x 4H ₂ O Mr 308,47	2.RM371F 2.RM371G RH.GRM371H	100 g 250 g 500g	10022-68-1
KADMIJ NITRAT-4-HIDRAT Ph.Eur. Cd(NO ₃) ₂ x 4H ₂ O Mr 308,47	RH.GRM746F RH.GRM746H	100g 500g	10022-68-1
KADMIJ OKSID p.a. * CdO Mr 128,40	2.RM1313E RH.GRM1313F RH.GRM1313H	50 g 100g 500g	1306-19-0
KADMIJ SULFAT-8-HIDRAT p.a. * 3CdSO ₄ x 8H ₂ O Mr 769.51	2.KD048E 2.KD048F RH.GRM1226H	50 g 100 g 500g	7790-84-3
KALAJ PRAH p.a. Sn Ar 118,69	2.142742E 2.142742F 2.142742G	50 g 100 g 250 g	7440-31-5
KALAJ GRANULE p.a. Sn Mr 118,69	2.KD057E 2.KD057F 2.KD057H	50 g 100 g 500 g	7440-31-5
KALAJ FOLIJA p.a. Sn Mr 118,69	2.RM1805G	250 g	7440-31-5
KALAJ(II) HLORID-2-HIDRAT p.a. * SnCl ₂ x 2H ₂ O Mr 225,63	2.KD043E RH.GRM6390F RH.GRM6390H	50 g 100g 500g	10025-69-1
KALAJ(II) HLORID-2-HIDRAT (max.0,000005%Hg) p.a. SnCl ₂ x 2H ₂ O Mr 225,63	R.471303G	250 g	10025-69-1

KALAJ(IV) HLORID-5-HIDRAT extra pure * SnCl ₄ x 5H ₂ O Mr 350,58	2.RM2448E 2.RM2448F 2.RM2448G RH.GRM2448H	50 g 100 g 250 g 500g	10026-06-9
KALAJ (IV) OKSID Ph.Eur. SnO ₂ Mr 150,69	R.141305G R.141305I	250 g 1000 g	18282-10-5
KALAJ(II) SULFAT p.a. SnSO ₄ Mr 214,75	2.14531F 2.14531G 2.14531H	100 g 250 g 500 g	7488-55-3
KALAJ(II) SULFAT Ph.Eur. SnSO ₄ Mr 214,75	R.144369F R.144369H	100 g 500 g	7488-55-3
KALCIJ p.a. * Ca Mr 40,08	2.KD004E RH.RM1352F	50 g 100g	7440-70-2
KALCIJ ACETAT E-263 aditiv (Calcium Acetate) C ₄ H ₆ CaO ₄ ·XH ₂ O Mr 158,16	2.FCF0502F 2.FCF0502H 161.0502I 161.0502.2 161.0502.3	100g 500g 1000g 5 kg 25 kg	62-54-4
KALCIJ ACETAT – HIDRAT p.a. (CH ₃ COO) ₂ Ca x aq Mr 194.2 +aq	RH.GRM3901H	500g	62-54-4
KALCIJ ASKORBAT aditiv (Calcium ascorbate) C ₁₂ H ₁₄ CaO ₂ ·2H ₂ O Mr 426,35	2.FCF0503F 2.FCF0503H 161.0503I 161.0503.2 161.0503.3	100g 500g 1000g 5 kg 25 kg	5743-28-2
KALCIJ BROMID HIDRAT * CaBr ₂ x H ₂ O Mr 199,9	2.RM1666E 2.RM1666F 2.RM1666G RH.GRM6755H	50 g 100 g 250 g 500g	71626-98-8
tri-KALCIJ DICITRAT-4-HIDRAT E-333iii, F.C.C. aditiv Ca ₃ (C ₆ H ₅ O ₇) ₂ x 4H ₂ O Mr 570,51	2.KD001F 2.KD001G 2.KD001H 2.KD001I RP.201213	100 g 250 g 500 g 1000 g 25 kg	5785-44-4
KALCIJ CIRKONAT CaZrO ₃ Mr 179,98	R.396192I	1000 g	12012-47-7
KALCIJ FLUORID p.a. CaF ₂ Mr 78,08	RH.GRM2693F RH.GRM2693H	100 g 500 g	7789-75-5
tri-KALCIJ FOSFAT anhidrovani p.a. Ca ₃ (PO ₄) ₂ Mr 310,17	2.RM1277F 2.RM1277G RH.GRM1277H RH.GRM1277K	100 g 250 g 500 g 5 kg	7785-87-4
tri- KALCIJ FOSFAT E-341iii, F.C.C. aditiv (Calcium Phosphate tri-Basic) Ca ₃ (PO ₄) ₂ Mr 310,17	2.201228H 161.12668.4 161.12668.5	500g 5 kg 25 kg	7758-87-4
KALCIJ orto-FOSFAT Ph.Eur. CaHPO ₄ Mr 136,06	2.RM4107F RH.GRM4107H	100 g 500g	7757-93-9
KALCIJ GLICEROFOSFAT Ph.Eur.7.0 (Neurosin, Glycerphosphate acid calcium salt; Calcium glycerophosphate; Calcium phosphoglycerate) C ₃ H ₇ CaO ₆ P Mr 210,14	2.AF0515F 2.AF0515G 2.AF0515H 161.0515I 161.0515.3	100 g 250 g 500 g 1000 g 25 kg	27214-00-2
KALCIJ GLUKONAT-1-HIDRAT p.a. * (Calcii gluconas); C ₁₂ H ₂₂ CaO ₁₄ x H ₂ O Mr 448,40	2.RM1174F 2.RM1174G RH.GRM1174H RH.GRM1174K	100 g 250 g 500g 5kg	18016-24-5
KALCIJ GLUKONAT-1-HIDRAT Ph.Eur.7.0. Calcium Glukonate Monohydrate C ₁₂ H ₂₂ O ₁₄ Ca·H ₂ O Mr 448,4	2.AF0516F 2.AF0516G 2.AF0516H 161.0516I 161.0516.3	100g 250g 500g 1000g 5 kg	18016-24-5
KALCIJ HIDROGEN FOSFAT-2-HIDRAT p.a. (Calcii hydrogenphosphas) CaHPO ₄ x 2H ₂ O Mr 172,09	2.RM1109F 2.RM1109G RH.GRM1109H	100 g 250 g 500g	7789-77-7
KALCIJ HIDROGEN FOSFAT 2-HIDRAT E-341 aditiv (Calcium Hyrogen Phosphate 2-hydrate) CaHPO ₄ x 2H ₂ O Mr 172,09	2.141226H 161.0512.2 161.0512.3	500g 5 kg 25 kg	7789-77-7
KALCIJ HIDROKSID p.a. *	2.KDK002E	50 g	1305-62-0

(Calcii hydroxydi) Ca(OH) ₂ Mr 74,10	2.KDK002F 2.KDK002G RH.GRM1276H	100 g 250 g 500g	
KALCIJ HIDROKSID Ph.Eur. * (Calcium hydrate; slaked lime-gašeni kreč) Ca(OH) ₂ Mr 74,10	2.KK003F 2.KK003H 161.0518.2 161.0518.3	100 g 500 g 5 kg 25kg	1305-62-0
KALCIJ HIPOHLORIT GRANULE-sa 68% hlora (KAPORIT) CaCl ₂ O ₂ Mr 142,99 5164.2	2.KD014G 2.KD014H 2.KD014I RR.5164.2	250 g 500 g 1000 g 2,5 kg	7778-54-3
KALCIJ HLORID anhidrovani p.a. * CaCl ₂ Mr 110,99	2.KD002E 2.KD002F 2.KD002G	50 g 100 g 250 g	10043-52-4
KALCIJ HLORID anhidrovani tehnički (70-80% Ca) CaCl ₂ Mr 110,99	INT.KD050	25 kg	10043-52-4
KALCIJ HLORID-2-HIDRAT p.a. * (Calcii chloridum); CaCl ₂ x 2H ₂ O Mr 147,02 DC FINE CHEMICALS 102701-6025	2.KD059E 2.KD059F 2.KD059G 2.KD059H RDC.102701	50 g 100 g 250 g 500 g 25 kg	10035-04-8
KALCIJ HLORID-2-HIDRAT Ph.Eur. (Calcii chloridum) CaCl ₂ x 2H ₂ O Mr 147,02	161.0508F 2.AF0508H	100 g 500 g	10035-04-8
KALCIJ HLORID-2-HIDRAT E-509, F.C.C. (Calcii chloridum) CaCl ₂ x 2H ₂ O Mr 147,02	2.KD055F 2.KD055H 161.0508I 161.0508.2 DC.102701	100 g 500 g 1000g 5kg 25 kg	10035-04-8
KALCIJ HLORID-2-HIDRAT (Calcii chloridum) CaCl ₂ x 2H ₂ O Mr 147,02	COSM017	25kg	10035-04-8
KALCIJ HLORID-6-HIDRAT p.a. CaCl ₂ x 6H ₂ O Mr 219,08	2.KD054F 2.KD054G 2.KD054H	100 g 250 g 500 g	7774-34-7
KALCIJ HLORID-6-HIDRAT p.a. (Calcii chloridum hexahydricum) CaCl ₂ x 6H ₂ O Mr 219,08	R.121214I	1000 g	7774-34-7
KALCIJ HLORID-6-HIDRAT Ph.Eur. 8.0. (Calcii chloridum hexahydricum) CaCl ₂ x 6H ₂ O Mr 219,08	2.AF141214H RP.141214H RP.141214	500g 500 g 25 kg	7774-34-7
KALCIJ HLORID-6-HIDRAT F.C.C. (E509) (Calcii chloridum hexahydricum) CaCl ₂ x 6H ₂ O Mr 219,08	2.KD114H 2.KD114I 2.201214	500 g 1000 g 25 kg	7774-34-7
KALCIJ HLORID 0,1 mol/l (0,1 N) CaCl ₂ Mr 110,99	2.KD038I	1000 ml	10043-52-4
KALCIJ HLORID 1,0 mol/l (1 N) CaCl ₂ Mr 110,99	R.21114I 3.A377I	1000 ml	10043-52-4
KALCIJ JODAT p.a. CaJ ₂ O ₆ Mr 389,88	2.RM6754F 85.RM6754G	100 g 250 g	7789-80-2
KALCIJ JODAT-1-HIDRAT pur. CaJ ₂ O ₆ x H ₂ O Mr 407,90	R.21178E R.21178F R.21178G	50 g 100 g 250 g	10031-31-0
KALCIJ KARBID tehn. 0,3-1 mm Specijalni kvalitet za analizu vode, CaC ₂ Mr 64,10	R.6110.1F R.6110.1I	100 g 1000 g	75-20-7
KALCIJ KARBID tehn. Komadi 4-7 mm CaC ₂ Mr 64,10	2.5805.7F	100 g	75-20-7
KALCIJ KARBONAT p.a. * (Calcii carbonas) CaCO ₃ Mr 100,09	2.KDK096E 2.KDK096F 2.KDK096G RH.GRM397H	50 g 100 g 250 g 500g	471-34-1
KALCIJ KARBONAT pretaloženi Ph.Eur. 7.0. (Calcii carbonas) precipitate CaCO ₃ Mr 100,09	2.KK004G RH.GRM1044H RR.6230.5	250g 500 g 25 kg	471-34-1
KALCIJ KARBONAT E-170 TESKI PH.EUR. (Calcii carbonas) CaCO ₃ Mr 100,09	2.AF18197G 2.AF18197H 161.18197	250 g 500 g 25 kg	471-34-1
KALCIJ LAKTAT 5-HIDRAT E-327, F.C.C. aditiv (Calcium Lactate Pentahydrate)	2.FCF0520F 2.FCF0520G	100g 250g	5743-47-5

$C_6H_{10}CaO_6 \cdot 5H_2O$ Mr 308,3	RH.RM495H 161.0520.2 161.0520.3	500g 5kg 25kg	
KALCIJ NITRAT-4-HIDRAT p.a. $Ca(NO_3)_2 \times 4H_2O$ Mr 236,15	2.RM496E 2.RM496F 2.RM496G RH.GRM496H	50 g 100 g 250 g 500 g	13477-34-4
KALCIJ OKSALAT-1-HIDRAT p.a. $CaC_2O_4 \times H_2O$ Mr 146,11	RH.GRM5694H	500g	5794-28-5
KALCIJ OKSID p.a. CaO Mr 56,08	2.RM670F 2.RM670G RH.GRM670H RR.CN88.3	100 g 250 g 500g 5kg	1305-78-8
KALCIJ OROTAT p.a. (Uracil-6-carboxylic acid calcium salt) $C_{10}H_8CaN_4O_9$ Mr 368,27	R.0521F R.0521G	100 g 250 g	22454-86-0
KALCIJ PIRUVAT p.a. (Pyruvic acid calcium salt) $C_6H_6CaO_6$ Mr 214,19	R.0523F R.0523G R.0523H	100 g 250 g 500 g	52009-14-0
KALCIJ STEARAT E-470 a, F.C.C. aditiv $C_{36}H_{70}CaO_4$ Mr 607,04	2.AF201818H 2.AF201818I 161.AF201818K	500 g 1000 g 5 kg	1592-23-0
KALCIJ STEARAT pure $C_{36}H_{70}CaO_4$ Mr 607,04	RH.GRM1667H RH.GRM1667K	500g 5kg	1592-23-0
KALCIJ SULFAT-0,5-HIDRAT Ph.Eur. (Calcii sulfas hemihydricus); $CaSO_4 \times 0,5H_2O$ Mr 145,15	2.RM744F RH.GRM744H 161.11735I	100 g 500 g 1000 g	7778-18-9
KALCIJ SULFAT-2-HIDRAT p.a. $CaSO_4 \times 2H_2O$ Mr 172,10	2.RM328E 2.RM328F 2.RM328G RH.GRM328H	50 g 100 g 250 g 500g	10101-41-4
KALCIJ TIOGLIKONAT-3-H2O 98% p.a. $CaC_2O_2H_2S \times 3H_2O$ Mr 185,23	2.21250H	500 g	65208-41-5
KALIJ ACETAT p.a. $C_2H_3KO_2$ Mr 98,14	2.RM3930E 2.RM3930F 2.RM3930G RH.GRM3930H	50 g 100 g 250 g 500 g	127-08-2
KALIJ ACETAT Ph.Eur. * $C_2H_3KO_2$ Mr 98,14	2.RM1091F 2.RM1091G RH.GRM1091H	100 g 250 g 500g	127-08-2
KALIJ ACETAT E-261 aditiv (Potassium acetate) $C_2H_3KO_2$ Mr 98,14	2.FCF1853F 2.FCF1853G 2.FCF1853H 161.1853.2 161.1853.3	100g 250g 500g 5 kg 25 kg	127-08-02
KALIJ ALGINAT aditiv (Potassium Alginate)	2.FCF11564F 2.FCF11564H 161.11564I	100g 500g 1000g	9005-36-1
KALIJ ALUMINIJ SULFAT-12-HIDRAT p.a. (Stipsa; Alumen) $Kal(SO_4)_2 \times 12H_2O$ Mr 474,39 (110461 DC Fine Chemicals)	2.KDK038E 2.KDK038F 2.KDK038G 2.KDK038H 161.0170 RH.GRM209H	50 g 100 g 250 g 500 g 25kg 500g	7784-24-9
KALIJ ALUMINIJ SULFAT-12-HIDRAT Ph.Eur.8.0. (Stipsa; Alumen; Alum; Potassium alum; kalinit) $Kal(SO_4)_2 \times 12H_2O$ Mr 474,39	2.AF0170F 2.AF0170G 161.0170H 161.0170I 161.0170.3	100 g 250 g 500 g 1000 g 25 kg	7784-24-9
KALIJ ANTIMON(III) TARTARAT-3-HIDRAT Ph.Eur. $C_8H_4K_2O_{12}Sb_{12} \times 3H_2O$ Mr 667,87	RH.RM1779F RH.RM1779H	100 g 500 g	28300-74-5
KALIJ BIJODAT p.a. (Kalij 46hydrogen diiodat; Kalij hydrogen diiodat), HJ_2KO_6 Mr 389,90	R.60350E R.60350F	50 g 100 g	13455-24-8
KALIJ BROMAT p.a. $KbrO_3$ Mr 167,00	RH.GRM7404H	500 g	7758-01-2
KALIJ BROMAT Ph.Eur. (Kalij bromate)	2.AF141487F RH.GRM7404H	100 g 500 g	7758-01-2

KbrO ₃ Mr 167,00	RP.141487	5kg	
KALIJ BROMAT 1/60 mol/l (0,1 N) (2,784g KbrO ₃)	R.38080I	1000 MI	7758-01-2
KALIJ BROMID p.a. (Kalij bromidum); KBr Mr 119,00	2.KD006E 2.KD006F 2.KD006G RH.GRM743H	50 g 100 g 250 g 500g	7758-02-3
KALIJ BROMID Ph.Eur. 7.0. Potassium Bromide KBr Mr 119,01	2.KD0061F 2.KD0061G RH.GRM6363H 161.1857.2 161.1857.3	100g 250g 500g 5 kg 25 kg	7758-02-3
KALIJ BROMID za IR spektroskopiju p.a. (Kalij bromidum) KBr Mr 119,01	R.CP19.2 R.CP19.1 85.GRM10401	50 g 100 g 100g	7758-02-3
KALIJ BROMID 0,1 mol/l (0,1 N) (11,901g KBr)	R.38090I	1000 MI	7758-02-3
KALIJ CIJANAT p.a. KCNO Mr 81,11	2.162009E RH.GRM4782F	50 g 100g	590-28-3
KALIJ CIJANID p.a. KCN Mr 65,12	2.KD007C 2.KD007E 2.KD007F 2.KD007G 2.KD007H 2.KD007I	10 g 50 g 100 g 250 g 500 g 1000 g	151-50-8
tri-KALIJ CITRAT-1-HIDRAT p.a. (Kalij citras) C ₆ H ₅ K ₃ O ₇ Mr 324,42	RH.GRM4514H	500g	6100-05-6
tri-KALIJ CITRAT-1-HIDRAT E-332i, F.C.C. aditiv (Kalij citras) C ₆ H ₅ K ₃ O ₇ Mr 324,42	2.KD008F 2.KD008G 2.KD008H 161.1861I 161.1861.2 161.1861.3	100g 250g 500 g 1000g 5 kg 25 kg	6100-05-6
KALIJ DIHIDROGENFOSFAT p.a. (Kalij dihydrogenophosphas); KH ₂ PO ₄ Mr 136,09 (110555 DC Fine Chemicals)	2.KD009D 2.KD009E 2.KD009F 2.KD009G 2.KD009H 2.KD009I DC110555	25 g 50 g 100 g 250 g 500 g 1000 g 25 kg	7778-77-0
KALIJ DIHIDROGENFOSFAT Ph.Eur.7.0. (Potassium dihydrogen orthophosphate); KH ₂ PO ₄ Mr 136,09	2.AF1867G 2.AF1867H 161.1867I 161.1867.3	250 g 500 g 1000 g 25 kg	7778-77-0
KALIJ DIHROMAT Ph.Eur. * (Kalij dichromate) K ₂ Cr ₂ O ₇ Mr 294,18	2.KD010E 2.KD010F 2.KD010G 2.KD010H 2.KD010I RR.7953.2	50 g 100 g 250 g 500 g 1000g 5 kg	7778-50-9
KALIJ DIHROMAT 1/60 mol/l (0,1 N) (4,903g K ₂ Cr ₂ O ₇)	R.38100I	1000 MI	7778-50-9
KALIJ DISULFAT p.a. (Kalij piro-sulfat) K ₂ S ₂ O ₇ Mr 254,33	2.CD60235F 2.CD60235G 2.CD60235H 2.CD60235I	100 g 250 g 500 g 1000 g	7790-62-7
KALIJ FLUORID p.a. KF Mr 58,10	2.RM1079F 2.RM1079G RR.2617.4	100 g 250 g 2,5KG	7789-23-3
KALIJ FLUORID Ph.Eur. KF Mr 58,10	R.141976H R.141976I	500 g 1000 g	7789-23-3
KALIJ FORMIJAT p.a. HCOOK Mr-84,12	2.71541E 2.71541F 2.71541G RH.GRM7408H	50 g 100 g 250 g 500g	590-29-4

KALIJ FORMIJAT Ph.Eur. HCOOK Mr-84,12	RH.GRM747H	500g	590-29-4
tri –KALIJ FOSFAT-1,5-HIDRAT K ₃ O ₄ P x 1,5H ₂ O Mr 239,28	2.KD068F 2.KD068H 2.KD068I	100 g 500 g 1000 g	27176-10-9
tri –KALIJ FOSFAT-1,5-HIDRAT p.a. K ₃ O ₄ P x 1,5H ₂ O Mr 239,28	R.141513H R.141513I	500 g 1000 g	27176-10-9
tri-KALIJ FOSFAT-1,5-HIDRAT E-340 i, F.C.C. aditiv (Potassium Phosphate tertiary, Potassium Phosphate tri-Basic) K ₃ O ₄ P x 1,5H ₂ O Mr 239,28	2.201513H RP.2015131	500g 25 kg	27176-10-9
KALIJ GLUKONAT USP (D-Gluconic acid, potassium salt) C ₆ H ₁₁ KO ₇ Mr 234,24	2.AF1868F 2.AF1868G 161.1868H 161.1868I 161.1868.3	100g 250g 500g 1000g 5 kg	299-27-4
KALIJ HEKSACIJANOFERAT(III) p.a. (Kalij Ferocijanid) K ₃ Fe(CN) ₆ Mr 329,26	2.KD012E 2.KD012F 2.KD012G RH.GRM1034H	50 g 100 g 250 g 500g	13746-66-2
KALIJ HEKSACIJANOFERAT(III)-4-HIDRAT p.a. (Kalij Ferocijanid), K ₃ Fe(CN) ₆ x 4H ₂ O Mr 329,26+4H ₂ O	2.A03631I	1000 g	13746-66-2
KALIJ HEKSACIJANOFERAT(II)-3-HIDRAT p.a. (Kalij Ferocijanid-3-Hidrat) K ₄ Fe(CN) ₆ x 3H ₂ O Mr 422,41	2.KD013F 2.KD013G 2.KD013H 2.KD013I	100 g 250 g 500g 1000g	14459-95-1
KALIJ HEKSACIJANOFERAT(II)-3-HIDRAT tehnička (Kalij Ferocijanid-3-Hidrat; Žuta elza) K ₄ Fe(CN) ₆ x 3H ₂ O Mr 422,41	161.1864F	100 g	14459-95-1
KALIJ HEKSAHLOROPLATINAT (IV) p.a. (Kalij hloroplatinat); Cl ₆ K ₂ Pt Mr 486,01	RH.GRM1515A	1g	16921-30-5
KALIJ HEKSAHIDROKSOANTIMONAT(V) p.a. (Kalij Antimonat), H ₆ KO ₆ Sb Mr 262,90	RH.GRM2952F RH.GRM2952G	100 g 250 g	12208-13-8
di-KALIJ HIDROGEN FOSFAT p.a. * K ₂ HPO ₄ Mr 174,18	2.KD036E 2.KD036F 2.KD036G 2.KD036H 2.KD036I RDC.110574	50 g 100 g 250 g 500 g 1000 g 25 kg	7758-11-4
di-KALIJ HIDROGEN FOSFAT Ph.Eur.7.0. (Kalij monohydrogenophosphas) K ₂ HPO ₄ Mr 174,18	2.AF1938977H 161.1865I RDC.110574	500g 1000g 25kg	7758-11-4
di-KALIJ HIDROGEN FOSFAT E-340i, F.C.C. aditiv (Kalij monohydrogenophosphas); K ₂ HPO ₄ Mr 174,18	2.AF201512H 2.AF201512I RP.201512K	500g 1000g 5 kg	7758-11-4
di-KALIJ HIDROGEN FOSFAT-3-HIDRAT p.a. ≥ 99% K ₂ HPO ₄ x 3H ₂ O Mr 228,23	R.6878G R.6878I	250 g 1000 g	16788-57-1
di-KALIJ HIDROGEN FOSFAT-3-HIDRAT p.a. K ₂ HPO ₄ x 3H ₂ O Mr 228,23	R.122333H R.122333I	500 g 1000 g	16788-57-1
di-KALIJ HIDROGEN FOSFAT 3-HIDRAT E-340i i, F.C.C. aditiv (di-Potassium Hydrogen Phosphate 3-Hydrate); K ₂ HPO ₄ ·3H ₂ O Mr= 228,22	2.202333H RP.2023331	500g 25 kg	16788-57-1
KALIJ HIDROGEN FTALAT p.a. * (Kalij biftalat); C ₈ H ₅ KO ₄ Mr 204,23	2.RM3939F 2.RM3939G RH.GRM3939H	100 g 250 g 500g	877-24-7
KALIJ HIDROGEN KARBONAT p.a. * (Kalij bikarbonat) KHCO ₃ Mr 100,12	2.KD121480F 2.KD121480G RH.GRM1789H	100 g 250 g 500g	298-14-6
KALIJ HIDROGEN KARBONAT Ph.Eur.7.0.-USP (Kalij bikarbonat) KHCO ₃ Mr 100,12	2.AF1855F 2.AF1855G 2.AF1855H 161.1855.2 161.1855.3	100 g 250g 500 g 5 kg 25kg	298-14-6
KALIJ HIDROGEN OKSALAT Ph.Eur. C ₂ HKO ₄ Mr 128,13	R.141484H	500 g	127-95-7
KALIJ HIDROGEN SULFAT p.a. * (Kalij bisulfat) KHSO ₄ Mr 136,17	2.RM1790F 2.RM1790G RH.GRM1790H	100 g 250 g 500g	7646-93-7
KALIJ HIDROGEN TARTARAT p.a.	2.RM1791F	100 g	868-14-4

(Kalij bitartarat), C ₄ H ₅ KO ₆ Mr 188,18	RH.GRM1791H	500g	
KALIJ HIDROGEN TARTARAT p.a. (Kalij bitartarat), C ₄ H ₅ KO ₆ Mr 188,18	R.121486H	500 g	868-14-4
KALIJ HIDROGEN TARTARAT Ph.Eur.7.0. (Potassium bitartrate, Potassium hydrogen tartrate, Tartaric acid monopotassium salt, Monopotassiumtartrate), C ₄ H ₅ KO ₆ Mr 188,18	2.AF0850F 2.AF0850G 2.AF0850H 161.0850I 161.0850.2	100 g 250g 500g 1000g 25kg	868-14-4
KALIJ HIDROGEN TARTARAT (E-336 i, F.C.C.) aditiv (Kalij bitartarat), C ₄ H ₅ KO ₆ Mr 188,18	2.201486H 2.201486I 2.201486K 2.201486I	500 g 1000 g 5 kg 25 kg	868-14-4
KALIJ HIDROKSID 85% p.a. (Kalij hydroxidum) KOH Mr 56,11	2.KD016E 2.KD016F 2.KD016G 2.KD016H 2.KD016I RDC.110612 RH.GRM6364H	50 g 100 g 250 g 500 g 1000 g 25 kg 500g	1310-58-3
KALIJ HIDROKSID 85% Ph.Eur. 7.0. (Kalij hydroxidum) KOH Mr 56,11	2.AF1870F 2.AF1870G 2.AF1870H 161.1870I 161.1870.3	100 g 250 g 500 g 1000 g 25 kg	1310-58-3
KALIJ HIDROKSID 85% GRANULE E-525 i, F.C.C. aditiv (Potassium Hydroxide 85% pellets) HKO Mr= 56,11	2.201515H 2.201515I RP.201515I	500g 1000 g 25 kg	1310-58-3
KALIJ HIDROKSID 90% p.a. (Kalij hydroxidum) KOH Mr 56,11	2.211514H 2.211514I	500g 1000g	1310-58-3
KALIJ HIDROKSID Ph.Eur. (tehnički) (Kalij hydroxidum) KOH Mr 56,11	2.KD018I 2.KD018-1	1 kg 25 kg	1310-58-3
KALIJ HIDROKSID (u etanolu) 0,1 mol/l (0,1 N) ampula (5,6109g KOH) Ind. Fenolftalein	MC-1099210001	1000 MI	1310-58-3
KALIJ HIDROKSID (u etanolu) 0,5 mol/l (0,5 N) (28,055g KOH) Ind. Fenolftalein 3.03122I	R.35115I 3.03122I	1000 MI	1310-58-3
KALIJ HIDROKSID (u etanolu) 1,0 mol/l (1 N) (56,109g KOH)	R.184438I	1000 MI	1310-58-3
KALIJ HIDROKSID (u metanolu) 0,1 mol/l (0,1 N) (5,6109g KOH) Ind. Fenolftalein	R.182147I	1000 MI	1310-58-3
KALIJ HIDROKSID (u 2-propanolu) 0,1 mol/l (0,1 N) (5,6109g KOH) Ind. Fenolftalein	R.183336I	1000 MI	1310-58-3
KALIJ HIDROKSID 0,1 mol/l (0,1 N) (5,6109g KOH)	R.38070I	1000 MI	1310-58-3
KALIJ HIDROKSID 1 mol/l (1 N) za određivanje sumpornih gasova u vinu (56,109g KOH)	R.621517I	1000 MI	1310-58-3
KALIJ HIDROKSID 1,0 mol/l (1 N) ampula (56,109g KOH)	MC-1099180001 3.8566I	1000 MI	1310-58-3
KALIJ HIDROKSID 2,0 mol/l (2 N) (112,218g KOH)	R.182145I	1000 MI	1310-58-3
KALIJ HLORAT p.a. KClO ₃ Mr 122,55	2.141493E 2.141493F 2.141493G 2.141493H 2.141493I	50 g 100 g 250 g 500 g 1000 g	3811-04-9
KALIJ HLORID p.a. * KCl Mr 74,56	2.KD040E 2.KD040F 2.KD040G 2.KD040H 2.KD040I RDC.110510 RH.GRM698H	50 g 100 g 250 g 500 g 1000 g 25 kg 500g	7447-40-7
KALIJ HLORID Ph.Eur. Potassium Chloride KCl Mr 74,6	2.KD0401F 2.KD0401G 2.KD0401H RH.GRM697H 2.KD0401I 161.1863I 161.1863.2 161.1863.3	100g 250g 500g 500g 1000g 1000g 5 kg 25 kg	7447-40-7

KALIJ HLORID E-508 * F.C.C. aditiv (Kalij chloride) KCl Mr 74,56	2.KK006H 2.KK006I RP.201494	500g 1000 g 25 kg	7447-40-7
KALIJ HLORID ≥ 99,00% Cellpure Za ćelijske 50droge i biohemiju KCl Mr 74,56	R.HN02.1G R.HN02.2H R.HN02.3I R.HN02.4J	250 g 500 g 1000 g 2,5 kg	7447-40-7
KALIJ HLORID 99,999% Suprapur KCl Mr 74,56	R.104938E	50 g	7447-40-7
KALIJ HROMAT p.a. * K ₂ CrO ₄ Mr 194,20	2.KD080E 2.KD080F 2.KD080G RH.GRM699H	50 g 100 g 250 g 500g	7789-00-6
KALIJ HROMAT Ph.Eur. (Kalij chromate) K ₂ CrO ₄ Mr 194,20	2.AF141497F 2.AF141497G 2.AF141497H RH.GRM1874H RP.141497I	100 g 250 g 500 g 500 g 1000 g	7789-00-6
KALIJ JODAT p.a. * KJO ₃ Mr 214,00	2.KD017E 2.KD017F 2.KD017G RR.5301.4 RH.GRM250F	50 g 100 g 250 g 2,5kg 100g	7758-05-6
KALIJ JODAT Ph.Eur. (Kalij jodate) KJO ₃ Mr 214,00	2.AF5301E 2.AF5301F 2.AF5301G RR.5301.1 RR.5301.2 RR.5301.3 RR.5301.4	50 g 100 g 100g 250 g 500 g 1000 g 2,5 kg	7758-05-6
KALIJ JODAT 1/60mol/l (0,1N) (3,567g KJO ₃)	R.38120I	1000 ml	7758-05-6
KALIJ JODAT 0,05mol/l (0,3N) (10,701g KJO ₃)	R.34274I	1000 ml	7758-05-6
KALIJ JODID p.a. (Kalij iodidum) KJ Mr 166,01	2.KDK020E 2.KDK020F 2.KDK020G 2.KDK020H 2.KDK020I	50 g 100 g 250 g 500 g 1000 g	7681-11-0
KALIJ JODID Ph.Eur.8.0. (Kalij iodidum) KJ Mr 166,01	2.KDK093D 2.KDK093E 2.KDK093F 2.KDK093G 2.KDK093H 2.KDK093I 161.1871F 161.1871I 161.1871	25 g 50 g 100 g 250 g 500 g 1000 g 100G 1000 g 1000 g 5kg	7681-11-0
KALIJ JODID F.C.C. aditiv (Potassium iodide) KJ Mr 166,01	2.201542H 2.201542I RP.201542K	500g 1000 g 5 kg	7681-11-0
KALIJ JODID Suprapur 99,995% Kalij iodidum KJ Mr 166,01	R.105044E	50 g	7681-11-0
KALIJ JODID 0,1 mol/l (0,1N) (16,601g KJ)	R.38110I	1000 ml	7681-11-0
KALIJ JODID 1 mol/l (1N) (166,01g KJ)	R.34275I	1000 ml	7681-11-0
KALIJ KARBONAT p.a. * (Kalij carbonicum); K ₂ CO ₃ Mr 138,21	2.KD039E 2.KD039F 2.KD039G 2.KD039H RDC.111552 RH.GRM3932H	50 g 100 g 250 g 500 g 25 kg 500g	584-08-7
KALIJ KARBONAT Ph.Eur. 7.0. (Kalij carbonicum); K ₂ CO ₃ Mr 138,21	2.KK005G 2.KK005H 161.1859H	250 g 500 g 500 g	584-08-7

	161.1859.2 161.1859.3 RH.GRM1399H	5 kg 25 kg 500g	
KALIJ LAKTAT (Mliječna kiselina kalijumova so) C ₃ H ₅ KO ₃ Mr 128,18	2.7989.1H 2.7989.1I	500 MI 1000 MI	996-31-6
KALIJ METABISULFIT p.a. (Kalij Disulfit, Kalij piro-sulfit; Kalij meta-bisulfit,) K ₂ S ₂ O ₅ Mr 222,33	2.KD011F 2.KD011G 2.KD011H RH.GRM1400H	100 g 250 g 500 g 500g	16731-55-8
KALIJ METABISULFIT Ph.Eur. (Kalij Disulfit; Kalij piro-sulfit; Kalij meta-bisulfit, Vinobran) K ₂ S ₂ O ₅ Mr 222,33	2.AF1872F 2.AF1872G RH.GRM700H 2.AF1872I 161.1872.2 161.1872.3	100g 250 g 500g 1000g 5 kg 25 kg	16731-55-8
KALIJ METABISULFIT (E-224, F.C.C.) aditiv (Kalij Disulfit; Kalij piro-sulfit; Kalij meta-bisulfit) K ₂ S ₂ O ₅ Mr 222,33	2.201522I 2.201522K 2.201522I	1000 g 5 kg 25 kg	16731-55-8
KALIJ/ NATRIJ TARTARAT-4-HIDRAT p.a. * (Rošelova so, Signettova so) C ₄ H ₄ KNaO ₆ x 4H ₂ O Mr 282,23	2.KD020E 2.KD020F 2.KD020G 2.KD020H RDC.110680	50 g 100 g 250 g 500 g 25 kg	6381-59-4
KALIJ/ NATRIJ TARTARAT-4-HIDRAT Ph.Eur.7.0. Roth 7998.2 (Rošelova so, Signettova so) C ₄ H ₄ KNaO ₆ x 4H ₂ O Mr 282,23	2.7998F 2.7998G 2.7998H RR.7998.1 RR.7998.2	100g 250g 500 g 1000 g 5 kg	6381-59-4
KALIJ NITRAT p.a. * (Kalij nitras) KNO ₃ Mr 101,11	2.KD1401E 2.KD1401F 2.KD1401G 2.KD1401H 2.KD1401I RDC.110631 RH.GRM402H	50 g 100 g 250 g 500 g 1000 g 25 kg 500g	7757-79-1
KALIJ NITRAT Ph.Eur.8.0. (Kalij nitras) KNO ₃ Mr 101,11	2.AF1873F 2.AF1873H RH.GRM1401H 161.1873I 161.1873.2 161.1873.3	100g 500g 500g 1000g 5 kg 25 kg	7757-79-1
KALIJ NITRAT E-252, F.C.C. aditiv (Kalij nitras) može se koristiti u sljedećim dozama: 300 mg/kg mesnog proizvoda KNO ₃ Mr 101,11	2.FCF1873F 2.FCF1873H 161.1873.2 161.1873.3 RP.2017021	100g 500 g 5 kg 25 kg 25 kg	7757-79-1
KALIJ NITRAT sa dodatkom F.C.C. aditiv (Kalij nitras) KNO ₃ Mr 101,11	2.206401H 2.206401I RP.2064011	500g 1000 g 25 kg	7757-79-1
KALIJ NITRAT 1mol/l (101,11g KNO ₃)	3.282268I	1000 MI	7757-79-1
KALIJ NITRIT p.a. KNO ₂ Mr 85,11	R.131855G R.131855I	250 g 1000 g	7758-09-0
KALIJ NITRIT Ph.Eur. KNO ₂ Mr 85,11	2.RM1797E 2.RM1797F 2.RM1797G RH.GRM1797H	50 g 100 g 250 g 500g	7758-09-0
KALIJ tetra OKSALAT-2-HIDRAT Ph.Eur. C ₄ H ₃ KOP ₈ x 2H ₂ O Mr 254,20	R.141538H R.141538I	500 g 1000 g	6100-20-5
di-KALIJ OKSALAT-1-HIDRAT p.a. * C ₂ K ₂ O ₄ x H ₂ O Mr 184,24	2.KD047E 2.KD047F 2.KD047G 2.KD047H	50 g 100 g 250 g 500 g	6487-48-5
di-KALIJ OKSALAT-1-HIDRAT p.a. C ₂ K ₂ O ₄ x H ₂ O Mr 184,24	R.131526I	1000 g	6487-48-5
KALIJ PERHLORAT p.a. KClO ₄ Mr 138,55	2.131856E 2.131856F 2.131856G	50 g 100 g 250 g	7778-74-7
KALIJ PERIODAT p.a.	2.RM1177E	50 g	7790-21-8

(Kalij (meta)perjodat) KJO ₄ Mr 230,00	RH.GRM1177F	100 g	
KALIJ PERMANGANAT p.a. (Kalij permanganas) KmnO ₄ Mr 158,04	PREKUR.	2.RM702B 2.RM702E 2.RM702F 2.RM702G 2.RM702H	10 g 50 g 100 g 250 g 500 g 7722-64-7
KALIJ PERMANGANAT Ph.Eur. 8.0. (Kalij permanganas) KmnO ₄ Mr 158,04	PREKUR.	2.KDK041E 2.KDK041F 2.KDK041G 2.KDK041H ECP.KDK041	50 g 100 g 250 g 500 g 25 kg 7722-64-7
KALIJ PERMANGANAT tehnički (Kalij permanganas) KmnO ₄ Mr 158,04	PREKUR.	2.362-1 2.362-2	25 kg 50 kg 7722-64-7
KALIJ PERMANGANAT p.a.(max.0,000005%Hg) (Kalij permanganas) KmnO ₄ Mr 158,04	PREKUR.	R.471527H R.471527I	500 g 1000 g 7722-64-7
KALIJ PERMANGANAT 0,002mol/l (0,01N) (1/500) (0,3161g KmnO ₄)	PREKUR.	R.38136I (3.8507I)	1000 ml 7722-64-7
KALIJ PERMANGANAT 0,02mol/l (0,1N) (1/50) (3,161g KmnO ₄)	PREKUR.	ECL.P155205 R.38130I	1000 ml 7722-64-7
KALIJ PERMANGANAT 0,2mol/l (1N) (31,61g KmnO ₄)	PREKUR.	2.KD021I	1000 ml 7722-64-7
KALIJ PERSULFAT p.a. (Kalij Peroksodisulfat) K ₂ S ₂ O ₈ Mr 270,33		2.KK008E 2.KK008F 2.KK008G 2.KK008H 2.KK008I	50 g 100 g 250 g 500 g 1000 g 7727-21-1
KALIJ PERSULFAT p.a. (Kalij Peroksodisulfat) K ₂ S ₂ O ₈ Mr 270,33		R.121525H R.121525I	500 g 1000 g 7727-21-1
KALIJ PERSULFAT Ph.Eur. (Kalij Peroksodisulfat) K ₂ S ₂ O ₈ Mr 270,33		R.141525H R.141525I	500 g 1000 g 7727-21-1
tetra-KALIJ PIROFOSFAT extra pure K ₄ P ₂ O ₇ Mr 330,34		2.RM6178F RH.GRM6178H	100 g 500g 7320-34-5
KALIJ POLISULFID USP 32 (Potassium polysulphide/ Kalij sulfid) K ₂ S(n)		2.AF1881F 2.AF1181G 2.AF1181H 161.1181G	100 g 250 g 500 g 250 g 37199-66-9
KALIJ SORBAT p.a. (Kalij sorbas) C ₆ H ₇ KO ₂ Mr 150,22		2.KK029F 2.KK029G RH.GRM1311H	100 g 250 g 500g 24634-61-5
KALIJ SORBAT Ph. Eur (Kalij sorbas) C ₆ H ₇ KO ₂ Mr 150,22		2.3168H 2.3168I	500g 1000g 24634-61-5
KALIJ SORBAT E-202, F.C.C. aditiv (Kalij sorbas) C ₆ H ₇ KO ₂ Mr 150,22		2.AF1882H 161.1882.2 161.1882.3	500 g 5 kg 25 kg 24634-61-5
KALIJ SULFAT p.a. (Kalij sulfas) K ₂ SO ₄ Mr 174,27		2.KD034F 2.KD034G 2.KD034H 2.KD034I RDC.110700 RH.GRM1403H	100 g 250 g 500 g 1000 g 25 kg 500g 7778-80-5
KALIJ SULFAT E 515i, F.C.C. aditiv (Potassium Sulfate) K ₂ SO ₄ Mr 174,27		2.FCF1879F 2.FCF1879G 2.FCF1879H 161.1879.2 161.1879.3	100g 250g 500g 5 kg 25 kg 7778-80-5
KALIJ SULFIT p.a. K ₂ SO ₃ Mr 158,27		2.RM6341F 2.RM6341H	100 g 500 g 10117-38-1
KALIJ TARTARAT-0,5-HIDRAT p.a. (Kalij tartras hemihydricus) C ₄ H ₄ K ₂ O ₆ x 0,5H ₂ O Mr 235,28		2.121537G RH.GRM6179H	250 g 500g 6100-19-2
KALIJ TELURIT extra pure * Pogodan za rad u bakteriologiji K ₂ TeO ₃ Mr 253,80		2.RM090D 2.RM090E RH.GRM090D RH.GRM090F	25 g 50 g 25g 100g 7790-58-1
KALIJ TIOCIJANAT p.a. *		2.KD023E	50 g 333-20-0

(Kalij rodanid) KSCN Mr 97,18	2.KD023F 2.KD023G RH.GRM1405H	100 g 250 g 500g	
KALIJ TIOCIJANAT 0,1 mol/l (0,1 N) (Kalij rodanid) (9,718g KSCN)	R.38140I	1000 ml	333-20-0
KALKON C ₂₀ H ₁₃ N ₂ NaO ₅ S Mr 416,38	R.124537E	50 g	2538-85-4
KALKON KARBONSKA KISELINA C ₂₁ H ₁₄ N ₂ O ₇ S Mr 438,41	R.33171B	5 g	3737-95-9
KALKON KARBONSKA KISELINA C ₂₁ H ₁₄ N ₂ O ₇ S Mr 438,41	R.123575B R.123575D	5 g 25 g	3737-95-9
DL-KAMFOR ☐ 99,5 Ph.Eur.8.0. (Camphora racemica) C ₁₀ H ₁₆ O Mr 152,24 Antiseptik, umiruje svrab, daje omekšavajući i hladeći efekat	2.KK010E 2.KK010F 2.KK010G 2.KK010H 2.KK010I COS.KK010	50 g 100 g 250 g 500 g 1000g 25kg	76-22-2
KANAMYCIN SULFAT (MB) C ₁₈ H ₃₆ N ₄ O ₁₁ ·H ₂ SO ₄ Mr 582,58 *Za molekularnu biologiju	RH.MB105A RH.MB105B RH.MB105D	1g 5g 25g	25389-94-0
KAOLIN Ph. Eur.8.0. (Kaolinum ponderosum; Bijela glina; Bolus alba; Hydrated aluminum silicat)	2.KK002D 2.KK002E 2.KK002F 2.KK002H 161.9658.2	25 g 50 g 100 g 500 g 5 kg	1332-58-7
KARBAZOL C ₁₂ H ₉ N Mr 167,20	RH.GRM2696F RH.GRM2696H	100g 500g	86-74-8
KARBAHOL (Carbacholum, Carbamoylcholine chloride) C ₆ H ₁₅ ClN ₂ O ₂ Mr 182,70	R.A6148B R.A6148D	5 g 25 g	51-83-2
KARBAMAZEPIN C ₁₅ H ₁₂ N ₂ O Mr 236,30	85.RM4115B	5 g	298-46-4
S-(-)KARBIDOPA C ₁₀ H ₁₄ N ₂ O ₄ Mr 226,20	2.RM4117	200 mg	93357-67-6
KARBOL FUKSIN prah (Parafuksin + fenol)	RH.GRM923D RH.GRM923F	25 g 100 g	4197-24-4
KARMIN Ind. *(Alum lake of carminic acid) (Cochinel, Natural red 4), C ₄₄ H ₃₇ AlCaO ₂₇ x 3H ₂ O Mr 1118,78	RH.RM224B RH.RM224D	5g 25g	1390-65-4
KATEHIN HIDRAT 96% purum (+)-Catechin hydrate	R.22110A 56.SI-C1251	1g 5g	225937-10-0
KERATIN, prah (iz govedeg papka) (Keratin; Hydrolyzed keratin) Za zaštitu i tretman oštećene kože	2.AF0750F 2.AF0750G 2.AF0750H 161.0750I	100 g 250 g 500 g 1000 g	69430-36-0
KERATIN, tečni, životinjskog podrijetla (Keratin, liquid) Za zaštitu i tretman oštećene kože	2.AF5284F 2.AF5284G 2.AF5284H 161.5284I	100 ml 250 ml 500 ml 1000 ml	69430-36-0
KINOLIN žuto aditiv (Quinoline ydraz) C ₉ H ₇ N Mr 129,16	2.FCF1174H 161.1174.2 161.1174.3	500g 1000g 5 kg	95193-83-2
KJELDAL-KATALIZATOR (Wieninger-ov katalizator) (Na-sulfat + Cu(II)sulfat + Se) Za određivanje N 1 tableta=2,5g	R.HN21.1	250 tabl.	
KJELDAHL TABLETE (CK) Za određivanje N 1 tableta = 3,9 g	R.8243.1 R.8243.2	250 tabl. 1000 tabl.	
KOBALT(II) ACETAT-4-HIDRAT p.a. * (CH ₃ COO) ₂ Co x 4H ₂ O Mr 249,09	2.KD671D 2.KD671E 2.KD671F RH.GRM671G RH.GRM671H	25 g 50 g 100 g 250g 500g	6147-53-1
KOBALT(II) ACETAT-4-HIDRAT p.a. (CH ₃ COO) ₂ Co x 4H ₂ O Mr 249,09	R.131255G	250 g	6147-53-1
KOBALT(II) ACETAT-4-HIDRAT Ph.Eur. (CH ₃ COO) ₂ Co x 4H ₂ O Mr 249,09	R.141255G	250 g	6147-53-1
KOBALT(II) HLORID anhidrovani p.a. CoCl ₂ Mr 129,93	2.A0424F	100 g	7646-79-9

KOBALT(II) HLORID-6-HIDRAT p.a. * CoCl ₂ x 6H ₂ O Mr 237,93	2.KD1228D 2.KD1228E 2.KD1228F 2.KD1228G 85.RM1228H	25 g 50 g 100 g 250 g 500 g	7791-13-1
KOBALT(II) HLORID-6-HIDRAT Ph.Eur. CoCl ₂ x 6H ₂ O Mr 237,93	RH.GRM673G RH.GRM673H	250g 500g	7791-13-1
KOBALT HLORID 2,5 w/v otopina CoCl ₂ Mr 129,84 Kao stimulans i jačanje društva pčela za 20% (10 ml na kocki šećera)	3.03111E 3.03111F	50 ml 100 ml	7791-13-1
KOBALT KARBONAT HIDRAT CoCO ₃ x H ₂ O Mr 118,90	85.GRM672H	500g	57454-67-8
KOBALT(II) NITRAT-6-HIDRAT p.a. * Co(NO ₃) ₂ x 6H ₂ O Mr 291,03	2.RM674C 2.RM674E 2.RM674F RH.GRM674G RH.GRM674H	10 g 50 g 100 g 250g 500g	10026-22-9
KOBALT(II,III) OKSID p.a. * Co ₃ O ₄ Mr 240,8	2.RM1358D 2.RM1358F RH.GRM1378G RH.GRM1378H	25 g 100 g 250g 500g	1307-96-6
KOBALT(III) SULFAT-6-HIDRAT p.a. Co ₂ (SO ₄) ₃ x 6H ₂ O Mr 507,86	2.SCH0446E 2.SCH0446F 2.SCH0446H	50 g 100 g 500 g	
KOBALT(II) SULFAT-7-HIDRAT p.a. * CoSO ₄ x 7H ₂ O Mr 281,10	2.121259E 2.121259F RH.GRM1378G RH.GRM1378H	50 g 100 g 250g 500g	10026-24-1
KOFEIN Ph.Eur.8.0. (Coffeinum) C ₈ H ₁₀ N ₄ O ₂ Mr 194,20	2.KDK045E 2.KDK045F 2.KDK045G 161.14705H 161.14705I 161.14705K	50 g 100 g 250 g 500 g 1000g 5kg	58-08-2
KOMPLEKSON PUFER TABLETE za određivanje tvrdoće vode sa EDTA	R.7649.1F R.7649.2H	100tbl 500tbl	12125-02-9 + 176736-49-5
KREATIN MONOHIDRAT (Creatine monohydrate) C ₄ H ₉ N ₃ O ₂ · H ₂ O Mr 149,15	161.0843F 161.0843H	100 g 500 g	6020-87-7
KREATININ p.a. * C ₄ H ₇ N ₃ O Mr 131,14	RH.GRM1364D RH.GRM1364F	25g 100g	60-27-5
m-KREZOL (3-Methyl phenol), C ₇ H ₈ O Mr 108,14	2.KK024H	500 ml	108-39-4
KREZOL CRVENO Ind. C ₂₁ H ₁₈ O ₅ S Mr 382,44	2.KD030B RH.GRM929B RH.GRM929G	5 g 5 g 25 g	1733-12-6
o-KREZOLFTALEIN Ind. C ₂₂ H ₁₈ O ₄ Mr 346,39	85.RM345A 85.RM345B	1 g 5 g	596-27-0
m-KREZOL PURPUR Ind. C ₂₁ H ₁₈ O ₅ S Mr 382,44	RH.GRM143A	1g	2303-01-7
KRIZOIDIN Y, certificiran (Chrysoidine Y, Chrysoidine G) C ₁₂ H ₁₂ N ₄ x HCl Mr 248,71	85.RM338C 85.RM338F	10 g 100 g	532-82-1
KRISTAL VIOLET (Metil violet 10B, Gentian violet) C ₂₅ H ₃₀ ClN ₃ Mr 407,99	RH.GRM961D RH.GRM961F	25g 100g	548-62-9
KSILENOL ORANŽ Na4 Ind. C ₃₁ H ₂₈ N ₂ Na ₄ O ₁₃ S Mr 760,60	RH.GRM1006B RH.GRM1006C	5 g 10 g	3618-43-7
KSILEN CIJANOL FF za elektroforezu * (Xylene cyanole, Acid blue 147) C ₂₅ H ₂₇ N ₂ NaO ₆ S ₂ Mr 538,60	RH.RM859B	5g	2650-17-1
D (+) KSILOZA 99% * C ₅ H ₁₀ O ₅ Mr 150,13	2.RM111C RH.GRM111D RH.GRM111F RH.GRM111H	10 g 25 g 100 g 500g	58-86-6
D (+) KSILOZA 99% Ph.Eur. (D-Xilopyranose; Wood Sugar) C ₅ H ₁₀ O ₅ Mr 150,13	RR.5537F 2.AF243OAG 161.2430AH	100 g 250 g 500 g	58-86-6

	161.2430AI	1000 g	
KSILITOL Ph.Eur. Xylitol; Xylo-pentan-1,2,3,4,5-pentol $C_5H_{12}O_5$ Mr 152,1 Koristi se za oblaganje ydratz u sirupima, kao ydrazidee za saharozu, u prehrambenoj industriji i proizvodima za oralnu higijenu.	2.AF2429F 2.AF2429G 2.AF2429H 161.2429F 161.2429H 161.2429.2 161.2429.3	100g 250g 500g 100g 500g 5 kg 25 kg	87-99-0
KUPFERRON p.a. $C_6H_9N_3O_2$ Mr 155,11	R.131827D R.131827F	25 g 100 g	135-20-6
KURKUMA FITOZOM (MERIVA INDENA) Curcuma phytosome	161.10978	1000 kg	8002-43-5 + 9004-34-6 + 84775-52-0
KVERCETIN-2-HIDRAT 98,5% p.a. $C_{15}H_{10}O_7 \cdot x 2H_2O$ Mr 338,27	R.7138.1D R.2629.2	25 g 50 g	6151-25-3
KVARCNI PIJESAK 99% prah veličina zrna <125 μ m, SiO_2 Mr 60,08	2.4651.1F 2.4651.1G 2.4651.1H 2.4651.1I	100 g 250 g 500g 1000 g	14808-60-7
KVARCNI PIJESAK-SEES AND (ispran u kiselini i žaren), veličina zrna 0,1-0,3mm SiO_2 Mr 60,08	2.4309.1H RH.GRM3062H	500 g 500g	7631-86-9
KVARCNI PIJESAK- SEE SAND (ispran u kiselini), veličina zrna 1-2 mm SiO_2 Mr 60,08	2.211161F 2.211161G 2.211161H 2.211161I	100 g 250 g 500 g 1000 g	14808-60-7
L			
LAKMUS (LITMUS) Ind. Ph 4,5 – crveno Ph 8,3 – plavo	RH.GRM073C RH.GRM073D RH.GRM073F	10 g 25 g 100 g	1393-92-6
LAKTOZA za direktnu kompresiju Ph.Eur. USP Koristi se kao vezivno sredstvo za tablete $C_{12}H_{22}O_{11} \cdot H_2O$ Mr 360,31	2.AF1345F 2.AF1345G 2.AF1345H 161.1345H 161.1345.2	100g 250g 500g 500g 25kg	10039-26-6
LAKTOZA-1-HIDRAT Ph.Eur. 8.0. Lactose Monohydrate $C_{12}H_{22}O_{11} \cdot H_2O$ Mr 360,3	2.LDK047F 161.1346G 2.LDK047I RR.8921.2 RR.8921.3 RR.8921.5	100g 250 G 1000g 5 kg 10 kg 25 kg	5989-81-1
LANTAN HLORID-7-HIDRAT p.a. $LaCl_3 \cdot x 7H_2O$ Mr 371,37	RR.3979.1 (NOVO)	100 g	1025-84-0
LANTAN NITRAT-6-HIDRAT * $LaN_3O_9 \cdot x 6 H_2O$ Mr 433,02	2.RM1455D RH.GRM1455F	25 g 100g	10277-43-7
LANTAN (III) OKSID p.a. La_2O_3 Mr 325,81	RH.GRM1456F RH.GRM1456H	100g 500g	1312-81-8
LAURINSKA KISELINA 99% Ph.Eur. (Dodekanoinska kiselina) $C_{12}H_{24}O_2$ Mr 200,32	2.AF372368E 2.AF372368F 85.RM7187H	50 g 100 g 500 g	143-07-7
DL-LEUCIN $C_6H_{13}NO_2$ Mr 131,20	RH.RM9667D	25g	328-38-1
L-LEUCIN $C_6H_{13}NO_2$ Mr 131,20	85.RM054D 85.RM054F 85.RM054H	25 g 100 g 500 g	61-90-5
LEVULINSKA KISELINA (4-Oxovaleric acid; 4-Oxopentanoic acid), $C_5H_8O_3$ Mr 116,12	85.RM2277F 85.RM2277G	100 g 250 g	123-76-2
LIGHT GREEN SF ŽUTI C.I.42095 (Acid green 5) $C_{37}H_{34}N_2Na_2O_9S_3$ Mr 792,86	RH.GRM386C	10g	5141-20-8
LINOLNA KISELINA Ph.Eur. (Linoleic acid) $C_{18}H_{32}O_2$ Mr 280,46	2.RM1248F 85.RM1248H	100 ml 500 ml	60-33-3
LIPAZA prah	85.RM1265D	25 g	9001-62-1
LITIJ ACETAT p.a. (Lithium acetate), $C_2H_3LiO_2$ Mr 65,99	2.RM1507F 2.RM1507G 2.RM1507H	100 g 250 g 500 g	546-89-4
LITIJ BROMID p.a. LiBr Mr 86,85	R.122902G RH.GRM3535H	250 g 500g	7550-35-8

LITIJ CITRAT-4-HIDRAT p.a. (Lithium citrate tetrahydrate) $C_6H_5Li_3O_7 \times 4H_2O$ Mr 281,88	RH.GRM1508G RH.GRM1508I	250g 1000g	6080-58-6
LITIJ HLORID p.a. LiCl Mr 42,39	RH.GRM768F RH.GRM768G RR.P007.3	100g 250g 2,5kg	85144-11-2
LITIJ HLORID Ph.Eur. LiCl Mr 42,39	RH.GRM887H	500g	7447-41-8
LITIJ HIDROKSID-1-HIDRAT p.a. LiOH x H ₂ O Mr 41,96	2.LD003F 2.LD003G RH.GRM1266H	100 g 250 g 500g	1310-66-3
LITIJ HIDROKSID-1-HIDRAT Ph.Eur. LiOH x H ₂ O Mr 41,96	RH.GRM7204H	500g	1310-66-3
LITIJ KARBONAT p.a. (Litii carbonas) Li_2CO_3 Mr 73,89	RH.GRM1241G RH.GRM1241H	250g 500g	554-13-2
LITIJ KARBONAT Ph.Eur. (Lithium Carbonate) Li_2CO_3 Mr 73,89	2.LD0041F 2.LD0041G RH.GRM1066H 161.1411I 161.1411K	100g 250g 500g 1000g 5 kg	554-13-2
LITIJ D-LAKTAT $C_3H_5LiO_3$ Mr 96,01	85.RM4336F	100 g	867-55-0
LITIJ METABORAT p.a. LiBO ₂ Mr 49,75	RH.GRM3541F	100 g	13453-69-5
LITIJ NITRAT p.a. LiNO ₃ Mr 68,94	2.RM1268F RH.GRM1268F RH.GRM1268H	100 g 100g 500g	7790-69-4
LITIJ SULFAT –1-HIDRAT p.a. $Li_2SO_4 \times H_2O$ Mr 127,95	RH.GRM7205F RH.GRM7205G	100g 250g	10102-25-7
LITIJ SULFAT –1-HIDRAT Ph.Eur. $Li_2SO_4 \times H_2O$ Mr 127,95	RH.GRM567G RH.GRM567H	250g 500g	10102-25-7
LITIJ TETRABORAT p.a. $Li_2B_4O_7$ Mr 169,12	85.RM2286F	100 g	12007-60-2
L-LYSINE-1-HIDRAT 98,5 % , za biohemiju $C_6H_{14}N_2O_2 \times H_2O$ Mr 164,19	2.4207.1C R.4207.1D R.4207.2F	10 g 25 g 100 g	39665-12-8
L-LYSINE 1-HYDRAT CELLPURE® ≥98,5 % Za ćelijsku kulturu i biohemiju $C_6H_{14}N_2O_2 \cdot H_2O$ MR164,21	R.6829.1D R.6829.2F	25 g 100 g	39665-12-8
D-LYSINE HIDROCHLORIDE ≥99 % , Za biohemiju $C_6H_{14}N_2O_2 \cdot HCl$ Mr182,7 g/mol	R.7883.1A R.7883.2B R.7883.3D	1 g 5 g 25 g	7274-88-6
DL-LYSINE-HIDROCHLORIDE ≥98 % , Za biohemiju $C_6H_{14}N_2O_2.HCl$ Mr 182,65	R.8600.1 R.8600.2A R.8600.3B	500 mg 1 g 5 g	70-53-1
DL-LYSINE-1-HIDROCHLORIDE $C_6H_{14}N_2O_2.HCl$ Mr 182,65	85. RM9675D	25 g	70-53-1
DL-LYSINE-1-HIDRAT $C_6H_{14}N_2O_2$ Mr 146,19	85.RM3539B	5 g	70-54-2
L-LYSINE MONOHIDROHLORID Ph.Eur. (L-2,6-Diaminohexanoic acid hidrohloride) $C_6H_{14}N_2O_2 \times HCl$ Mr 182,7	2.AF15446D 2.AF15446E 161.15446F 161.15446H 161.15446I 161.15446K	25 g 50 g 100 g 500 g 1000 g 5 kg	657-27-2
L-LYSINE HIDROCHLORIDE ≥98,5 %, Ph.Eur., USP, JP , Za biohemiju $C_6H_{15}CIN_2O_2$ Mr 182,65 657-27-2	R.9357.1F R.9357.3G R.9357.4H R.9357.2I	100 g 250 g 500 g 1000 g	657-27-2
L-LYSINE HIDROCHLORIDE CELLPURE® ≥99 % Za ćelijsku kulturu i biohemiju C₆H₁₅CIN₂O₂ Mr 182,65	R.1700.1D R.1700.1F R.1700.1H	25 g 100 g 500 g	657-27-2
M			
MAGNEZIJ u traci p.a. Mg Mr 24,31	RP.21A841 RR.4468.1	25 g 25 g	7439-95-4
MAGNEZIJ u traci Mg Mr 24,31	7.42065010	25 komada	7439-95-4

Dimenzije 100 x 9 mm			
MAGNEZIJ u štapu Mg Mr 24,31 Dimenzije 140 x 1,8 mm	R.42066010	25 komada	7439-95-4
MAGNEZIJ strugotine p.a. Mg Mr 24,31	2.141945E 2.141945F 2.141945G 2.141945H	50 g 100 g 250 g 500 g	7439-95-4
MAGNEZIJ PRAH p.a. Mg Mr 24,31	2.RM726E 2.RM726F 2.RM726G 2.RM726H	50 g 100 g 250 g 500 g	7439-95-4
MAGNEZIJ ACETAT-4-HIDRAT p.a. C ₄ H ₆ MgO ₄ x 4H ₂ O Mr 214,46	RH.GRM3921G RH.GRM3921H	250g 500g	16674-78-5
MAGNEZIJ ACETAT-4-HIDRAT (MB) C ₄ H ₆ MgO ₄ x 4H ₂ O Mr 214,46 *Za molekularnu biologiju	RH.MB039F	100g	16674-78-5
MAGNEZIJ CITRAT anhidrovani Ph.Eur. (Magnesium Citrate) (C₆H₅O₇)₂Mg₃ Mr 451,00	161.1430F 161.1430G 161.1430H 161.1430I	100 g 250 g 500 g 1 kg	3344-18-1
MAGNEZIJ CITRAT aditiv (Magnesium Citrate) (C₆H₅O₇)₂Mg₃ 451,00	2.FCF13830F 2.FCF13830G 2.FCF13830I 161.13830K	100g 250g 1000g 5 kg	3344-18-1
tri-MAGNEZIJ di-CITRAT-9-HIDRAT Ph.Eur. (Magnesium citrate nonahydrate) C ₁₂ H ₁₀ Mg ₃ O ₁₄ x 9H ₂ O Mr 613,28	2.MDK1866F 85.RM1866H RP.141354I 85.RM1866	100 g 500 g 1000 g 2,5 kg	
tri-MAGNEZIJ di-FOSFAT-5-HIDRAT F.C.C. aditiv (tri-MAGNESIUM di-PHOSPHATE-5-HYDRATE) Mg ₃ O ₈ P ₂ ·5H ₂ O M.= 352,93	2.201399H 2.201399I RP.201399K	500g 1000g 5 kg	10233-87-1
MAGNEZIJ FLUORID p.a. MgF ₂ Mr 62,30	RH.GRM2290H	500g	7783-40-6
MAGNEZIJ FLUORID Ph.Eur. MgF ₂ Mr 62,30	R.142360H R.142360I	500 g 1000 g	7783-40-6
MAGNEZIJ HIDROGEN FOSFAT 3-HIDRAT aditiv (Magnesium Hydrogen Phosphate 3-Hydrate) MgHPO ₄ ·3H ₂ O M.= 174,34	2.201927H 2.201927I RP.201927K RP.201927	500g 1000g 5 kg 25 kg	7782-75-4
MAGNEZIJ HIDROKSID Ph.Eur. Magnesium hydrate; magnesium hydroxide Mg(OH) ₂ Mr 58,32	2.AFF1434F 2.AF1434G 161.1434H RH.GRM7215I 161.1434K 161.1434.2	100g 250g 500g 1 kg 5 kg 25kg	1309-42-8
MAGNEZIJ GLICEROFOSFAT aditiv (Magnesium Glycerophosphate) MgC ₃ H ₉ O ₆ P Mr 196.37	2.FCF13752F 2.FCF13752G 2.FCF13752I 161.13752K 161.13752	100g 250g 1000g 5 kg 25 kg	927-20-8
MAGNEZIJ HIDROKSI KARBONAT-5-HIDRAT light za TIBC p.a. (MgCO ₃) ₄ x Mg(OH) ₂ x 5H ₂ O Mr 485,62	2.MD018F 2.MD018G 2.MD018H	100 g 250 g 500 g	39409-82-0
MAGNEZIJUM HIDROSIKARBONAT-5-HIDRAT Ph.Eur. (Magnesium carbonat,basic) (MgCO ₃) ₄ x Mg(OH) ₂ x 5H ₂ O Mr 485,62	R.211395G R.211395H	250 g 500 g	39409-82-0
MAGNEZIJ HLORID PUDER (ANHIDROVANI) MgCl₂ Mr 95.21	16.208337	1000 g	7786-30-3
MAGNEZIJ HLORID sa 50% MgCl₂ prah MgCl ₂ x H ₂ O Mr 95,25	2.211794E 2.211794F 2.211794G 2.211794H	50 g 100 g 250 g 500 g	7786-30-3
MAGNEZIJ HLORID ANHIDROVANI (MB) MgCl₂ Mr 95.21 *Za molekularnu biologiju	RH.MB237F RH.MB237H	100g 500g	7786-30-3
MAGNEZIJ HLORID-6-HIDRAT p.a. * (Magnesium chloridum hexahydricum)	2.MD013E 2.MD013F	50 g 100 g	7791-18-6

MgCl ₂ x 6H ₂ O Mr 203,31	2.MD013G RH.GRM728H	250 g 500g	
MAGNEZIJ HLORID-6-HIDRAT Ph.Eur.8.0. (Magnesium chloridum hexahydricum) MgCl ₂ x 6H ₂ O Mr 203,31	RH.GRM1068H RH.GRM1068K	500g 5kg	7791-18-6
MAGNEZIJ HLORID-6-HIDRAT E-511, F.C.C. aditiv (Magnesium chloridum hexahydricum) MgCl ₂ x 6H ₂ O Mr 203,31	2.201396S 2.201396I 161.1431I 161.1431.3	33 g 1000g 1000G 25kg	7791-18-6
MAGNEZIJ HLORID-6-HIDRAT p.a. (Magnesium chloridum hexahydricum) MgCl₂ x 6H₂O Mr 203,31 *Za molekularnu biologiju	RH.MB040F RH.MB040H	100g 500g	7791-18-6
MAGNEZIJ KARBONAT BASIC LIGHT * MgCO ₃ Mr 84,31 maksimalno 40% Mg	2.MK001E 2.MK001F 2.MK001G 2.MK001H RH.GRM727H	50 g 100 g 250 g 500 g 500g	39409-82-0
MAGNEZIJ KARBONAT, LIGHT DENSITY Ph.Eur. Magnesium carbonate pentahydrate (MgCO ₃) ₄ · Mg(OH) ₂ · 5H ₂ O Mr 485,00	2.AF1427F 2.AF1427G 161.1427H 161.1427.2 161.1427.3	100g 250g 500g 5 kg 25kg	12125-28-9
MAGNEZIJ KARBONAT, LIGHT IP MgCO ₃ Mr 84,31 *Za farmaciju	RH.IP014H	500g	39409-82-0
MAGNEZIJ KARBONAT, teški MgCO ₃ Mr 84,31	2.AF1428H	500g	39409-82-0
MAGNEZIJ NITRAT-6-HIDRAT p.a. * MgN ₂ O ₆ x 6H ₂ O Mr 256,41	2.RM1380F RH.GRM1380H	100 g 500g	13446-18-9
MAGNEZIJ NITRAT-6-HIDRAT Ph.Eur. MgN ₂ O ₆ x 6H ₂ O Mr 256,41	RH.GRM1052H	500g	13446-18-9
MAGNEZIJ OKSID, teški aditiv (Magnesium oxide heavy) MgO Mr 40,31	2.MD024E 2.MD024F RH.GRM3559H 161.1437I	50g 100g 1000g 25 kg	1309-48-4
MAGNEZIJ OKSID LIGHT (lagani)* Ph.Eur.7.0. (Magnesii oxydum light) MgO Mr 40,31	2.AF1436G RH.GRM729H 161.1436.2 161.1436.3	250 g 500 g 5 kg 25 kg	1309-48-4
MAGNEZIJ OKSID ,LIGHT (Magnesii oxydum light) MgO Mr 40,31 *Za farmaciju	RH.IP015H	500g	1309-48-4
MAGNEZIJ PERHLORAT x HIDRAT MgCl ₂ O ₈ x H ₂ O Mr 223,20	R.136064F RH.GRM7216F RH.GRM7216H	100 g 100g 500g	64010-42-0
MAGNEZIJ PEROKSID * (Magnezij dioksid) sa MgO2 24-30% MgO ₂ (MgO) _n	2.RM2292F 2.RM2292G 2.RM2292H	100 g 250 g 500 g	14452-57-4
MAGNEZIJ tri-SILIKAT Ph.Eur. Magnesium Trisilicate Mg ₂ Si ₃ O ₈ · H ₂ O Mr 260,86	2.AF1443F 2.AF1443G 2.AF1443H 161.1443.2 161.1443.3	100g 250g 500g 5 kg 25kg	14987-04-3
MAGNEZIJ STEARAT Ph.Eur. 8.0. (Magnesii stearas) C ₃₆ H ₇₀ MgO ₄ Mr 591,25	2.AF1442G RH.GRM7219H 161.1442.2	250g 500 g 5 kg	91031-63-9
MAGNEZIJ STEARAT (E-470 b, F.C.C.) aditiv Magnesii stearas C ₃₆ H ₇₀ MgO ₄ Mr 591,25	2.202029I 2.202029K	1000 g 5 kg	557-04-0
MAGNEZIJ SULFAT anhidrovani p.a. * (Gorka so) MgSO ₄ Mr 120,48	2.RM1281F 2.RM1281G RH.GRM1281H	100 g 250 g 500g	7487-88-9
MAGNEZIJ SULFAT anhidrovani tehnički (Gorka so) MgSO ₄ Mr 120,48	2.OMA003	50 kg	7487-88-9
MAGNEZIJ SULFAT anhidrovani aditiv (Magnesium sulfate) MgSO ₄ Mr 120,48	2.FCF12218C 2.FCF12218F 2.FCF12218H	10 g 100g 500g	10034-99-8

	161.12218.2 161.12218.3	1000g 5 kg	
MAGNEZIJ SULFAT-7-HIDRAT p.a. * MgSO ₄ x 7H ₂ O Mr 246,48 Magnesii sulfas heptahydrat (Gorka so)	2.MD031E 2.MD031F 2.MD031G 2.MD031H RH.GRM684K	50 g 100 g 250 g 500 g 5kg	10034-99-8
MAGNEZIJ SULFAT-7-HIDRAT Ph.Eur.8.0. (Magnesii sulfas heptahydrat; Gorka so) MgSO ₄ x 7H ₂ O Mr 246,48	2.MK003C 2.MK003D 2.MK003F 2.MK003G 2.MK003H 2.MK003I 161.1440AI 161.1440A.1	10 g 25 g 100 g 250 g 500 g 1000 g 1000g 25 kg	10034-99-8
MAGNEZIJ SULFAT -7-HIDRAT E-518, F.C.C. aditiv (Magnesii sulfas heptahydrat; Gorka so) MgSO ₄ x 7H ₂ O Mr 246,48	2.201404C 2.201404F 2.201404H 2.201404I RP.201404K RP.2014041	10g 100g 500g 1000g 5 kg 25 kg	10034-99-8
MAGNEZIJ SULFAT-7-HIDRAT (MB) Magnesii sulfas heptahydrat (Gorka so) MgSO ₄ x 7H ₂ O Mr 246,48 *Za molekularnu biologiju	RH.MB171H	500g	10034-99-8
MAGNEZIJ SULFAT 0,1 mol/l (0,1 N) (24,648g MgSO ₄ x 7H ₂ O)	R.38416I	1000 ml	7487-88-9
MALAHIT ZELENO G Ind. (Brijant zeleno; Basic Green 1), C ₂₇ H ₃₄ N ₂ O ₄ S Mr 482,64	RH.GRM911D RH.GRM911F	25g 100g	633-03-4
MALAHIT ZELENO OKSALAT (Basic green 4) C ₅ H ₅ N ₄ O ₁₂ Mr 927,02	RH.GRM952D RH.GRM952F	25g 100g	2437-29-8
MALEINSKA KISELINA Ph.Eur. * C ₄ H ₄ O ₄ Mr 116,07	2.RM568F RH.GRM568H	100 g 500g	110-16-7
MALEINSKA KISELINA Ph.Eur. (MB) C ₄ H ₄ O ₄ Mr 116,07 *Za molekularnu biologiju	85.MB147H	500 g	110-16-7
MALONSKA KISELINA DIAMID (Malonic Acid Diamide, Malonodiamide) C ₃ H ₆ N ₂ O ₂ Mr 102,09	2.15B699E 2.15B699F	50 g 100 g	108-13-4
MALONSKA KISELINA (1,3 Propanedioic acid) C ₃ H ₄ O ₄ Mr 104,06	2.9851.3F 11.9851.3	100 g 1000g	141-82-2
D(+)-MALTOZA –1-HIDRAT * C ₁₂ H ₂₂ O ₁₁ x H ₂ O Mr 360,31	2.RM3050F 2.RM3050G RH.GRM3050H RH.GRM3050K	100 g 250 g 500g 5kg	6363-53-7
D(+)-MALTOZA –1-HIDRAT Ph.Eur. (4-(a-D-Glucosido)-D-Glucose, Malt sugar) C ₁₂ H ₂₂ O ₁₁ x H ₂ O Mr 360,31	2.AF141797F 2.AF141797G RP.141797H RP.141797	100 g 250 g 500g 5 kg	6363-53-7
D(+)-MALTOZA –1-HIDRAT Ph.Eur. (MB) (4-(a-D-Glucosido)-D-Glucose, Malt sugar) C ₁₂ H ₂₂ O ₁₁ x H ₂ O Mr 360,31 *Za molekularnu biologiju	RH.MB231F RH.MB231H	100g 500g	6363-53-7
MANGAN (II) ACETAT -4-HIDRAT p.a. Mn(CH ₃ COO) ₂ x 4H ₂ O Mr 245,09	RH.GRM2298H	500g	6156-78-1
MANGAN (II) HLORID-4-HIDRAT p.a. * MnCl ₂ x 4H ₂ O Mr 197,91	2.RM686E 2.RM686F 2.RM686G RH.GRM686H	50 g 100 g 250 g 500g	13446-34-9
MANGAN (II) HLORID-4-HIDRAT (MB) MnCl ₂ x 4H ₂ O Mr 197,91 *Za molekularnu biologiju	RH.MB236F	100 g	13446-34-9
MANGAN (II) HLORID-4-HIDRAT Ph.Eur. MnCl ₂ x 4H ₂ O Mr 197,91	RH.GRM685H	500g	13446-34-9
MANGAN (II) KARBONAT –X- HIDRAT p.a. MnCO ₃ x XH ₂ O Mr 114,95(anh.)	RH.GRM2299H	500g	598-62-6
MANGAN (II) NITRAT-4-HIDRAT p.a.	R.123224H	500 g	20694-39-7

Mn(NO ₃) ₂ x 4H ₂ O Mr 251,01			
MANGAN (II) NITRAT-4-HIDRAT Ph.Eur. Mn(NO ₃) ₂ x 4H ₂ O Mr 251,01	R.143224H R.143224I	500 g 1000 g	20694-39-7
MANGAN (II) OKSID Ph.Eur. (Mangan oksid) MnO Mr 70,94	R.144894I	1000 g	1344-43-0
MANGAN (IV) OKSID p.a. * (Mangan dioksid) MnO ₂ Mr 86,94	2.RM1705E RH.GRM7221F RH.GRM7221G RH.GRM7221H	50 g 100 g 250 g 500 g	1313-13-9
MANGAN (II) SULFAT-1-HIDRAT p.a. * MnSO ₄ x H ₂ O Mr 169,01	2.141413E RH.GRM687H RH.GRM687K	50 g 500g 5kg	10034-96-5
MANGAN (II) SULFAT-1-HIDRAT (MB) MnSO ₄ x H ₂ O Mr 169,01 *Za molekularnu biologiju	RH.MB202F RH.MB202H	100g 500g	10034-96-5
D(-)JMANITOL p.a. C ₆ H ₁₄ O ₆ Mr 182,18	RH.GRM570H	500g	69-56-8
D(-)JMANITOL (MB) C ₆ H ₁₄ O ₆ Mr 182,18 *Za molekularnu biologiju	RH.MB198H RH.MB198I	500g 1000g	69-56-8
D(+) MANOZA 98,5 p.a. * C ₆ H ₁₂ O ₆ Mr 180,16	RH.RM104D RH.RM104F RH.RM104H	25g 100g 500g	3458-28-4
D(+) MANOZA (MB) C ₆ H ₁₂ O ₆ Mr 180,16 *Za molekularnu biologiju	RH.MB212F	100g	3458-28-4
MAY-GRUENWALD boja,prah (Eosin metilen plavo)	RH.GRM953D RH.GRM953F	25g 100g	EC broj: 200-659-6 108-78-1
MELAMIN (2,4,6 Triamino-1,3,5 triazine), C ₃ H ₆ N ₆ Mr 126,12	2.RM3588F RH.GRM3588H	100 g 500g	
D(+)-MELIBIOSE-1-HIDRAT p.a. * C ₁₂ H ₂₂ O ₁₁ x H ₂ O Mr 360,32	85.RM106B 85.RM106D 85.RM106F	5 g 25 g 100 g	66009-10-7
L(-) MENTOL Ph.Eur.8.0. (Mentholum racemicum) C ₁₀ H ₂₀ O Mr 156,27 Osvježava i rashlađuje	2.MK016D 2.MK016E 2.MK016F 2.MK016G 2.MK016H 2.MK016I COS.MK016	25 g 50 g 100 g 250 g 500g 1000g 20kg	2216-51-5
2-MERCAPTOETANOL 99% p.a. (Thioethylene glycol) C ₂ H ₆ OS Mr 78,12	85.RM2895F 85.RM2895H	100 ml 500 ml	60-24-2
MERTIOLAT 97% (Thiomerosal), C ₉ H ₉ HgNaO ₂ S Mr 404,82	2.TD002D 2.TD002E RR.6389.1F	25 g 50 g 100 g	54-64-8
MES-1-HIDRAT (MES monohydrate) (MB) 2-(N-Morpholino)ethanesulphonic acid monohydrate C ₆ H ₁₃ NO ₄ S.H ₂ O Mr 213,25 *Za molekularnu biologiju	RH.MB020D RH.MB020F	25g 100g	145224-94-8
METANIL ŽUTI (Acid yellow 36) C ₁₈ H ₁₄ N ₃ NaO ₃ S Mr 375,38	2.MD020B RH.GRM954D RH.GRM954F	5 g 25 g 100 g	587-98-4
METANOL p.a. CH ₃ OH Mr 32,04 q=0,791g/MIQU	2.MD004F 2.MD004I R.990510 RP.141091	100 ml 1000 ml 5L 25L	67-56-1
METANOL Ph.Eur. (Methanol) CH ₃ OH Mr 32,04	2.MD076I INC.MD076	1000 ml 200 L	67-56-1
METANOL (F.C.C.) CH ₃ OH Mr 32,04 (ekstakcioni rastvarač u industriji hrane)	2.201091I 2.201091K 2.2010911	1000 ml 5 L 25 L	67-56-1
METANOL suhi max 0,005 % H₂O CH ₃ OH Mr 32,04	2.481091I	1000 ml	67-56-1
METANOL suhi max 0,005 % H₂O CH ₃ OH Mr 32,04	R.481091I R.481091J	1000 ml 2,5 L	67-56-1
METANOL za HPLC CH ₃ OH Mr 32,04	R.261091J R.261091K	2,5 L 5 L	67-56-1
METANOL 99,9% UV /IR-grade	R.T909.1J	2,5 L	67-56-1

za hromatografiju i spektroskopiju, CH ₃ OH Mr 32,04			
METANOL ≥99,9% PESTANAL CH ₃ OH Mr 32,04	R.34485J	2,5 L	67-56-1
METAN SULFONSKA KISELINA za sintezu (MSA) CH ₄ O ₃ S Mr 96,10	R.806022B	5 MI	75-75-2
METAN SULFONSKA KISELINA (70% otopina u vodi) (MSA) CH ₄ O ₃ S Mr 96,10	85.RM3589H 85.RM3589I	500 MI 1000 MI	75-75-2
4-METHYL-2-PENTANOL 97%	2.15A647H 2.15A647I	500 ML 1000 MI	
4-METILAMINOFENOL SULFAT p.a. C ₁₄ H ₂₀ N ₂ O ₆ S Mr 344,39	RH.GRM9721F RH.GRM9721H	250g 500g	55-55-0
METILEN HLORID p.a. (Diclormetan), CH ₂ Cl ₂ Mr 84,93	2.MD016H 2.MD016I	500 MI 1000 MI	75-09-2
METILEN HLORID stabilizovan sa amilenom (Diclormetan), CH ₂ Cl ₂ Mr 84,93	R.141254I R.141254J	1000 MI 2,5 L	75-09-2
METILEN HLORID suhi max.0,005% vode stabilizovan sa amilenom (Diclormetan), CH ₂ Cl ₂ Mr 84,93	R.481254I	1000 MI	75-09-2
METILEN HLORID za HPLC (Diclormetan), CH ₂ Cl ₂ Mr 84,93	R.7334.1I R.7334.1J	1 L 2,5 L	75-09-2
METILEN HLORID Pestillise® (Diclormetan), CH₂Cl₂ Mr 84,93	R.T152.1J	2,5 L	75-09-2
METILEN HLORID (F.C.C.) (Diclormetan), CH ₂ Cl ₂ Mr 84,93 (ekstakcioni rastvarač u industriji hrane)	2.201254I 2.201254K 2.201254I	1000 g 5 kg 25 kg	75-09-2
METILEN PLAVO Ind. *FARMAK.7. plava boja (Methylene blue dihydrate) C ₁₆ H ₁₈ ClN ₃ S x 2H ₂ O Mr 319,86+aq	2.MDK049D 2.MDK049E 161.15276F	25 g 50 g 100g	7220-79-3 (61-73-4)
METILEN PLAVO Ind. (Methylene blue) C₁₆H₁₈ClN₃S Mr 319,86	11.A514.3	100g	61-73-4
METIL BENZOAT p.a. C ₈ H ₈ O ₂ Mr 136,15	2.141949I	1000 MI	93-58-3
METIL BENZOAT Ph.Eur. C ₈ H ₈ O ₂ Mr 136,15	R.141949I R.141949J	1000 MI 2,5 L	93-58-3
METIL BENZOAT (F.C.C.) C ₈ H ₈ O ₂ Mr 136,15	2.201949I 2.201949J	1000 MI 2,5 L	93-58-3
METIL CELULOZA Ph.Eur. (Methylcellulosum, Methocel; MC)	2.RM1571E 2.RM1571F RH.GRM7262H	50 g 100 g 500 g	9004-67-5
METIL CELULOZA 400 mPas Ph.Eur. (Methylcellulosum, Methocel; MC) Viskozitet (2%u vodi)	R.428432500 R.428430010	250 g 1000g	9004-67-5
METIL CRVENO Ind. (Acid Red 2), C ₁₅ H ₁₅ N ₃ O ₂ Mr 269,31	2.MD005B 85.GRM3055	5 g 25g	493-52-7
METIL CRVENO Na so,Ind. C ₁₅ H ₁₄ N ₃ NaO ₂ Mr 291,29	RH.GRM1693D	25g	845-10-3
METIL NIKOTINAT (Nicotinic acid methyl ester) C ₇ H ₇ NO ₂ Mr 137,14	R.1521F R.1521G R.1521H	100 g 250 g 500 g	93-60-7
METIL ORANŽ Ind. * (Acid Orange 52) C ₁₄ H ₁₄ N ₃ NaO ₃ S Mr 327,34	RH.GRM958D RH.GRM958F	25g 100g	547-58-0
1-METIL-2-PIROLIDIN p.a. (N-Methylpyrrolidone, NMP); C ₅ H ₉ NO Mr 99,13	2.MD363080I	1000 MI	872-50-4
METIL PLAVO * (Methyl blue; Water Blue; Anilin plavo topiv u 61ydr; Acid Blue 93), -PAZI ISTO! C ₃₇ H ₂₇ N ₃ Na ₂ O ₉ S ₃ Mr 799,82	RH.GRM955D RH.GRM955F	25g 100g	28983-56-4
METIL SALICILAT Ph.Eur. 8.0. (Wintergreen ulje) C ₈ H ₈ O ₃ Mr 152,15	2.MK005F 2.MK005H 2.MK005I 161.1522.2 161.1522.3	100 ml 500 ml 1000 ml 5 L 25 L	119-36-8
METIL STEARAT Ph.Eur. C ₁₉ H ₃₈ O ₂ Mr 298,51	R.152760B R.152760E	5 g 50 g	142-91-6

	RH.RM4744F	100g	
METIL SULFONILMETAN MSM (Methyl sulfonilmethane MSM) C ₂ H ₆ O ₂ S Mr 94,13	RH.GRM4368H	500g	67-71-0
METIL TIMOL PLAVO Na so C ₃₇ H ₄₀ N ₂ Na ₄ O ₁₃ S Mr 844,76	85.RM8666	5 g	1945-77-3
METIL TIMOL PLAVO Na so C ₃₇ H ₄₀ N ₂ Na ₄ O ₁₃ S Mr 844,76	R.132618A R.132618B	1 g 5 g	1945-77-3
METIL VIOLET Ind. (Metil violet 2B, Gentian violet B, Methylrosanilinium chloride, Hexamethylparosanilinium chloride, Basic Violet 3, Crystal Violet), C ₂₄ H ₂₈ ClN ₃	RH.RM148C	10g	8004-87-3
METIL ZELENO Ind. C ₂₇ H ₃₅ Cl ₄ N ₃ Zn Mr 608,78	RH.RM246D	25g	7114-03-6
METILEN ZELENO (Methylene green) C ₁₆ H ₁₇ N ₄ O ₂ SCI Mr 364,86	85.RM8627	5 g	2679-01-8
METIL ŽUTO Ind. (4-Dimethylaminoazobenzene; Dimetil žuto) C ₁₄ H ₁₅ N ₃ Mr 225,30	RH.GRM936D RH.GRM936F	25 g 100 g	60-11-7
METOL p.a. (ECOL; 4-Methylamino fenol sulfat) C ₁₄ H ₂₀ N ₂ O ₆ S Mr 344,39	2.MD010F 2.MD010G 2.MD010H	100 g 250 g 500 g	55-55-0
4-METOKSIBENZALDEHID 98% (p-Anisaldehyd) C ₈ H ₈ O ₂ Mr 136,15	2.RM1777G 2.15A649H	250 ml 500 ml	123-11-5
4-METOKSIBENZALDEHID 98% (p-Anisaldehyd) C ₈ H ₈ O ₂ Mr 136,15	R.15A649F R.15A649H	100 ml 500 ml	123-11-5
NATRIJ DIHIDROGEN FOSFAT MONOHIDRAT NaH ₂ PO ₄ ·H ₂ O Mr 137,99	R.GRM6382H	500 g	10049-21-5
NATRIJ HLORID NaCl Mr 58.44	R.GRM3954H	500 g	7647-14-5
MLIJEČNA KISELINA 80% Ph.Eur. 8.0 (Acidum lacticum) C ₃ H ₆ O ₃ Mr 90,08	2.MDK0541F 2.MDK0541H 2.MDK0541I COSM015	100 ml 500 ml 1000 ml 25 L	79-33-4
MLIJEČNA KISELINA 80% E-270 aditiv (Acidum lacticum) C ₃ H ₆ O ₃ Mr 90,08	2.FCF0065F 2.FCF0065I 161.0065.3	100ml 1000ml 25 L	79-33-4
MLIJEČNA KISELINA 88-92% p.a. Acidum lacticum C ₃ H ₆ O ₃ Mr 90,08	2.MDK054H 2.MDK054I	500 ml 1000 ml	79-33-4
MLIJEČNA KISELINA 88-92% Ph.Eur. Acidum lacticum C ₃ H ₆ O ₃ Mr 90,08	2.MK050G 2.MK050I	250 ml 1000 ml	79-33-4
MOKRAĆNA KISELINA p.a. (Uric acid) C ₅ H ₄ N ₄ O ₃ Mr 168,11	2.RM6313C 2.RM6313D 2.RM6313E 2.RM6313F	10 g 25 g 50 g 100 g	69-93-2
MOLIBDENSKA KISELINA p.a.* (sadrži Amonij Molibdat) MoO ₄ H ₂ + Mo ₇ O ₂₄ (NH ₄) ₆	RH.GRM690F RH.GRM690H	100 g 500 g	7782-91-4
MOLIBDENSKA KISELINA Ph.Eur. (sadrži Amonij Molibdat) MoO ₄ H ₂ + Mo ₇ O ₂₄ (NH ₄) ₆	RH.GRM689F RH.GRM689H	100g 500g	7782-91-4
MOLIBDEN (VI)OKSID p.a. * Molibden trioksid, Molibden anhidrid MoO ₃ Mr 143,94	RH.GRM2920F RH.GRM2920H	100g 500g	1313-27-5
MONOETILEN GLIKOL Ph.Eur. (MEG) C ₂ H ₆ O ₂ Mr 62,07	2.MD003I 2.MD003L 2.MD003-2 2.MD003	1 L 10 L 50 L 200 L	107-21-1
MOPS (MB) [3-(N-Morpholino)propanesulphonic acid C ₇ H ₁₅ NO ₄ S Mr 209,26 *Za molekularnu biologiju	RH.MB021D RH.MB021F RH.MB021H	25g 100g 500g	1132-61-2
MOPSO pufer (MB) C ₇ H ₁₅ NO ₄ S Mr 225,26 *Za molekularnu biologiju	RH.MB214D	25g	68399-77-9
MRAVLJA KISELINA 85% p.a.	2.MD075I	1000 ml	64-18-6

Acidum formicum CH ₂ O ₂ Mr 46,03 ρ =1,20 g/ML	AZ.3538-25	25 L	
MRAVLJA KISELINA 85% Ph.Eur. (Acidum formicum) CH ₂ O ₂ Mr 46,03 Za uništavanje valeroze u jesen na ydrazidee 8-12° C (200 ml na 1 košnicu)	2.MD019I	1000 ml	64-18-6
MRAVLJA KISELINA 98% p.a. Acidum formicum CH ₂ O ₂ Mr 46,03 ρ =1,22g/ML	2.131030I	1000 ML	64-18-6
MRAVLJA KISELINA 98% Ph.Eur. aditiv (Acidum formicum) CH ₂ O ₂ Mr 46,03	2.201030I RP.201030	1000 ml 25 L	64-18-6
MUREKSID Ind. (Ammonium purpurate), C ₈ H ₈ N ₆ O ₆ Mr 284,19	RH.GRM481B RH.GRM481D 85.MB333D	5 g 25 g 25 g	3051-09-0
N			
NAD 98% KOENZIM I β-Nicotine amide adenine dinucleotide C ₂₁ H ₂₇ N ₇ O ₁₄ P ₂ Mr 663,4 g/mol	RH.GRM391A RH.GRM391B R.AE11.3	1g 5g 10g	53-84-9
NAFAZOLIN HIDROHLORID (Naphazolini hydrochloricum)	85.RM2339D	25 g	550-99-2
NAFTALEN Ph.Eur. * (Naphthalene) C ₁₀ H ₈ Mr 128,16	2.6714.5E 2.6714.5F 85.RM574H RR.6714.3I	50 g 100 g 500 g 1000 g	91-20-3
1-NAFTALEN SIRČETNE KISELINE extra pure (α-Naftilsirćetna kiselina; NAA), C ₁₂ H ₁₀ O ₂ Mr 186,20	85.RM575D 85.RM575F 85.RM575H	25 g 100 g 500g	86-87-3
2-NAFTALEN SULFONSKA KISELINA Na so za IPC (Natrij 2-naftalensulfonat) C ₁₀ H ₇ NaO ₃ S Mr 230,22	R.70289C RH.RM3619F	10 g 100g	532-02-5
1-NAFTILACETAT p.a. (Acetic acid α-naphtylester) C ₁₂ H ₁₀ O ₂ Mr 186,21	R.8509.1	25 g	830-81-9
2-NAFTILACETAT p.a. (Acetic acid β-naphtylester) C ₁₂ H ₁₀ O ₂ Mr 186,21	85.RM1731B 85.RM1731D	5 g 25 g	1523-11-1
1-NAFTILAMIN p.a. * (α-Naftilamin; 1-Aminonaftalen) C ₁₀ H ₉ N Mr 143,19	2.ND069E 2.ND069F 2.ND069G 2.ND069H	50 g 100 g 250 g 500 g	134-32-7
1-NAFTILAMIN HIDROHLORID (Naftil 1-amin hlorhidrat), C ₁₀ H ₁₀ ClN Mr 179,65	85.RM6092F	100 g	552-46-5
N-(1-NAFTIL)ETILENDIAMIN DIHIDROHLORID p.a. (1-Amino-2-(α-Naphtylamine)-Ethane Dihydrochloride) C ₁₂ H ₁₆ Cl ₂ N ₂ Mr 259,18	85.RM1073B R.A02951C R.4342.1D	5 g 10 g 25 g	1465-25-4
1-NAFTIL FOSFAT Na so-1-HIDRAT ≥ 98,0% p.a. (1-Naphtyl phosphate monosodium salt monohydrate) C ₁₀ H ₈ NaO ₄ P x H ₂ O Mr 264,15	R.KK26.1A R.KK26.2B	1 g 5 g	81012-89-7
1-NAFTOL p.a. (β-Naftol) C ₁₀ H ₈ O Mr 144,18	RH.GRM389F RH.GRM389H	100g 500g	90-15-3
1-NAFTOL Ph.Eur. * (α-Naftol) C ₁₀ H ₈ O Mr 144,18	2.ND055C 2.ND055D 2.ND055E RH.GRM1392H	10 g 25 g 50 g 500 g	90-15-3
2-NAFTOL Ph.Eur. * (β-Naftol) C ₁₀ H ₈ O Mr 144,18	2.NK021D 2.NK021E 2.NK021F 2.NK021G 85. RM1292H	25 g 50 g 100 g 250 g 500g	135-19-3
NAFTOL AS p.a. C ₁₇ H ₁₃ NO ₂ Mr 263,30	R.63544F R.63544G	100 g 250 g	92-77-3
NAFTOL AS-BI-FOSFAT za histologiju >95,0% (HPLC) (7-Bomo-3-hydroxy-2-napththoic-anisidide phosphate) C ₁₈ H ₁₅ BrNO ₆ P Mr 452,2	R.70482 R.70482A RH.RM1712	250 mg 1 g 250mg	1919-91-1
NAFTOL BENZEIN (p-Naftol benzein), C ₂₇ H ₁₈ O ₂ Mr 374,40 Ph 8,2-10,0	85.RM962B 85.RM962D	5 g 25 g	145-50-6
1-NAFTOFLAVON (α-Naftoflavon; 7,8-Benzoflavon), C ₁₉ H ₁₂ O ₂ Mr 272,30	85.RM964B 85.RM964D	5 g 25 g	604-59-1
α-NAFTOLFTALEIN Ind. C ₂₈ H ₁₈ O ₄ Mr 418,50	85.RM963A 85.RM963B	1 g 5 g	596-01-0

NAFTOL ZELENO B Ind. * (Acid Green 1), $C_{30}H_{15}FeN_3Na_3O_{15}S_3$ Mr 878,47	2.NK020D RH.GRM1393G RH.GRM1393F	25 g 25g 100g	19381-50-1
NAFTOL ZELENO B Ind. (Acid Green 1), $C_{30}H_{15}FeN_3Na_3O_{15}S_3$ Mr 878,47	R.133066D	25 g	19381-50-1
NATRIJ U PARAFINSKOM ULJU Na Ar 22,99	1024.39012100 11.4469.1	100 g 250g	7440-23-5
NATRIJ ACETAT anhidrovani p.a. * $C_2H_3NaO_2$ Mr 82,04 (DC Fine Chemicals 111481)	2.ND047E 2.ND047F 2.ND047G 2.ND047H 2.ND047I RDC.111481	50 g 100 g 250 g 500 g 1000 g 25 kg	127-09-3
NATRIJ ACETAT anhidrovani Ph.Eur. $C_2H_3NaO_2$ Mr 82,04	RH.GRM410H	500g	127-09-3
NATRIJ ACETAT anhidrovani (MB) $C_2H_3NaO_2$ Mr 82,04 *Za molekularnu biologiju	RH.MB048F RH.MB048H	100g 500g	127-09-3
NATRIJ ACETAT-3-HIDRAT p.a. * Natrii acetat $C_2H_3NaO_2 \times 3H_2O$ Mr 136,08	2.ND048D 2.ND048F 2.ND048G 2.ND048H 2.ND048I RDC.111481	25 g 100 g 250 g 500 g 1000 g 25kg	6131-90-4
NATRIJ ACETAT-3-HIDRAT Ph.Eur. 7.0. (Natrii acetat trihydricus) $C_2H_3NaO_2 \times 3H_2O$ Mr 136,08	2.AF141832F 2.AF141832G RH.GRM411H RR.3856.2I 161.2107.3	100 g 250 g 500g 1000 g 25kg	6131-90-4
NATRIJ ARSEMAT-7-HIDRAT p.a. (Arsenic acid sodium salt), $Na_2HasO_4 \times 7H_2O$ Mr 312,01	2.RM2438E RH.RM2438G	50 g 250g	10048-95-0
NATRIJ meta-ARSEMIT p.a. $NaAsO_2$ Mr 129,31	RH.GRM1847G RH.GRM1847H	250g 500g	RM673
NATRIJ meta- ARSEMIT 0,05 mol/l (0,1 N) $NaAsO_2$ Mr 129,31	R.38150I	1000 MI	7784-46-5
NATRIJ AZID p.a. * NaN_3 Mr 65,01	2.ND046C 2.ND046E 2.ND046F 2.ND046G 2.ND046H RDC.111500	10 g 50 g 100 g 250 g 500 g 5 kg	26628-22-8
NATRIJ AZID (MB) *Za molekularnu biologiju NaN_3 Mr 65,01	RH.MB075F RH.MB075H	100g 500g	26628-22-8
NATRIJ BENZEN SULFONAT puriss $C_6H_5NaO_3S$ Mr 180,20	85.RM1643F	100 g	515-42-4
NATRIJ BENZOAT p.a. * Natrii benzoas (Benzojeva kiselina Na so) C_6H_5COONa Mr 144,11	2.NDK074F 2.NDK074G RH.GRM1260H	100 g 250 g 500g	532-32-1
NATRIJ BENZOAT IP Natrii benzoas (Benzojeva kiselina Na so) C_6H_5COONa Mr 144,11 *Za farmaciju	RH.IP021H	500 g	532-32-1
NATRIJ BENZOAT E-211 Ph.Eur. 8.0. aditiv (Natrii benzoas; Benzojeva kiselina Na so) C_6H_5COONa Mr 144,11	2.NDK004F 2.NDK004H 161.2110I 161.2110.3	100 g 500 g 1000 g 25 kg	532-32-1
NATRIJ BIS (2-ETILHEKSIL)SULFOSUKCINAT za TLC (Docusate Natrijunova so), $C_{20}H_{37}NaO_7S$ Mr 444,56	R.86139C R.86139E	10 g 50 g	577-11-7
NATRIJ BIASENIT p.a. * (Natrij 64hydrogen selenit), $NaHO_3Se$ Mr 150,96	85.RM154F	100 g	7782-82-3
NATRIJ BISULFIT p.a. (Natrij Hydrogen sulfit), $NaHSO_3$ Mr 104,10	2.RM1878F 2.RM1878G 85.GRM1878H RH.GRM1284H	100 g 250 g 500 g 500 g	7631-90-5
NATRIJ BISULFIT 38-40% p.a. (Natrij Hidrogen Sulfit; Natrij Hidrosulfit)	2.CD211642I 2.CD211642J	1000 MI 2,5 L	7631-90-5

NaHSO ₃ x aq Mr 104,06+aq			
NATRIJ BITARTARAT – HIDRAT (Natrij hydrogen tartarat – 1 – hidrat) C ₄ H ₅ NaO ₆ x H ₂ O Mr 190,08	2.71679F 2.71679G	100 g 250 g	6131-98-2
NATRIJ BIZMUTAT(V) – HIDRAT p.a. Za određivanje mangana u željezu i čeliku NaBiO ₃ x aq Mr 279,90 (anh)	85.RM1755E 85.RM1755F	50 g 100 g	12232-99-4
NATRIJ BORAT-4-HIDRAT Ph.Eur. (Natrij meta-borat-4-hidrat), NaBO ₂ x 4H ₂ O Mr 137,86	RH.GRM7513H	500g	10555-76-7
NATRIJ BORHIDRID Ph.Eur. NaBH ₄ Mr 37,83	R.163314D R.163314F	25 g 100 g	16940-66-2
NATRIJ BROMAT Ph.Eur. (Natrii bromate) NaBrO ₃ Mr 150,90	2.141645E 2.141645F 85.RM7495H	50g 100g 500 g	7789-38-0
NATRIJ BROMID p.a. Natrii bromidum NaBr Mr 102,90	RH.GRM7496H	500g	7647-15-6
NATRIJ BROMID Ph.Eur. 8.0. (Natrii bromidum) NaBr Mr 102,90	RH.GRM750H 161.13970H 161.13970	500 g 500g 25 kg	7647-15-6
NATRIJ CIJANID p.a. NaCN Mr 49,01	R.71430I	1000g	143-33-9
NATRIJ CIKLAMAT aditiv (Sodium Cyclamate)	2.FCF2117F 2.FCF2117G 161.2117I 161.2117.2	100g 250g 1000g 5 kg	139-05-9
tri-NATRIJ CITRAT-2-HIDRAT p.a. * Natrii citras C ₆ H ₅ Na ₃ O ₇ x 2H ₂ O Mr 294,10	2.ND005 2.ND005E 2.ND005F 2.ND005G RH.GRM1415H 2.ND005I	40 g do 1 L 50 g 100 g 250 g 500 g 1000 g	6132-04-3
tri-NATRIJ CITRAT-2-HIDRAT Ph.Eur. 8.0. (Natrii citras) C ₆ H ₅ Na ₃ O ₇ x 2H ₂ O Mr 294,10	2.NK003F 2.NK003G 2.NK003H 161.1861I 161.1861.3	100 g 250 g 500 g 1000 g 25kg	6132-04-3
tri-NATRIJ CITRAT-2-HIDRAT IP (Natrii citras) C ₆ H ₅ Na ₃ O ₇ x 2H ₂ O Mr 294,10 *Za farmaciju	RH.IP025H	500g	6132-04-3
NATRIJ 5,5-DIETILBARBITURAT p.a. * (Natrij 5,5 dietilbarbiturna kiselina; Na-veronal) C ₈ H ₁₁ N ₂ O ₃ Na Mr 206,20	2.ND037E 2.ND037F 2.ND037G 2.ND037H	50 g 100 g 250 g 500 g	144-02-5
NATRIJ 5,5-DIETILBARBITURAT p.a. (Natrij 5,5 dietilbarbiturna kiselina; Na-veronal) C ₈ H ₁₁ N ₂ O ₃ Na Mr 206,20	R.121667F R.121667G R.121667I	100 g 250 g 1000 g	144-02-5
NATRIJ DIHIDROGENCITRAT Ph.Eur. C ₆ H ₇ NaO ₇ Mr 214,11	R.141653H R.141653I	500 g 1000 g	18996-35-5
NATRIJ DIHIDROGENFOSFAT anhidrovani p.a. * NaH ₂ PO ₄ Mr 119,98	2.ND085G 2.ND085H 161.2127I	250 g 500 g 1000 g	7558-80-7
NATRIJ DIHIDROGENFOSFAT-1-HIDRAT p.a. * NaH ₂ PO ₄ x H ₂ O Mr 137,99	2.ND007E 2.ND007F 2.ND007G RH.GRM3963H	50 g 100 g 250 g 500 g	10049-21-5
NATRIJ DIHIDROGENFOSFAT-1-HIDRAT E-339, F.C.C. aditiv NaH ₂ PO ₄ x H ₂ O Mr 137,99	2.FCF2128E 2.FCF2128F 2.FCF2128G 2.FCF2128H 161.2128.3	50 g 100 g 250 g 500 g 25 kg	10049-21-5
NATRIJ DIHIDROGENFOSFAT-2-HIDRAT p.a Natrii dihydrogen phosphas 2-H ₂ O NaH ₂ PO ₄ x 2H ₂ O Mr 156,01	2.ND065F 2.ND065G RH.GRM1255H 2.ND065I	100 g 250 g 500 g 1000 g	13472-35-0
NATRIJ DIHROMAT-2-HIDRAT p.a. * (Natrij bikromat) Na ₂ Cr ₂ O ₇ x 2H ₂ O Mr 298,00	RH.GRM753H	500g	10588-01-9

NATRIJ DIETILDITIOKARBAMAT-3-HIDRAT p.a. (C ₂ H ₅) ₂ NCS ₂ Na x 3 H ₂ O Mr 225,30	RH.GRM4483F RH.GRM4483H	100g 500g	20624-25-3
NATRIJ DIETILDITIOKARBAMAT-3-HIDRAT p.a. (C ₂ H ₅) ₂ NCS ₂ Na x 3 H ₂ O Mr 225,30	R.131668F R.131668G	100 g 250 g	20624-25-3
NATRIJ DITIONIT Ph.Eur. (Natrij Hidrosulfit; Natrij hipodisulfit) Na ₂ S ₂ O ₄ Mr 174,11	RH.GRM7501H 2.211685I RP.211685	500 g 1000 g 5 kg	7775-14-6
NATRIJ DITIONIT (MB) (Natrij Hidrosulfit; Natrij hipodisulfit) Na ₂ S ₂ O ₄ Mr 174,11 *Za molekularnu biologiju	RH.MB163H	500 g	7775-14-6
NATRIJ DODECIL SULFAT (SDS) 99% * ultra pure (Natrij lauril sulfat) za elektroforezu C ₁₂ H ₂₅ NaO ₄ S Mr 288,38	2.ND040E RH.GRM6218F 161.2141I 161.2141.5	50 g 100g 1000G 5 kg	151-21-3
NATRIJ DODECIL SULFAT (SDS) 98% extra pure (Natrij lauril sulfat) C ₁₂ H ₂₅ NaO ₄ S Mr 288,38	2.NDK055E 2.NDK055F 2.NDK055G 2.NDK055H RP.142363	50 g 100 g 250G 500 g 5 kg	151-21-3
NATRIJ DODECIL SULFAT (SDS) (MB) (Natrij lauril sulfat) C ₁₂ H ₂₅ NaO ₄ S Mr 288,38 *Za molekularnu biologiju	RH.MB010D RH.MB010F RH.MB010H RH.MB010I	25g 100g 500g 1000g	151-21-3
NATRIJ FLUORID p.a. Natrii fluoridum NaF Mr 41,99	2.ND008F 2.ND008G 85.RM1081 AZ.17371	100 g 250 g 500 g 1000 g	7681-49-4
NATRIJ FORMIJAT p.a. CHNaO ₂ Mr 68,01	2.ND083F RH.GRM414H	100 g 500g	141-53-7
tri-NATRIJ FOSFAT-1-HIDRAT p.a. Na ₃ PO ₄ x H ₂ O Mr 181,94	2.ND009E 2.ND009F 2.ND009H 2.ND009I	50 g 100 g 500 g 1000 g	7601-54-9
tri-NATRIJ FOSFAT-1-HIDRAT Ph.Eur. Na ₃ PO ₄ x H ₂ O Mr 181,94	R.141681H R.141681I	500 g 1000 g	7601-54-9
tri-NATRIJ FOSFAT-12-HIDRAT p.a. Na ₃ PO ₄ x 12H ₂ O Mr 380,12	2.ND056G 2.ND056H 2.ND056I	250 g 500 g 1000 g	10101-89-0
tri NATRIJ FOSFAT-12-HIDRAT E-339, F.C.C. aditiv (Sodium Phosphate tertiary, Sodium Phosphate tri-Basic) Na ₃ PO ₄ x 12H ₂ O Mr 380,12	2.201680H 2.201680I RP.201680K RP.201680I	500 g 1000g 5 kg 25 kg	10101-89-0
NATRIJ β –GLICEROFOSFAT (β-glicerofosfat di-Na so), C ₃ H ₇ Na ₂ O ₆ P 5 ½ H ₂ O Mr 315,11	85.RM665F 85.RM665G	100 g 250 g	13408-09-8
NATRIJ L-GLUTAMAT 1-HIDRAT E-621 F.C.C. aditiv (Monosodium glutamate) C ₅ H ₈ NaNO ₄ X H ₂ O Mr 187,13	2.FCF2132F 2.FCF2132G 2.FCF2132H 2.FCF2132I 161.2132.2 161.2132.3	100g 250g 500g 1000g 5 kg 25 kg	6106-04-3
NATRIJ HEKSAFLUOROSILIKAT p.a. Na ₂ F ₆ Si Mr 188,06	RH.GRM6230H	500g	16893-85-9
NATRIJ HEKSAMETAFOSFAT (Sodium polyphosphate; Grahams salt; Kalgon) (NaPO ₃) ₁₂ -13Na ₂ O	RH.GRM1282H	500g	68915-31-1
NATRIJ HIDROGEN di-ACETAT Ph.Eur. C ₆ H ₇ NaO ₇ Mr 214,11	R.141665I	1000 g	6132-04-3
di-NATRIJ FENIL FOSFAT DIHIDRAT > 95% C ₆ H ₅ PO ₄ Na ₂ · 2H ₂ O Mr 254,09	RS.7751 RS.7751F	10 g 100 g	76-43-7
di-NATRIJ HIDROGEN ARSEMAT-7-HIDRAT Ph.Eur. HasNa ₂ O ₄ x 7H ₂ O Mr 312,01	R.141635H R.141635I	500 g 1000 g	10048-95-0
di-NATRIJ HIDROGEN CITRAT-1/2-HIDRAT p.a. C ₆ H ₆ Na ₂ O ₇ x ½H ₂ O Mr 263,11	RH.GRM7503H	500g	144-33-2
di-NATRIJ HIDROGEN FOSFAT anhidrovani p.a. * Na ₂ HPO ₄ Mr 141,96	2.ND010E 2.ND010F 2.ND010	50 g 100 g 250 g	7558-79-4

	RH.GRM1417H 2.ND010I RDC.111731	500 g 1000 g 25 kg	
di-NATRIJ FOSFAT ANHIDROVANI PH.EUR. Na₂HPO₄ Mr 141,96	161.2122I	1000g	7558-79-4
di-NATRIJ HIDROGEN FOSFAT-2-HIDRAT p.a. Na ₂ HPO ₄ x 2H ₂ O Mr 177,99	2.ND012F 2.ND012G RH.GRM257H RH.GRM257K	100 g 250 g 500g 5kg	10028-24-7
di-NATRIJ HIDROGEN FOSFAT-2-HIDRAT Ph.Eur.8.0. Na ₂ HPO ₄ x 2H ₂ O Mr 177,99	RH.GRM6365H RH.GRM257H RH.GRM257K	500g 500g 5kg	10028-24-7
di-NATRIJ HIDROGEN FOSFAT-7-HIDRAT p.a. * Na ₂ HPO ₄ x 7H ₂ O Mr 267,96	RH.GRM3961H	500g	7782-85-6
di-NATRIJ HIDROGEN FOSFAT-12-HIDRAT p.a. * Dinatrij phosphas dodecahydricus Na ₂ HPO ₄ x 12H ₂ O Mr 358,14	2.ND011E 2.ND011F 2.ND011G RH.GRM1418H	50 g 100 g 250 g 500g	10039-32-4
di-NATRIJ HIDROGEN FOSFAT 12-HIDRAT E-339 F.C.C. aditiv (Sodium Phosphate dibasic, Dodecahydrate) Na ₂ HPO ₄ x 12H ₂ O Mr 358,14	2.FCF2123F 2.FCF2123G 2.FCF2123I 161.2123.2 161.2123.3	100 g 250 g 1000g 5 kg 25kg	10039-32-4
NATRIJ HIDROGEN KARBONAT p.a. * Natrij hydrogencarbonas NaHCO ₃ Mr 84,01	2.ND013F 2.ND013G 2.ND013H 2.ND013I RDC.111721	100 g 250 g 500 g 1000 g 25 kg	144-55-8
NATRIJ HIDROGEN KARBONAT IP Natrij hydrogencarbonas NaHCO ₃ Mr 84,01 *Za farmaciju	RH.IP027H	500g	144-55-8
NATRIJ HIDROGEN KARBONAT za HPLC Natrij hydrogencarbonas NaHCO ₃ Mr 84,01	2.RM2973G	250 g	144-55-8
NATRIJ HIDROGEN SULFAT 93% p.a. (Natrij bisulfat), NaHSO ₄ Mr 120,06	2.2373.1F 2.2373.1H	100 g 500 g	7681-38-1
NATRIJ HIDROGEN SULFAT-1-HIDRAT p.a. (Natrij bisulfat), NaHSO ₄ x H ₂ O Mr 138,08	2.ND143854E 2.ND143854F 2.ND143854G 2.ND143854H	50 g 100 g 250 g 500 g	10034-88-5
NATRIJ HIDROGEN SULFAT-1-HIDRAT p.a. (Natrij bisulfat), NaHSO ₄ x H ₂ O Mr 138,08	R.143854H R.143854I	500 g 1000 g	10034-88-5
NATRIJ HIDROGEN SULFAT anhidrovani Ph.Eur. (Natrij bisulfat), NaHSO ₄ Mr 120,06	R.141640H R.141640I	500 g 1000 g	7681-38-1
NATRIJ HIDROGEN SULFID-1-HIDRAT HnaS x H ₂ O Mr 74,08	2.RM6219F 2.RM6219H	100 g 500 g	207683-18-0
NATRIJ HIDROGEN TARTARAT anhidrovani Ph.Eur. C ₄ H ₅ NaO ₆ Mr 172,09	R.141643I	1000 g	526-94-3
NATRIJ HIDROGEN TARTARAT-1-HIDRAT p.a. C ₄ H ₅ NaO ₆ x H ₂ O Mr 190,09	R.121871I	1000 g	526-94-3
NATRIJ HIDROGEN TARTARAT-1-HIDRAT Ph.Eur. C ₄ H ₅ NaO ₆ x H ₂ O Mr 190,09	R.141871I	1000 g	526-94-3
NATRIJ HIDROKSID p.a. * Natrij hydroxidum NaOH Mr 40,00	2.ND018E 2.ND018F 2.ND018G RH.GRM467H 2.ND018I RR.677.4 RR.6771.2 RR.6771.6 RDC.111772	50 g 100 g 250 g 500 g 1000 g 2,5 kg 5 kg 10 kg 25 kg	1310-73-2
NATRIJ HIDROKSID tehnički Natrij hydroxidum NaOH Mr 40,00	INT.NDK056	25 kg	1310-73-2
NATRIJ HIDROKSID H₂O 99,99% Suprapur NaOH H ₂ O Mr 58,01	R.106466E	50 g	1310-73-2
NATRIJ HIDROKSID, 0,01mol/l (0,01N) (0,4g NaOH)	R.38227I	1000 ml	1310-73-2
NATRIJ HIDROKSID, 0,05mol/l (0,05N)	R.35249H	500 ml	1310-73-2

(2g NaOH)	R.35249I	1000 ML	
NATRIJ HIDROKSID 0,1 M, ampula za 1L	MC-1099590001	1000 ML	1310-73-2
NATRIJ HIDROKSID, 0,2 mol/l (0,2 N) (8g NaOH) Ind. Fenolfalein	R.38224I	1000 ML	1310-73-2
NATRIJ HIDROKSID, 0,50 mol/l (0,5 N) (20g NaOH)	R.35257I	1000 ML	1310-73-2
NATRIJ HIDROKSID, 1,0 mol/l (1 N) (40,00g NaOH)	ECL.P155805	1000 ML	1310-73-2
NATRIJ HIDROKSID, 1,0 M (1N), AMPULA	MC-1099560001	1000 ML	1310-73-2
NATRIJ HIDROKSID, 1,6 mol/l (1,6 N) (64g NaOH)	R.624836I	1000 ML	1310-73-2
NATRIJ HIDROKSID, 2,0 mol/l (2 N) (80g NaOH) Ind. Brom fenol plavo	2.ND016I	1000 ML	1310-73-2
NATRIJ HIDROKSID, 4,0 mol/l (4 N) (160g NaOH) Ind. Brom fenol plavo	2.ND082I	1000 ML	1310-73-2
NATRIJ HIDROKSID, 5,0 mol/l (5 N) (200g NaOH) Ind. Brom fenol plavo	R.KK71.1	1000 ML	1310-73-2
NATRIJ HIDROKSID, 8,0 mol/l (8 N) (320g NaOH)	R.35255I	1000 ML	1310-73-2
NATRIJ HIDROKSID, 10,0 mol/l (10 N) (400g NaOH)	R.38214I	1000 ML	1310-73-2
NATRIJ HIPOHLORIT sa sadržajem aktivnog hlora 10-12%v/v u vodi, (ŽAVELOVA OTOPINA) NaClO + H ₂ O Mr 74,45 + H ₂ O g/mol	2.ND019I RR.9062.1 AZ.3516-20	1000 ml 10 L 20 KG	7681-52-9
NATRIJ HIPURAT 96% C ₆ H ₅ CONHCH ₂ COONa Mr 201,15	85.RM6523F	100 g	532-94-5
NATRIJ HLORAT p.a. NaClO ₃ Mr 106,44	2.NDK001E 2..NDK001F 2.NDK001G 2.NDK001H	50 g 100 g 250 g 500 g	7775-09-9
NATRIJ HLORAT Ph.Eur. (Natrii chlorate) NaClO ₃ Mr 106,44	2.AF8572.1E 2.AF8572.1F 2.AF8572.1G RR.8572.2H RR.8572.2	50 g 100 g 250 g 500g 5kg	7775-09-9
NATRIJ HLORID p.a. Natrii chloridum, NaCl Mr 58,44	2.ND024F 2.ND024G 2.ND024H 2.ND024I RDC.111582	100 g 250 g 500 g 1000 g 50 kg	7647-14-5
NATRIJ HLORID p.a. Natrii chloridum, NaCl Mr 58,44	R.131659H R.131659I	500 g 1000 g	7647-14-5
NATRIJ HLORID Ph.Eur. 8.0 (Sodium Chloride) NaCl Mr 58,44	2.ND057F 2.ND057G 2.ND057H 2.ND057I RH.GRM031K 161.2119.3 COSM007	100g 250g 500g 1000g 5kg 25 kg 50kg	7647-14-5
NATRIJ HLORID (MB) Natrii chloridum, NaCl Mr 58,44 *Za molekularnu biologiju	RH.MB023H RH.MB023I RH.MB023K	500g 1000g 5kg	7647-14-5
NATRIJ HLORID IP Natrii chloridum, NaCl Mr 58,44 *Za farmaciju	RH.IP024H RH.IP024K	500g 5kg	7647-14-5
NATRIJ HLORID NaCl Mr 58.44	R.GRM3954H	500 g	7647-14-5
NATRIJ HLORID (max.0,0000005% Hg) p.a. Natrii chloridum, NaCl Mr 58,44	R.471659G	250 g	7647-14-5
NATRIJ HLORID 0,1 mol/l (0,1 N) (5,844 g NaCl)	R.38180I	1000 ML	7647-14-5
NATRIJ HLORIT 80% Sodium chlorite NaClO ₂ Mr 90,44	2.ND084F 2.ND084G RR.4352H RR.4352.1	100 g 250 g 500g 5 kg	7758-19-2
NATRIJ HROMAT-4-HIDRAT p.a. Na ₂ CrO ₄ x 4H ₂ O Mr 234,03	RH.GRM7498H	500g	10034-82-9
NATRIJ HROMAT-4-HIDRAT p.a.	R.145224H	500 g	10034-82-9

Na ₂ CrO ₄ x 4H ₂ O Mr 234,03	R.145224I	1000 g	
NATRIJ JODAT p.a. * NaJO ₃ Mr 197,90	2.ND004D 2.ND004E RH.GRM1084F	25 g 50 g 100g	7681-55-2
NATRIJ JODID p.a. * Natrii iodidum NaJ Mr 149,89	2.NK006E RH.GRM706F RH.GRM706H	50 g 100g 500g	7681-82-5
NATRIJ JODID Ph.Eur.7.0. Natrii iodidum NaJ Mr 149,89	2.NK0061E 2.NK0061F 2.NK0061G 161. 2135H RR.8783.3 161.2135.3	50 g 100 g 250 g 500 g 2,5kg 25 kg	7681-82-5
NATRIJ JODID-2-HIDRAT p.a. Jna x 2H ₂ O Mr 185,93	2.NDK111E 2.NDK111F 2.NDK111G	50 g 100 g 250 g	13517-06-1
NATRIJ KARBONAT anhidrovani p.a. Na ₂ CO ₃ Mr 105,99	2.ND022E 2.ND022F 2.ND022G RH.GRM851H	50 g 100 g 250 g 500 g	497-19-8
NATRIJ KARBONAT anhidrovani Ph.Eur.8.0. Na ₂ CO ₃ Mr 105,99	2.ND0221F 2.ND0221G RH.GRM254H RR.P028.5	100g 250g 500g 25 kg	497-19-8
NATRIJ KARBONAT anhidrovani (MB) Na ₂ CO ₃ Mr 105,99 *Za molekularnu biologiju	RH.MB253F RH.MB253H RH.MB253I	100g 500g 1000g	497-19-8
NATRIJ KARBONAT TEŠKI anhidrovani tehnički Na ₂ CO ₃ Mr 105,99	2.ND054	50 kg	497-19-8
NATRIJ KARBONAT-1-HIDRAT (Sodium carbonate monohydrate), Na ₂ CO ₃ x H ₂ O Mr 124,00	2.RM1189G RH.GRM1189H	250 g 500g	5968-11-6
NATRIJ KARBONAT-1-HIDRAT p.a. (Sodium carbonate monohydrate), Na ₂ CO ₃ x H ₂ O Mr 124,00	RH.GRM3952H	500g	5968-11-6
NATRIJ KARBONAT-1-HIDRAT tehnički (Light) Natrii carbonas monohydricus, Na ₂ CO ₃ x H ₂ O Mr 124,00	2.ND053	50 kg	5968-11-6
NATRIJ KARBONAT-10-HIDRAT p.a. Na ₂ CO ₃ x 10H ₂ O Mr 286,14	2.ND023G 2.ND023H 2.ND023I	250 g 500 g 1000 g	6132-02-1
NATRIJ KARBONAT-10-HIDRAT Ph.Eur. Na ₂ CO ₃ x 10H ₂ O Mr 286,14	R.141647H R.141647I	500 g 1000 g	6132-02-1
NATRIJ KARBONAT 0,05 mol/l (0,1 N) (5,299g Na ₂ CO ₃)	R.38170I	1000 ml	497-19-8
NATRIJ KOBALT NITRIT p.a. (Natrij heksanitrokobaltat(III)), Na ₃ Co(NO ₂) ₆ Mr 403,90	85.RM4480D 85.RM4480F	25 g 100 g	13600-98-1
NATRIJ LAKTAT Ph.Eur. C ₃ H ₅ NaO ₃ Mr 112,06	R.143306H R.143306I	500 g 1000 g	867-56-1
NATRIJ MALONAT 99% C ₃ H ₂ Na ₂ O ₄ Mr 148,03	85.GRM10682F R.15B852F	100 g	141-95-7
NATRIJ METABISULFIT p.a. * Natrii metabisulfis (Natrij Disulfit; Natrij Piro-sulfit) Na ₂ S ₂ O ₅ Mr 190,10	2.CD4660F 2.CD4660G 2.CD4660H 2.CD4660I	100 g 250 g 500 g 1000 g	7681-57-4
NATRIJ METABORAT-4-HIDRAT (Sodium metaborate tetrahydrate) NaBO ₂ x 4H ₂ O Mr 137,86	2.131700D 2.131700F 2.131700G RH.GRM7513	25 g 100 g 250 g 500g	10555-76-7
NATRIJ METASILIKAT-5-HIDRAT p.a. Na ₂ SiO ₃ x 5H ₂ O Mr 212,16	2.7370.1E 2.7370.1F 2.7370.1G 2.7370.1I	50 g 100 g 250 g 1000 g	6834-92-0
NATRIJ meta-PERJODAT p.a. NaJO ₄ Mr 213,89	2.RM841E 2.RM841F RH.GRM1720H	50 g 100 g 500g	7790-28-5
NATRIJ meta-VANADAT purum > 98% NaVO ₃ Mr 121,90	RH.GRM2974F RH.GRM2974H	100g 500g	13718-26-8
NATRIJ METOKSID (METILAT) 0,5mol/l (Sodium methanolat) CH ₃ NaO Mr 54,02	R.135279F	100 ml	124-41-4

NATRIJ MOLIBDAT-2-HIDRAT p.a. Na ₂ MoO ₄ x 2H ₂ O Mr 241,95	RH.GRM1721F RH.GRM1721H	100 g 500 g	10102-40-6
NATRIJ NITRAT p.a. * Natrii nitras NaNO ₃ Mr 85,01MNCL2FES	2.ND058F 2.ND058G 2.ND058H 2.ND058I	100 g 250 g 500 g 1000 g	7631-99-4
NATRIJ NITRAT Ph.Eur. * (Natrii nitras) NaNO ₃ Mr 85,01	2.ND0581F 2.ND0581G RH.GRM1722H RP.131702	100 g 250 g 500 g 25 kg	7631-99-4
NATRIJ NITRAT E-251, Ph.Eur. F.C.C. aditiv (Natrii nitras) NaNO ₃ Mr 85,01	2.201702H 2.201702I RP.201702K RP.2017021	500g 1000 g 5 kg 25 kg	7631-99-4
NATRIJ NITRIT p.a. * Natrii nitris NaNO ₂ Mr 69,00	2.ND026E 2.ND026F 2.ND026G 2.ND026H	50 g 100 g 250 g 500 g	7632-00-0
NATRIJ NITRIT Ph.Eur. Natrii nitris NaNO ₂ Mr 69,00	2.ND063G 2.ND063H 2.ND063I	250g 500g 1000 g	7632-00-0
NATRIJ NITRIT 0,1mol/l NaNO ₂ Mr 69,00	R.35273I	1000 ml	7632-00-0
NATRIJ NITRIT 1mol/l NaNO ₂ Mr 69,00	R.35271I	1000 ml	7632-00-0
NATRIJ NITROFENIL FOSFAT –6-HIDRAT p.a. C ₆ H ₄ NNa ₂ O ₆ P x 6H ₂ O Mr 371,12	85.RM1134B 85.RM1134D	5 g 25 g	333338-18-4
NATRIJ NITROPRUSID-2-HIDRAT p.a. * Sodium Pentacyanonitrosoferrate (III) 2-hydrate Na ₂ [Fe(CN) ₅ NO] x 2H ₂ O Mr 297,95	2.ND027D 2.ND027E RH.GRM987F RH.GRM987H	25 g 50 g 100g 500g	13755-38-9
di-NATRIJ OKSALAT p.a. * C ₂ Na ₂ O ₄ Mr 134,00	2.ND028E 2.ND028F 2.ND028G 2.ND028H	50 g 100 g 250 g 500 g	62-76-0
NATRIJ PERBORAT-4-HIDRAT p.a. Natrii perboras NaBO ₃ x 4H ₂ O Mr 169,76	2.NK012F 2.NK012G RH.GRM1261H	100 g 250 g 500g	10486-00-7
NATRIJ PERBORAT-4-HIDRAT Ph.Eur. Natrii perboras NaBO ₃ x 4H ₂ O Mr 169,76	2.NK0121F 2.NK0121H 2.NK0121I	100 g 500 g 1000 g	10486-00-7
NATRIJ PERHLORAT-1-HIDRAT Ph.Eur. NaClO ₄ x H ₂ O Mr 140,46	2.RM2975F 2.RM2975G 2.RM2975H	100 g 250 g 500 g	7791-07-3
NATRIJ PERKARBONAT-1,5H₂O₂ (Hydrogen peroxide-sodium carbonate adduct) Na ₂ CO ₃ x 1,5 H ₂ O ₂ Mr 157,00	85.RM2443F 85.RM2443G 85.RM2443H	100 g 250 g 500 g	15630-89-4
NATRIJ PEROKSID p.a. Na ₂ O ₂ Mr 77,9	85.RM2444F 85.RM2444G 85.RM2444H	100 g 250 g 500 g	1313-60-6
NATRIJ PEROKSID p.a. Na ₂ O ₂ Mr 77,9	R.131708F R.131708G	100 g 250 g	1313-60-6
NATRIJ PEROKSID Ph.Eur. Na ₂ O ₂ Mr 77,9	R.121708F R.121708G	100 g 250 g	1313-60-6
NATRIJ PERSULFAT purum (Natrij Peroksodisufat) Na ₂ S ₂ O ₈ Mr 238,10	2.143396F RH.GRM6224H	100 g 500g	7775-27-1
NATRIJ PIROFOSFAT anhidrovani p.a. (tetra-Natrij Difosfat) Na ₄ P ₂ O ₇ Mr 265,90	2.141711F 2.141711G RH.GRM7515H	100 g 250 g 500g	7722-88-5
NATRIJ PIROFOSFAT-10-HIDRAT p.a. (tetra-Natrij Difosfat-10-hidrat) Na ₄ P ₂ O ₇ x 10H ₂ O Mr 446,05	R.121710H R.121710I	500 g 1000 g	13472-36-1
NATRIJ PIROFOSFAT-10-HIDRAT Ph.Eur. (tetra-Natrij Difosfat-10-hidrat) Na ₄ P ₂ O ₇ x 10H ₂ O Mr 446,05	2.201710E 2.201710F 2.201710H 2.201710I	50 g 100 g 500 g 1000 g	13472-36-1
NATRIJ PIROFOSFAT-10-HIDRAT Ph.Eur.	R.141710H	500 g	13472-36-1

(tetra-Natrij Difosfat-10-hidrat) Na ₄ P ₂ O ₇ x 10H ₂ O Mr 446,05	R.141710I	1000 g	
NATRIJ PIRUVAT p.a. (Pyruvic acid, sodium salt) C ₃ H ₃ NaO ₃ Mr 110,04	2.ND030D 2.ND030E 85.GRM1181F	25 g 50 g 100g	113-24-6
NATRIJ POLIFOSFAT Ph.Eur. (Natrij hekza metafosfat) (NaPO ₃) _n Mr 101,97xn	R.141684H RH.GRM1282H	500 g 500g	50813-16-6
NATRIJ PROPIONAT Ph. Eur. Aditiv (Sodium Propionate) C ₃ H ₅ NaO ₂ Mr 96,06	RH.GRM6227H 2.FCF2149I 161.2149.2 161.2149.3	500g 1000g 5 kg 25 kg	137-40-6
di-NATRIJ RODIZONAT p.a. (Sodium rhodizonate), C ₆ Na ₂ O ₆ Mr 214,04	RH.RM4489B	5g	523-21-7
NATRIJ SALICILAT p.a. C ₇ H ₅ NaO ₃ Mr 160,11	2.ND068F	100 g	54-21-7
NATRIJ SELENIT p.a. Na ₂ SeO ₃ Mr 172,94	2.ND031F 2.ND031H	100 g 500 g	10102-18-8
NATRIJ SELENIT -5-HIDRAT p.a. Na ₂ SeO ₃ x5H ₂ O Mr 263,00	RH.GRM5432H	500g	12209-98-2
NATRIJ SILIKAT extra pure (Sodium silicate)	RR.7561.1 RR.7561.2 RR.7561.5	1 L 5 L 25 L	1344-09-8
NATRIJ SUKINAT-6-HIDRAT p.a. (Butanedioic acid disodium salt; Succinic acid disodium salt) C ₄ H ₄ Na ₂ O ₄ x 6H ₂ O Mr 270,15	85.GRM418H	500 g	6106-21-4
NATRIJ SULFAT p.a. * Natrii sulfas anhydricus Na ₂ SO ₄ Mr 142,04	2.ND032E 2.ND032F 2.ND032G 2.ND032H 2.ND032I RDC.111941	50 g 100 g 250 g 500 g 1000 g 25kg	7757-82-6
NATRIJ SULFAT Ph.Eur.7.0. (Natrii sulfas anhydricus) Na ₂ SO ₄ Mr 142,04	2.ND021F 2.ND021G RH.GRM419H RDC.111941 COSM008	100 g 250 g 500 g 25 kg 50g	7757-82-6
NATRIJ SULFAT p.a. * 10-60mesh Natrii sulfas anhydricus Na ₂ SO ₄ Mr 142,04	85.RM3968H	500 g	7757-82-6
NATRIJ SULFAT (MB) (Natrii sulfas anhydricus) Na ₂ SO ₄ Mr 142,04 *Za molekularnu biologiju	RH.MB209I	1000g	7757-82-6
NATRIJ SULFAT-10-HIDRAT p.a. (Natrii sulfas decahydricus; Glauberova so) Na ₂ SO ₄ x 10H ₂ O Mr 322,20	2.ND033F 2.ND033G 2.ND033I	100 g 250 g 1000 g	7727-73-3
NATRIJ SULFAT-10-HIDRAT p.a. (Natrii sulfas decahydricus; Glauberova so) Na ₂ SO ₄ x 10H ₂ O Mr 322,20	R.131715H R.131715I	500 g 1000 g	7727-73-3
NATRIJ SULFAT-10-HIDRAT Ph.Eur.8.0. (Natrii sulfas decahydricus; Glauberova so) Na ₂ SO ₄ x 10H ₂ O Mr 322,20	2.ND0331F 2.ND0331G RR.X892.1 RR.X892.2 RR.X892.3	100 g 250 g 500 g 1000 g 2,5 kg	7727-73-3
NATRIJ SULFID HIDRAT purum * Na ₂ S x aq Mr 78,04+aq	2.RM1785E 2.RM1785F 2.RM1785G RH.GRM1785H	50 g 100 g 250 g 500g	27610-45-3
NATRIJ SULFID-9-HIDRAT ≥98,0% Na ₂ S x 9 H ₂ O Mr 240,18	R.S2006H	500 g	1313-84-4
NATRIJ SULFIT p.a. * Na ₂ SO ₃ Mr 126,04	2.ND088F 2.ND088G RH.GRM606H 2.ND088I	100 g 250 g 500g 1000g	7757-83-7
NATRIJ SULFIT Ph. Eur. * Natrii sulfit Na ₂ SO ₃ Mr 126,04	2.NDK059F 2.NDK059G RH.GRM420H	100 g 250 g 500 g	7757-83-7

	161.2154.3	25 kg	
NATRIJ SULFIT E-221, F.C.C. aditiv (Natrii sulphite) Na ₂ SO ₃ Mr 126,04	2.201717H RP.2017171	500g 25 kg	7757-83-7
NATRIJ SULFIT (MB) Na ₂ SO ₃ Mr 126,04 *Za molekularnu biologiju	RH.MB100H	500g	7757-83-7
di-NATRIJ TARTARAT anhidrovani 99% p.a. (Sodium Tartrate anhydrous) C ₄ H ₄ Na ₂ O ₆ Mr 194,08	RH.GRM7520H	500 g	868-18-8
di-NATRIJ TARTARAT-2-HIDRAT p.a. C ₄ H ₄ Na ₂ O ₆ x 2H ₂ O ; Mr 230,08	2.ND121719F 2.ND121719G RH.GRM6231H	100 g 250 g 500g	6106-24-7
NATRIJ TETRABORAT anhidrovani p.a. * (Borax anhydrous) Na ₂ B ₄ O ₇ Mr 201,22	2.ND060F 2.ND060G RH.RM1040H	100 g 250 g 500g	1330-43-4
NATRIJ TETRABORAT anhidrovani Ph.Eur.8.0. (Borax anhydrous); Na ₂ B ₄ O ₇ Mr 201,22	R.4403.1 R.4403.2 R.4403.3 R.4403.4	250 g 500 g 1000 g 2,5 kg	1330-43-4
NATRIJ TETRABORAT-10-HIDRAT p.a. * (Borax decahydrate) Na ₂ B ₄ O ₇ x 10H ₂ O Mr 381,37	2.ND061F 2.ND061G 2.ND061H 2.ND061I	100 g 250 g 500 g 1000 g	1303-96-4
NATRIJ TETRABORAT-10-HIDRAT Ph.Eur.8.0. * (Borax decahydrate) Na ₂ B ₄ O ₇ x 10H ₂ O Mr 381,37	2.NDK061E 2.NDK061F 2.NDK061G 2.NDK061H 2.NDK061I 161.2156I 161.2156.3	50 g 100 g 250 g 500 g 1000 g 1000 g 25 kg	1303-96-4
NATRIJ TETRAFENILBORAT p.a. * (Kalignost), NaB(C ₆ H ₅) ₄ Mr 342,23	RH.GRM1156C	10g	143-66-8
NATRIJ TETRAFENILBORAT 99,5% p.a. * (Kalignost), NaB(C ₆ H ₅) ₄ Mr 342,23	2.4385.3C 2.4385.3d	10 g 25 g	143-66-8
NATRIJ TETRAFENILBORAT 99,5% p.a. * (Kalignost), NaB(C ₆ H ₅) ₄ Mr 342,23	RR.4385.3F	100 g	143-66-8
NATRIJ TETRAFLUOROBORAT 98% NaBF ₄ Mr 109,79	2.202215F RH.GRM2445H	100 g 500g	13755-29-8
NATRIJ TIOCIJANAT p.a. (Natrij rodanid) NaSCN Mr 81,07	2.71938E 2.71938F 2.71938G RH.GRM4887H	50 g 100 g 250 g 500g	540-72-7
NATRIJ TIOCIJANAT p.a. (Natrij rodanid), NaSCN Mr 81,07	R.131718H R.131718I	500 g 1000 g	540-72-7
NATRIJ TIOCIJANAT Ph.Eur. (Natrij rodanid), NaSCN Mr 81,07	RH.GRM709H	500g	540-72-7
NATRIJ TIOLIKOLAT p.a. (Mercaptoacetic Na so) C ₂ H ₃ NaO ₂ S Mr 114,00	85.RM155D 85..RM155F 85.RM155H	25 g 100 g 500 g	367-51-1
NATRIJ TIOSULFAT anhidrovani p.a. * (Natrij hiposulfit) Na ₂ S ₂ O ₃ Mr 158,11	2.RM1420E 2.RM1420F 2.RM1420G 2.RM1420H RH.GRM1420H	50 g 100 g 250 g 500 g 500g	7772-98-7
NATRIJ TIOSULFAT anhidrovani (MB) (Natrij hiposulfit) Na ₂ S ₂ O ₃ Mr 158,11 *Za molekularnu biologiju	RH.MB210H	500g	7772-98-7
NATRIJ TIOSULFAT-5-HIDRAT p.a. * (Sodium thiosulphate pentahydrate) Na ₂ S ₂ O ₃ x 5H ₂ O Mr 248,18	2.ND035F 2.ND035G 2.ND035H RR.T109I RR.T109.1 RDC.112012	100 g 250 g 500 g 1000g 5 kg 25 kg	10102-17-7
NATRIJ TIOSULFAT-5-HIDRAT (MB) (Sodium thiosulphate pentahydrate)	RH.MB155H RH.MB155I	500g 1000g	10102-17-7

Na₂S₂O₃ x 5H₂O Mr 248,18 *Za molekularnu biologiju			
NATRIJ TIOSULFAT 0,01 mol/l (0,01 N) (2,482g Na ₂ S ₂ O ₃ x 5 H ₂ O)	R.X869.1	1000 ml	7772-97-7
NATRIJ TIOSULFAT 0,1mol/l (0,1N) (24,818g Na ₂ S ₂ O ₃ x 5 H ₂ O)	ECL.P155905	1000 ml	7772-97-7
NATRIJ TIOSULFAT 0,1 M za 1 L titrisol (24,818g Na ₂ S ₂ O ₃ x 5 H ₂ O)	MC-1099500001	1000 ml	7772-97-7
NATRIJ TIOSULFAT 1mol/ (1 N) (248,18g Na ₂ S ₂ O ₃ x 5 H ₂ O)	2.ND0134I	1000 ml	7772-97-7
NATRIJ VODENO STAKLO Ph.Eur.	RR.7561.2 RR.7561.3	5 L 25 L	6834-92-0
NATRIJ WOLFRAMAT-2-HIDRAT p.a. * (Natrij volframat 2-hidrat) Na ₂ WO ₄ x 2H ₂ O Mr 329,87	RH.GRM1082F	100g	10213-10-2
NBT (Nitroblue tetrazolium hlorid) (MB) C₄₀H₃₀N₁₀O₆Cl₂ Mr 817,64 *Za molekularnu biologiju	RH.MB107A	1g	298-93-9
NITROBLUE TETRAZOLIUM C₄₀H₃₀N₁₀O₆Cl₂ Mr 817,64	R.RM578	1g	298-83-9
NEOHESPERIDIN E-959 aditiv (Neohesperidin) Kao zaslađivač	2.FCF0987C 2.FCF0987F 2.FCF0987G 161.0987I	10g 100g 250 g 1000g	20702-77-6
NEOKUPROIN 2,9-Dimetil-1,10-fenantrolin C₁₄H₁₂N₂ Mr 208,26	R.RM1608B	5g	484-11-7
NEOMICIN TRISULFAT Ph.Eur.7.0. C ₂₃ H ₄₆ N ₆ O ₁₃ x 3H ₂ SO ₄ Mr 908,90	RR.8668.1C RR.8668.1F	10 g 100 g	1405-10-3
NEOSTIGMIN BROMID (Neostigmini bromidum); C ₁₂ H ₁₉ N ₂ O ₂ Br Mr 303,20	R.A6481A R.A6481C	1 g 10 g	114-80-7
NEUTRAL CRVENO Ind. C ₁₅ H ₁₇ ClN ₄ Mr 288,78 (109350 DC Fine Chemicals)	RH.GRM122C RH.GRM122F	10g 100g	553-24-2
NIGROZIN, topiv u vodi, C.I.50420	RH.GRM247D RH.GRM247F	25 g 100 g	8005-03-6
NIGROZIN, topiv u alkoholu	2.ND090D 2.ND090F	25 g 100 g	11099-03-9
NIKL p.a. Ni Ar 58,69	R.124280F	100 g	7440-02-0
NIKL (II) ACETAT-4-HIDRAT p.a. C ₄ H ₆ NiO ₄ x 4H ₂ O Mr 248,86	RH.GRM4393H	500g	6018-89-9
NIKL (II) ACETAT-4-HIDRAT Ph.Eur. C ₄ H ₆ NiO ₄ x 4H ₂ O Mr 248,86	RH.GRM6100H	500g	6018-89-9
NIKL ALUMINIJ legura prah Ni: 48-53% Al: 46-52%	85.RM4394F 85.RM4394H	100 g 500 g	
NIKL HLORID-6-HIDRAT p.a. NiCl ₂ x 6H ₂ O Mr 237,70	2.RM760E 2.RM760F RH.GRM1394H	50 g 100 g 500 g	7791-20-0
NIKL HLORID-6-HIDRAT Ph.Eur. NiCl ₂ x 6H ₂ O Mr 237,70	R.141443G R.141443I RH.GRM760H RDC.141443	250 g 1000 g 500g 25 kg	7791-20-0
NIKL KARBONAT BAZNI –4-HIDRAT p.a. * NiCO ₃ x 2Ni(OH) ₂ x 4H ₂ O Mr 376,23	2.13611F RH.GRM1395	100 g 500g	12607-70-4
NIKL KARBONAT BAZNI-X-HIDRAT p.a. NiCO ₃ x 2Ni(OH) ₂ x 4H ₂ O Mr 376,23	R.141442G R.141442I	250 g 1000 g	12607-70-4
NIKL NITRAT-6-HIDRAT p.a. * Ni(NO ₃) ₂ x 6H ₂ O Mr 290,81	2.121444E 2.121444F 2.121444G RH.GRM1397H	50 g 100 g 250 g 500 g	13478-00-7
NIKL SULFAT-6-HIDRAT p.a. NiSO ₄ x 6H ₂ O Mr 262,86	2.141445E 2.141445F 2.141445G 2.141445H RDC.141445	50 g 100 g 250 g 500 g 25 kg	10101-97-0

NILE BLUE FLORID C ₂₀ H ₂₀ ClN ₃ O Mr 353,85	RH.RM968D	25 g	2381-85-3
NILE BLUE SULFAT C.I.51180 (Nile Blue A); C ₄₀ H ₄₀ N ₆ O ₆ S Mr 732,87	RH.RM394C	10g	3625-57-8
NINHIDRIN p.a. * C ₉ H ₆ O ₄ Mr 178,15	RH.GRM248C RH.GRM248D	10 g 25 g	485-47-2
NINHIDRIN p.a. C ₉ H ₆ O ₄ Mr 178,15	R.132362C R.132362F	10 g 100 g	485-47-2
NINHIDRID SPREJ za TLC	R.CP30.1	100 MI	
NITRATNA KISELINA 65% p.a. HNO ₃ Mr 63,01 ρ =1,40g/ MI	2.ND044G ECP.P150601	250 MI 1000ml	7697-37-2
NITRATNA KISELINA 69% P.A. HNO ₃ Mr 63,01 ρ =1,40g/ MI	2.ND0444G 2.ND0444I RP.141037	250 MI 1000 MI 25L	7697-37-2
NITRATNA KISELINA-PUŠLJIVA p.a. HNO ₃ Mr 63,01	R.121038I	1000 MI	7697-37-2
NITRATNA KISELINA-PUŠLJIVA 95-100% HNO ₃ Mr 63,01	R.161038H R.161038I	500 MI 1000 MI	7697-37-2
NITRATNA KISELINA 65% max. 0,0000005% Hg p.a. HNO ₃ Mr 63,01 ρ =1,40g/ MI	R.473255I	1000 MI	7697-37-2
NITRATNA KISELINA 65% (TMA) Analpur® HNO ₃ Mr 63,01 ρ =1,40g/ MI	R.383255G R.383255I	250 MI 1000 MI	7697-37-2
NITRATNA KISELINA 69% (TMA) Hiperpur® HNO ₃ Mr 63,01	R.721037H R.721037J	500 MI 2,5 L	7697-37-2
NITRATNA KISELINA 69% Suprapur HNO ₃ Mr 63,01	R.HN50.1H R.HN50.2I R.HN50.3J	500 MI 1000 MI 2,5 L	7697-37-2
NITRATNA KISELINA cca 58% tehnička HNO ₃ Mr 63,01 ρ =1,40g/ MI	2.070K 2.070L 2.ODUC1	5 L 10 L 60 L /42Kg	7697-37-2
NITRATNA KISELINA 0,1 mol/l (0,1 N) (6,301g HNO ₃)	R.38270I	1000 MI	7697-37-2
NITRATNA KISELINA 1mol/l (1N) (63,013g HNO ₃)	R.38274I	1000 MI	7697-37-2
o-NITRO ANILIN purum (2-Nitroaniline); C ₆ H ₆ N ₂ O ₂ Mr 138,10	85.RM3057G	250 g	88-74-4
3-NITRO ANILIN purum C ₆ H ₆ N ₂ O ₂ Mr 138,10	R.15A921E R.15A921F RH.RM7305G	50 g 100 g 250g	99-09-2
p-NITRO ANILIN purum (4-Nitroaniline); C ₆ H ₆ N ₂ O ₂ Mr 138,10	85.RM1187D 85.RM1187F	25 g 100 g	100-01-6
NITROBENZEN p.a. C ₆ H ₅ NO ₂ Mr 123,11	2.NK018I	1000 MI	98-95-3
NITROBENZEN Ph.Eur. C ₆ H ₅ NO ₂ Mr 123,11	R.161447I	1000 MI	98-95-3
3-NITROBENZOJEVA KISELINA (PNB) (m-Nitrobenzoic acid) C ₇ H ₅ NO ₄ Mr 167,10	85.RM2924E 85.RM2924F 85.RM2924G	50 g 100 g 250 g	121-92-6
4-NITROBENZOJEVA KISELINA (PNB) (p-Nitrobenzoic acid) C ₇ H ₅ NO ₄ Mr 167,10	85.RM6108	100 g	62-23-7
4-NITROFENIL FOSFAT di-Na so-6-HIDRAT C ₆ H ₄ NO ₆ Pna ₂ x 6H ₂ O Mr 371,10	85.RM1134D	25 g	333338-18-4
3-NITROFENOL Ph.Eur. C ₆ H ₅ NO ₃ Mr 139,11	RH.RM4401D RH.RM4401F	25g 100g	554-84-7
4-NITROFENOL Ph.Eur. (p-Nitrofenol); C ₆ H ₅ NO ₃ Mr 139,11	85.RM1182G	250 g	100-02-7
NITROFURANTOIN Ph.Eur. (Nitrofurantoinum) I-1-[(5-nitro-2-furyl)methylideneamino]imidazolidine-2,4-dione C ₈ H ₆ N ₄ O ₅ Mr 238.1 Ima slabo bakteriostatsko djelovanje na patogene od urinarne infekcije	RH.RM8728D	25g	67-20-9
NITROMETAN 97% p.a. CH ₃ NO ₂ Mr 61,04	2.RM2349H 2.5173.1I	500 MI 1000 MI	75-52-5
NONIDET P-40 (NP 40) (Nonilfenil polietilen glikol)	2.ND045F	100 MI	9016-45-9
NUKLEAR-FAST CRVENO (Kernecht crveno); C ₁₄ H ₈ NnaO ₇ S Mr 357,30	RH.GRM2354A RR.7728.3	1g 10g	6409-77-4

O			
KISELINA-2-HIDRAT p.a. C ₂ H ₂ O ₄ x 2H ₂ O Mr 126,07	RH.GRM694H	500 g	6153-56-6
OKSALNA KISELINA-2-HIDRAT Ph.Eur. Oxalic acid C ₂ H ₂ O ₄ ·2H ₂ O Mr 126.1	2.OD091T 2.OD091F 2.OD091G 2.OD091H 2.OD091I 161.0075.2 161.0075.3	35g 100g 250g 500g 1000g 5 kg 25 kg	6153-56-6
OKSALNA KISELINA-2-HIDRAT (MB) C ₂ H ₂ O ₄ ·2H ₂ O Mr 126.1 *Za molekularnu biologiju	RH.MB205I	1000g	
OKSALNA KISELINA, 0,005mol/l(0,01N) (0,630g H ₂ C ₂ O ₄ x 2H ₂ O)	R.38255I	1000 MI	6153-56-6
OKSALNA KISELINA 0,025 mol/l (0,05 N) (3,151g H ₂ C ₂ O ₄ x 2H ₂ O)	R.182123I	1000 MI	6153-56-6
OKSALNA KISELINA 0,05 mol/l (0,1 N) (6,30g H ₂ C ₂ O ₄ x 2H ₂ O)	ECL.P1565052	1000 MI	6153-56-6
OKSALNA KISELINA 0,05M (0,1N) titrisol	MC-1099650001	1000 MI	6153-56-6
OKSALNA KISELINA 0,5 mol/l (1 N) (63g H ₂ C ₂ O ₄ x 2H ₂ O)	2.OD002I	1000 MI	6153-56-6
2-OKSOGLUTARNA KISELINA p.a. (2-Ketoglutarna Kiselina) C ₅ H ₆ O ₅ Mr 146,02	2.OD003C 2.OD003D RH.GRM242F	10 g 25 g 100g	328-50-7
α-OKSOGLUTARNA KISELINA p.a. (MB) (2-Ketoglutarna Kiselina) C ₅ H ₆ O ₅ Mr 146,02 *Za molekularnu biologiju	RH.MB218F	100g	328-50-7
1-OKTAN p.a. (n-Oktan), C ₈ H ₁₈ Mr 114,23	2.163520I	1000 MI	11-65-9
izo-OKTAN p.a. (2,2,4-Trimetilpentan), C ₈ H ₁₈ Mr 114,23	2.132064I	1000 MI	540-84-1
izo-OKTAN p.a. (2,2,4-Trimetilpentan), C ₈ H ₁₈ Mr 114,23	R.132064I R.132064J	1000 MI 2,5 L	540-84-1
izo-OKTAN Ph.Eur. (2,2,4-Trimetilpentan), C ₈ H ₁₈ Mr 114,23	R.142064I R.142064J	1000 MI 2,5 L	540-84-1
izo-OKTAN za HPLC (2,2,4-Trimetilpentan), C ₈ H ₁₈ Mr 114,23	R.7340.1J	2,5 L	540-84-1
izo-OKTAN za hromatografiju (2,2,4-Trimetilpentan), C ₈ H ₁₈ Mr 114,23	R.T167.1J	2,5 L	540-84-1
1-OKTAN SULFONSKA KISELINA Na so za HPLC C ₈ H ₁₇ NaO ₃ S Mr 216,28	85.RM1549B 85.RM1549D	5 g 25 g	5324-84-5
1-OKTAN SULFONSKA KISELINA Na so -1-HIDRAT za IPC (Natrij 1-oktansulfonat monohidrat) C ₈ H ₁₇ NaO ₃ S x H ₂ O Mr 234,29	R.74882	10 g	5324-84-5
1-OKTANOL p.a. (Capryl Alcohol); C ₈ H ₁₈ O Mr 130,23	2.163386H 2.163386I	500 MI 1000 MI	111-87-5
1-OKTANOL p.a. (Capryl Alcohol); C ₈ H ₁₈ O Mr 130,23	R.133386H R.4439.3	500 MI 1000 MI	111-87-5
1-OKTANOL Ph.Eur. (Capryl Alcohol); C ₈ H ₁₈ O Mr 130,23	R.163386I R.163386J	1000 MI 2,5 L	111-87-5
2-OKTANOL p.a. (Capryl Alcohol); C ₈ H ₁₈ O Mr 130,23	2.RM2934H	500 MI	123-96-6
1-OKTEN Ph .Eur. C ₆ H ₁₆ Mr 112,22	2.15A614I	1000 MI	111-66-0
izo-OKTIL-ALKOHOL (2-Ethyl-1-Hexanol), C ₈ H ₁₈ O Mr 130,23	2.122021I	1000 MI	104-76-7
n-OKTILAMIN > 98% (Oktilamin), C ₈ H ₁₉ N Mr 129,20	2.RM4764H	500 MI	111-86-4
n-OKTILAMIN > 98% (Oktilamin), C ₈ H ₁₉ N Mr 129,20	85.RM4764H	500 MI	111-86-4
OLEINSKA KISELINA Ph.Eur.8.0. (Oleic acid) C ₁₈ H ₃₄ O ₂ Mr 282,47	2.OD065F 2.OD065H RP.142659I RP.142659	100 ml 500 ml 1000 ml 25 L	112-80-1

OLEINSKA KISELINA p.a. C ₁₈ H ₃₄ O ₂ Mr 282,47	R.142659I	1000 ml	112-80-1
OLOVO PRAH p.a. * Pb Mr 207,19	2.RM723E 2.RM723F 2.RM723G RH.GRM723H	50 g 100 g 250 g 500g	7439-92-1
OLOVO PRAH Ph.Eur. Pb Mr 207,19	R.143162G R.143162I	250 g 1000 g	7439-92-1
OLOVO granule * Pb Mr 207,19	2.RM6007E 2.RM6007F RH.GRM6007H	50 g 100 g 500g	7439-92-1
OLOVO ACETAT bazicni anhidrovani * Pb ₂ (OH) ₂ (CH ₃ COO) ₂ Mr 566.5	2.RM756F RH.GRM756H	100 g 500g	1335-32-6
OLOVO(II) ACETAT-3-HIDRAT p.a. C ₄ H ₆ O ₄ Pb x 3H ₂ O Mr 379,33	2.OD004E 2.OD004F 2.OD004G RH.GRM757	50 g 100 g 250 g 500g	6080-56-4
OLOVO(II) ACETAT-3-HIDRAT (MB) C ₄ H ₆ O ₄ Pb x 3H ₂ O Mr 379,33 *Za molekularnu biologiju	RH.MB239F RH.MB239H	100g 500g	6080-56-4
OLOVO(II) HIDROKSID KARBONAT Ph.Eur. (PbCO ₃) ₂ x Pb(OH) ₂ Mr 775,60	R.141469H R.141469I	500 g 1000 g	1319-46-6
OLOVO(II) HLORID p.a. PbCl ₂ Mr 278,10	2.141470F 2.141470G 2.141470H	100 g 250 g 500 g	7758-95-4
OLOVO(II) HLORID p.a. PbCl ₂ Mr 278,10	R.121470H	500 g	7758-95-4
OLOVO(II) HLORID Ph.Eur. PbCl ₂ Mr 278,10	R.141470H	500 g	7758-95-4
OLOVO (II) HROMAT p.a. PbCrO ₄ Mr 323,19	85.RM7190F 85.RM7190G 85.RM7190H	100 g 250 g 500 g	7758-97-6
OLOVO JODID p.a. PbJ ₂ Mr 461,00	RH.GRM8547E	50g	10101-63-0
OLOVO KARBONAT p.a. PbCO ₃ Mr 267,21	2.RM3533F RH.GRM3533G	100 g 250g	1319-46-6
OLOVO(II) NITRAT p.a. * Pb(NO ₃) ₂ Mr 331,20	2.RM724E 2.RM724F 2.RM724G RH.GRM733H	50 g 100 g 250 g 500g	10099-74-8
OLOVO(II) NITRAT p.a. Pb(NO ₃) ₂ Mr 331,20	R.131473H R.131473I	500 g 1000 g	10099-74-8
OLOVO(II) NITRAT Ph.Eur. Pb(NO ₃) ₂ Mr 331,20	RH.GRM724H	500g	10099-74-8
OLOVO(IV) OKSID p.a. (Olovo dioksid) PbO ₂ Mr 239,19	2.141468F 2.141468G 2.141468H 2.141468I	100 g 250 g 500 g 1000 g	1309-60-0
OLOVO(IV) OKSID p.a. (Olovo dioksid); PbO ₂ Mr 239,19	R.141468H	500 g	1309-60-0
OLOVO (II)OKSID-CRVENI * puris PbO Mr 223,20	2.RM725F 2.RM725G RH.GRM725H	100 g 250 g 500g	1314-41-6
OLOVO(II) OKSID-ŽUTI p.a. PbO Mr 223,20	2.141475E 2.141475F 2.141475G RH.GRM6369H	50 g 100 g 250 g 500g	1317-36-8
OLOVO(II,IV)OKSID Ph.Eur. (Crveno olovo, minij) Pb ₃ O ₄ (2PbO.PbO ₂) Mr 685,57	2.211476F 2.211476G 2.211476H 2.211476I	100 g 250 g 500 g 1000 g	1314-41-6
OLOVO(II,IV)OKSID p.a. (Olovo tetra oksid); Pb ₃ O ₄ (2PbO.PbO ₂) Mr 685,57	R.121476G R.121476I	250 g 1000 g	1314-41-6
OLOVO PERHLORAT HIDRAT Pb(ClO ₄) ₂ x H ₂ O Mr 406,10(anhidrovan)	R.205311E R.205311G	50 g 250 g	207500-00-3
OLOVO PERHLORAT-3-HIDRAT Pb(ClO ₄) ₂ x 3H ₂ O Mr 640,15	R.383066F	100 g	13453-62-8
OLOVO(II) SULFAT p.a.	2.121478E	50 g	

PbSO ₄ Mr 303,25	2.121478F 2.121478G	100 g 250 g	7446-14-2
OLOVO(II) SULFAT p.a. PbSO ₄ Mr 303,25	R.121478H	500 g	7446-14-2
OLOVO(II) SULFAT Ph.Eur. PbSO ₄ Mr 303,25	R.141478H	500 g	7446-14-2
ORACET PLAVI B Ind. (Oracet blue B); C ₂₁ H ₁₆ N ₂ O ₂ Mr 328,37	85.RM1735B	5 g	12769-16-3
ORANŽ G Ind. (Acid Orange 10;), C ₁₆ H ₁₀ N ₂ Na ₂ O ₇ S ₂ Mr 452,36	RH.GRM970D RH.GRM970F	25 g 100g	1936-15-8
ORANŽ G Ind. (Acid Orange 10); C ₁₆ H ₁₀ N ₂ Na ₂ O ₇ S ₂ Mr 452,36	85.MB168E	50 g	1936-15-8
ORCEIN * (Natural red-28) u mikroskopiji	RH.RM277B RH.RM277C	5g 10g	1400-62-0
ORCINOL-1-HIDRAT (Dihydroxytoluene 1-hydrate)(Orcin) C ₇ H ₈ O ₂ x H ₂ O Mr 142,20	RH.RM460C RH.RM460D RH.RM460F	10g 25g 100g	6153-39-5
ORCINOL-1-HIDRAT (MB) (Dihydroxytoluene 1-hydrate)(Orcin) C ₇ H ₈ O ₂ x H ₂ O Mr 142,20 *Za molekularnu biologiju	RH.MB242C RH.MB242D 85.MB242F	10g 25g 100g	
L-ORNITHIN MONOHIDROHLORID (Ornithini monohydrochloridum) C ₅ H ₁₂ N ₂ O ₂ x HCl Mr 168,50	85.RM057D 85.RM057F	25 g 100 g	3184-13-2
OSMIJ TETRAOKSID 99,95% (Osmijska kiselina), OsO ₄ Mr 254,20	85.RM1461A	1 g	20816-12-0
OSMIJ TETRAOKSID 2% otopina (Osmijska kiselina), OsO ₄ Mr 254,20	R.7436.1	5 MI	20816-12-0
P			
PALADIJ 10% Na ploči sa aktivnim ugljem, Pd Ar 106,40	85.RM1551C	10 g	7440-05-3
PALADIJ HLORID anhidrovani p.a. PdCl ₂ Mr 177,31	85.RM1552A 56.AL-520659	1 g 5 g	7647-10-1
PALADIJ (II) NITRAT U 1% HNO₃ Matrix modifier za grafitnu apsorpcionu spektrofotometriju	RR.5143.1 2g/l RR.5144.1 5g/l RR.4842.1 10g/l	50 MI 50 MI 50 MI	
PALMITINSKA KISELINA 99% p.a. C ₁₆ H ₃₂ O ₂ Mr 256,43	RH.RM6340B RH.RM6340D	5 g 25g	57-10-3
PALMITINSKA KISELINA 98% Ph.Eur. (Palmitic acid) C ₁₆ H ₃₂ O ₂ Mr 256,43	2.AF5907.1F RH.RM7346H 2.AF5907.1I RR.5907.2	100 g 500 g 1000 g 5 kg	57-10-3
PAN Ind. (1-(2-Pyridylazo)-2-Naftol), C ₁₅ H ₁₁ N ₃ O Mr 249,30	85.RM1146A 85.RM1146B	1 g 5 g	85-85-8
PANKREATIN 1 NF	85.RM083F 85.RM083H	100 g 500 g	
PANKREATIN 4 NF	85.RM3867F 85.RM3867H	100 g 500 g	8049-47-6
PAR Ind. (4-(2-Pyridylazo)-resorcinol), C ₁₁ H ₇ N ₃ Na ₂ O ₂ Mr 259,20	85.RM1135A 85.RM1135B	1 g 5 g	16593-81-0
PARAFORMALDEHID tablete 1 gram Za dezinfekciju i protiv zmiija	2.211511E 2.211511F 2.211511G 2.211511H RP.211511I	50 g 100 g 250 g 500 g 1 kg	30525-89-4
PARAFORMALDEHID purum (CH ₂ O) _n Mr 30,03n	2.RM3660G RH.GRM3660H	250 g 500g	30525-89-4
PARALDEHID (Acetaldehid trimer) (Paracetaldehid), C ₆ H ₁₂ O ₃ Mr 132,20	2.PD027G 2.PD027I	250 MI 1000 MI	123-63-7
PARAROZANILIN BAZA (Parafuksin); C ₁₉ H ₁₉ N ₃ O Mr 305,38	RH.RM4417D	25g	467-62-9
PARAROZANILIN HIDROHLORID (Parafuksin hidrohlorid; Basic Red 9; Pararosnilin hlorid) C ₁₉ H ₁₇ N ₃ x HCl Mr 323,80	RH.RM3059D RH.RM3059F	25 g 100g	569-61-9
PEKTIN A (Apple pectin,extract)	RH.GRM396F RH.GRM396H RH.GRM396I	100g 500g 1000g	900-69-5

PEKTIN C E-440a (From citrus fruits)	R.8911.1F R.8911.1I	100 g 1000 g	900-69-5
PEKTIN ZA VOĆNE PRERAĐEVINE aditiv Food Grade Pectin (Citrus)	2.FCF1747F 161.1747H 161.1747.2	100g 500g 25 kg	9000-69-5
PELIDIN (N,N Diacetyl-O-Aminoazotoluene)	R.D0063D	25 g	83-63-6
n-PENTAN p.a. C ₅ H ₁₂ Mr 72,15	2.142006I	1000 MI	109-66-0
n-PENTAN p.a. C ₅ H ₁₂ Mr 72,15	R.122006I R.122006J	1000 MI 2,5 L	109-66-0
n-PENTAN Ph.Eur. C ₅ H ₁₂ Mr 72,15	R.142006I R.142006J	1000 MI 2,5 L	109-66-0
n-PENTAN 95% Ph.Eur. C ₅ H ₁₂ Mr 72,15	R.164462I R.164462J	1000 MI 2,5 L	109-66-0
n-PENTAN za HPLC C ₅ H ₁₂ Mr 72,15	R.364463I	1000 MI	109-66-0
n-PENTAN Pestilyse® C ₅ H ₁₂ Mr 72,15	R.T903.1J	2,5 L	109-66-0
izo-PENTAN p.a. (2-Metil-butan), C ₅ H ₁₂ Mr 72,15	2.123501I	1000 MI	78-78-4
izo-PENTAN p.a. (2-Metil-butan), C ₅ H ₁₂ Mr 72,15	R.123501I	1000 MI	78-78-4
izo-PENTAN Ph.Eur. (2-Metil-butan), C ₅ H ₁₂ Mr 72,15	R.143501I	1000 MI	78-78-4
PENTAN-1-SULFONSKA KISELINA Na so za hromatografiju (Natrij 1-pentan ydraside-1- hidrat) C ₅ H ₁₁ O ₃ Sna Mr 174,20	RH.RM833B RH.RM833D	5g 25g	22767-49-3
2,4-PENTANDION p.a. C ₅ H ₈ O ₂ Mr 100,11	2.121880G 2.121880I	250 MI 1000 MI	123-54-6
2,4-PENTANDION Ph.Eur. C ₅ H ₈ O ₂ Mr 100,11	R.161880G R.161880I	250 MI 1000 MI	123-54-6
1-PENTANOL p.a. (n-Amil 78ydroge), C ₅ H ₁₂ O Mr 88,15 1L=0,815kg	2.141884G 2.141884I	250 MI 1000 V	71-41-0
1-PENTANOL p.a. (n-Amil 78ydroge), C ₅ H ₁₂ O Mr 88,15 1L=0,815kg	R.131884I R.131884J	1000 MI 2,5 L	71-41-0
1-PENTANOL Ph.Eur. (n-Amil 78ydroge), C ₅ H ₁₂ O Mr 88,15 1L=0,815kg	R.141884I R.141884J	1000 MI 2,5 L	71-41-0
PERHLORNA KISELINA 60% p.a. HClO ₄ Mr 100,46	2.PD005H 2.PD005I	500 MI 1000 MI	7601-90-3
PERHLORNA KISELINA 60% p.a. HClO ₄ Mr 100,46	R.131054I R.131054J	1000 MI 2,5 L	7601-90-3
PERHLORNA KISELINA 60% Ph.Eur. HClO ₄ Mr 100,46	R.141054I R.141054J	1000 MI 2,5 L	7601-90-3
PERHLORNA KISELINA 70% p.a. HClO ₄ Mr 100,46	2.PD004H 2.PD004I	500 MI 1000 MI	7601-90-3
PERHLORNA KISELINA 70% p.a. HClO ₄ Mr 100,46	R.132175I R.132175J	1000 MI 2,5 L	7601-90-3
PERHLORNA KISELINA 70% Ph.Eur. HClO ₄ Mr 100,46	R.142175I R.142175J	1000 MI 2,5 L	7601-90-3
PERHLORNA KISELINA 70% (max. 0,0000005%Hg) p.a. HClO ₄ Mr 100,46	R.472175I	1000 MI	7601-90-3
PERHLORNA KISELINA 70% (TMA) Hiperpur® HClO ₄ Mr 100,46	R.722175H R.722175I	500 MI 1000 MI	7601-90-3
PERHLORNA KISELINA 0,1 mol/l (0,1N) u sirćetnoj kiselini (10,046g HClO ₄)	R.38330I	1000 MI	7601-90-3
PERHLORNA KISELINA 0,1mol/l (0,1N) u anhidrovanoj sirćetnoj kiselini, (10,046g HClO ₄)	R.35418I	1000 MI	7601-90-3
PERHLORNA KISELINA 1 mol/l (1N) u sirćetnoj kiselini, HClO ₄ Mr 100,46	2.PD025I	1000 MI	7601-90-3
PERJODNA KISELINA p.a. H ₅ IO ₆ Mr 227,94 W 3F-123	RH.RM1837D RH.RM1837F	25g 100g	10450-60-9
PETROL ETER 30-40°C Ph.Eur.	R.142699I	1000 MI	64742-49-0
PETROL ETER 30-50°C p.a.	2.3523.1F 2.3523.1I	100 MI 1000 MI	64742-49-0
PETROL ETER 30-50°C Ph.Eur.	R.142700I	1000 MI	64742-49-0
PETROL ETER 30-60°C Ph.Eur.	R.143607I	1000 MI	64742-49-0
PETROL ETER 40-60°C p.a.	2.131315I	1000 MI	64742-49-0

PETROL ETER 40-60°C Ph.Eur.	R.141315I R.141315J	1000 MI 2,5 L	64742-49-0
PETROL ETER 40-60°C Pestilyse®	R.T170.1J	2,5 L	64742-49-0
PETROL ETER 40-65°C p.a.	R.102084I	1000 ml	64742-49-0
PETROL ETER 30-75°C p.a.* RR.8573.5	2.89511I	1000 MI	64742-49-0
PETROL ETER 50-70°C p.a.	R.121862I R.121862J	1000 MI 2,5 L	64742-49-0
PETROL ETER 50-70°C Ph.Eur.	R.141862I R.141862J	1000 MI 2,5 L	64742-49-0
PETROL ETER 60-70°C p.a.*	2.97351I	1000 MI	64742-49-0
PETROL ETER 60-80 °C p.a.	2.122701I	1000 MI	64742-49-0
PETROL ETER 60-80 °C p.a.	R.122701I	1000 MI	64742-49-0
PETROL ETER 60-80 °C Ph.Eur.	R.142701I	1000 MI	64742-49-0
PETROL ETER 65-95 °C p.a.	R.122702I	1000 MI	64742-49-0
PETROL ETER (FRAKCIJA-PREČIŠĆENI) 65-95°C Ph.Eur. (Ligroin; Naphtha; Petroleum Benzin)	2.PER702F 2.PER702I RR.8575.5	100 ml 1000 ml 25L	64742-49-0
PETROL ETER 80-110°C p.a.*	2.32591I	1000 MI	64742-49-0
PETROL ETER 90-100°C p.a.	2.24533I	1000 MI	64742-49-0
PETROL ETER 100-120°C p.a.	R.124809I R.124809J	1000 MI 2,5 L	64742-49-0
PETROL ETER 100-140°C p.a.*	2.9675.1I	1000 MI	64742-49-0
PETROLEJ (Petroleum; Shelisol)	2.1223F 2.1223I	100 MI 1000 MI	
PIKRINSKA KISELINA sa 33% H ₂ O p.a. * C ₆ H ₃ N ₃ O ₇ Mr 229,11	2.PD017C 2.PDF17F RH.GRM1876H	10 g 100g 500g	88-89-1
PIKRINSKA KISELINA sa 33% H ₂ O Ph.Eur. C ₆ H ₃ N ₃ O ₇ Mr 229,11	RP.151048H DC.116920	500 g 25kg	88-89-1
PIPERAZIN-6-HIDRAT Ph.Eur. C ₄ H ₁₀ N ₂ x 6H ₂ O Mr 194,23	85.RM7390H	500g	142-63-2
PIPERIDIN p.a. (Heksahidropiridin, pentametileimin), C ₅ H ₁₁ N Mr 85.15	2.122377H 2.122377I	500 MI 1000 MI	110-89-4
PIPERIDIN p.a. (Heksahidropiridin, pentametileimin), C ₅ H ₁₁ N Mr 85.15	RR.A122.3 (NOVO)	1000 ML	110-89-4
PIPERIDIN p.a. (Heksahidropiridin, pentametileimin), C ₅ H ₁₁ N Mr 85.15	R.122377F R.122377H	100 MI 500 MI	110-89-4
PIPERIDIN p.a. (Heksahidropiridin, pentametileimin),C ₅ H ₁₁ N Mr 85.15	R.162377H R.162377I	500 MI 1000 MI	110-89-4
PIRIDIN p.a. C ₅ H ₅ N Mr 79,10	2.131457H 2.131457I	500 MI 1000 ML	110-86-1
PIRIDIN Ph.Eur. C ₅ H ₅ N Mr 79,10	R.141457I R.141457J	1000 MI 2,5 L	110-86-1
PIRIDIN suhi (max.0,01% vode) p.a. C ₅ H ₅ N Mr 79,10	R.481457I	1000 MI	110-86-1
PIRIDOKSAL HIDROHLORID (Pyridoxal hydrochloride) C ₈ H ₉ NO ₃ Mr 203,62	RH.RM179A RH.RM179B	1g 5g	65-22-5
PIROGALOL p.a. * (Pirogalna kiselina), C ₆ H ₆ O ₃ Mr 126,11	RH.GRM170F RH.GRM170H	100 g 500g	87-66-1
PIROGROŽĐANA KISELINA (2-Oxopropionic acid), C ₃ H ₄ O ₃ Mr 88,06	85.RM6190F	100 MI	127-17-3
PIROKATEHOL p.a. (Chatechol; 1,2-Benzadiol), C ₆ H ₆ O ₂ Mr 110,10	RH.GRM6782F RH.GRM6782H	100g 500g	120-80-9
PIRONIN G (Y) C.I.45005 C ₁₇ H ₁₉ ClN ₂ O Mr 302,81	2.PD011A RH.RM456B	1 g 5g	92-32-0
PLATINA žica 99,9%	RR.8415.1	100 mm	
PLATINA (IV) HLORID anh. 98% Ph.Eur. PtCl ₄ Mr 336,90	R.165306A RH.GRM4436A	1 g 1g	13454-96-1
PLATINA (IV) OKSID-X-HIDRAT Ph.Eur. PtO ₂ x XH ₂ O Mr 227,09(anh)	RH.GRM2396A	1g	1314-15-4
POLIMIKSIN B SULFAT prah,USP 1,000.000 jedinica C ₅₅ H ₉₆ N ₁₆ O ₁₃ x 2H ₂ SO ₄ Mr 1385,00	R.P0972A RR.0235.2	1 vl 5g	1405-20-5
POLIMIKSIN B SULFAT (Aerosporine), 1,000.000 jedinica / vial	85.RM215	1 vl	1405-20-5

POLIVINIL-ALKOHOL (C ₂ H ₄ O) _x	2.5262F RH.GRM6170H	250 g 500g	9002-89-5
POLIVINIL-PIROLIDON (MB) C ₆ H ₉ NO _n Mr 2500–3000000 *Za molekularnu biologiju	RH.MB102F RH.MB102H	100 g 500g	9003-39-8
PONCEAU S Ind. C ₂₂ H ₁₂ N ₄ Na ₄ O ₁₃ S ₄ Mr 760,56	RH.RM977D	25 g	6226-79-5
PONCEAU S Ind. C ₂₂ H ₁₂ N ₄ Na ₄ O ₁₃ S ₄ Mr 760,56	R.5938.2 R.5938.1D	10 g 25 g	6226-79-5
PONCEAU 2R Ind. C ₁₈ H ₁₄ N ₂ Na ₂ O ₇ S ₂ M 480,40 g/mol	RR.7747.3 RH.RM8826B	100 g 5g	3761-53-3
PREDNISOLON 21-ACETAT (Prednisolum aceticum); C ₂₃ H ₃₀ O ₆ Mr 402,50	R.A2551A R.A2551B R.A2551D	1 g 5 g 25 g	52-21-1
D-PROLIN (2-Pyrrolidine carboxylic acid) C ₅ H ₉ NO ₂ Mr 115,13	85.RM4445A 85.RM4445B 85.RM4445D	1 g 5 g 25 g	344-25-2
L-PROLIN (2-Pyrrolidine carboxylic acid) C ₅ H ₉ NO ₂ Mr 115,13	85.RM061B 85.RM061D 85.RM061H	5 g 25 g 500 g	147-85-3
L-PROLIN Ph.Eur. (2-Pyrrolidine carboxylic acid) C ₅ H ₉ NO ₂ Mr 115,13	R.143646F	100 g	147-85-3
L-PROLIN (F.C.C.) (2-Pyrrolidine carboxylic acid) C ₅ H ₉ NO ₂ Mr 115,13	2.203646H	500 g	147-85-3
2-PROPANOL p.a. (izo-Propil alcohol), C ₃ H ₈ O Mr 60,10	2.PDK003I B996017 2.PDK003K B996013	1000 ml 2,5 L 5 L 5 L	67-63-0
2-PROPANOL p.a. (izo-Propil alcohol), C ₃ H ₈ O Mr 60,10	R.131090I R.131090J	1000 ml 2,5 L	67-63-0
2-PROPANOL Ph.Eur.7.0. (Alcohol isopropylicus; izo-Propil alcohol) C ₃ H ₈ O Mr 60,10 ρ =0,785g/ml 141090.1111	2.PDK004I 2.PDK004K 2.PDK004L 2.PDK004Q 2.010261	1000 ml 5 L 10 L 25 L 200 L	67-63-0
2-PROPANOL za HPLC (izo-Propanol) C ₃ H ₈ O Mr 60,10 ρ =0,785g/ml	R.361090I R.361090J R.361090K	1000 ml 2,5 L 5 L	67-63-0
2-PROPANOL UV/IR-grade za hromat. I spektrofotometriju (izo-Propanol), C ₃ H ₈ O Mr 60,10 ρ =0,785g/ml	R.221090J	2,5 L	67-63-0
2-PROPANOL Pestilyse® (izo-Propanol), C ₃ H ₈ O Mr 60,10 ρ =0,785g/ml	R.T902.1J	2,5 L	67-63-0
1-PROPANOL p.a. C ₃ H ₈ O Mr 60,10 ρ =0,803g/ml	2.PD010G 2.PD010I	250 ml 1000 ml	71-23-8
1-PROPANOL p.a. C ₃ H ₈ O Mr 60,10 ρ =0,803g/ml	R.131885I R.131885J	1000 ml 2,5 L	71-23-8
1-PROPANOL Ph.Eur. (n-Propanol, n-Propyl alcohol) C ₃ H ₈ O Mr 60,10	2.PD0101G 2.PD0101I RP.141885	250 ml 1000 ml 25 L	71-23-8
1-PROPANOL za UV-IR-HPLC C ₃ H ₈ O Mr 60,10 ρ =0,803g/ml	R.361885I R.361885J	1000 ml 2,5 L	71-23-8
1-PROPAN SULFONSKA KISELINA Na so – HIDRAT za ICP C ₃ H ₇ O ₃ Snax H ₂ O Mr 164,16	R.81806C	10 g	304672-01-3
PROPIDIUM JODID (MB) C ₂₇ H ₃₄ I ₂ N ₄ Mr 668.39 *Za molekularnu biologiju	RH.MB139	25mg	25535-16-4
ISO-PROPILETAT p.a. C ₅ H ₁₀ O ₂ Mr 102,13	R.121374I	1000 ml	108-21-4
ISO-PROPILETAT Ph.Eur. C ₅ H ₁₀ O ₂ Mr 102,13	R.141374I R.141374J	1000 ml 2,5 L	108-21-4
PROPILENGLIKOL p.a. (Propylenglycol) KOLLISOLV PG (1,2-propandiol, C ₃ H ₈ O ₂ Mr 76,10	2.PDK066I RDC.110870	1000 ml 25 L	57-55-6
DL-PROPRANOLOL HIDROHLORID C ₁₆ H ₂₁ NO ₂ x HCl Mr 295,80	85.RM4446B	5 g	318-98-9
PROPIONSKA KISELINA 99% p.a. C ₃ H ₆ O ₂ Mr 74,08	R.6026.1H R.6026.1I	500 ml 1000 ml	79-09-4
PROTEINAZA K liofil. 30 mAnson –U/mg	R.7528.1	100 mg	39450-01-6

	R.7528.2 R.7528.4 RH.RM2957A	500 mg 1 g 1g	
PUFER FOSFAT OTOPINA STERILNA Ph=7,0	R.R039	5x100 ml	
PUFER FOSFAT OTOPINA koncentrovani (10x)	R.TL1032	2x500 ml	
PUFER OTOPINA Ph 1,00 ±0,02 (20°C) po NIST-u	R.272580G R.272580I I908.B01I	250 ml 1000 ml 1000 ml	
PUFER OTOPINA Ph 2,00 ±0,02 (20°C) po NIST-u	R.272581G R.272581I I908.B03I	250 ml 1000 ml 1000ML	
PUFER OTOPINA Ph 3,00 ±0,02 (20°C) po NIST-u	R.272537G R.272537I	250 ml 1000 ml	
PUFER OTOPINA Ph 4,00 ±0,01 (20°C)	11.9974.1	500 ml	
PUFER OTOPINA Ph 4,00 ±0,02 (20°C)	R.38743H (3.0411H)	500 ml	
PUFER OTOPINA Ph 4,00 +/- 0,02 (20°C) po NIST-u	MC-1098840001	500 mL	
PUFER OTOPINA Ph 4,00 ±0,02 (20°C) po NIST-u	R.272168G R.272168I	250 ml 1000 ml	
PUFER OTOPINA Ph 4,00 ±0,02 (20°C) po NIST-u Buffer Solution Ph 4.00 ±0,02 (20°C)	180.NX3SO016	1000 ml	
PUFER OTOPINA Ph 4,00 ±0,02 (20°C) po NIST-u (crveni) Buffer Solution Ph 4.00 ±0,02 (20°C) (tinted red)	R.A517.3 R.A517.2	250 ml 500 ml	(crvena)
PUFER OTOPINA Ph 5,00 ±0,01 (20°C) po NIST-u	I908.B05I	1000 ml	
PUFER OTOPINA Ph 5,00 ±0,02 (20°C) po NIST-u	R.272582G R.272582I	250 ml 1000 ml	
PUFER OTOPINA Ph 6,00 ±0,01 (20°C)	I908.B06I	1000 ml	
PUFER OTOPINA Ph 6,00 ±0,02 (20°C)	R.33545H (3.0413H)	500 ml	
PUFER OTOPINA Ph 6,00 ±0,02 (20°C) po NIST-u	R.272549G R.272549I	250 ml 1000 ml	
PUFER OTOPINA Ph 7,00 ±0,01 (20°C)	11.9977.1	500 ml	
PUFER OTOPINA Ph 7,00 ±0,02 (20°C)	R.38746H (3.0414H)	500 ml	
PUFER OTOPINA Ph 7,00 ±0,02 (20°C) po NIST-u	R.272170G R.272170I	250 ml 1000 ml	
PUFER OTOPINA Ph 7,00 +/- 0,02 (20°C) po NIST-u	MC-1098870001	500 ml	
PUFER OTOPINA Ph 7,00 ±0,02 (20°C) po NIST-u Buffer Solution Ph 7,00 ±0,02 (20 °C)	180.NX3SO017	1000 ml	
PUFER OTOPINA Ph 7,00 ±0,02 (20 °C) po NIST-u (zeleni) Buffer Solution Ph 7,00 ±0,02 (20 °C) (tinted green)	R.P713.3 R.P713.2	250 ml 500 ml	(zeleni)
PUFER OTOPINA Ph 8,00 ±0,02 (20°C) po NIST-u	R.272583G R.272583I	250 ml 1000 MI	
PUFER OTOPINA Ph 8,00 ±0,01 (20°C)	I908.B08I	1000ml	
PUFER OTOPINA Ph 9,00 ±0,02 (20°C)	R.109889H (3.0416H)	500 MI	
PUFER OTOPINA Ph 9,00 ±0,01 (20°C)	I908.B08I	1000ml	
PUFER OTOPINA Ph 9,00 ±0,02 (20°C) po NIST-u	R.272172G R.272172I	250 MI 1000 MI	
PUFER OTOPINA Ph 9,00 ±0,02 (20°C) po NIST-u	MC-1098890001	500 ml	
PUFER OTOPINA Ph 9,00 ±0,02 (20 °C) po NIST-u (plavi) Buffer Solution Ph 9,00 ±0,02 (20 °C) (tinted blue)	R.P714.3 E.P714.2	250 MI 500 MI	(plava)
PUFER OTOPINA Ph 9,23 +/-0,02 (20°C)	R.33648H (3.0496H)	500 MI	
PUFER OTOPINA Ph 10,00 ±0,05 (20°C)	R.38749H (3.0417H)	500 MI	
PUFER OTOPINA Ph 10,00 ±0,02 (20°C) po NIST-u Buffer Solution Ph 10,00 ±0,02 (20 °C)	180.NX3SO018	1000 MI	
PUFER OTOPINA Ph 10,00 ±0,01 (20°C)	11.9983.1	500ml	
PUFER OTOPINA Ph 10,00 ±0,05 (20°C) po NIST-u	R.272584G R.272584I	250 MI 1000 MI	
PUFER OTOPINA Ph 10,00 ±0,02 (20°C) po NIST-u Buffer Solution Ph 10.00 ±0,02 (20°C)	R.P716.2 R.P716.1	500 MI 1000 ml	
PUFER OTOPINA Ph 11,00 ±0,05 (20°C) po NIST-u	R.272585G R.272585I	250 MI 1000 MI	
PUFER OTOPINA Ph 11,00 ±0,05 (20°C)	I908.B11I	1000ml	
PUFER OTOPINA Ph 12,00 ±0,05 (20°C) po NIST-u	R.272586G R.272586I	250 MI 1000 MI	

PUFER OTOPINA Ph 13,00 ±0,05 (20°C) po NIST-u	R.272587G R.272587I	250 ml 1000 ml	
PUFER TABLETE Ph 4,00 ±0,05 (Otopiti jednu tabletu u 20 ml destilovane vode)	11.YT50.1	100 kom	
PUFER FOSFAT TABLETE PH 6,8 (6,75-6,95) ±0,05 Merck Po Weissu (OTOPITI JEDNU TABLETU U 1 L VODE)	56.111374F	100 kom	M+P
PUFER TABLETE Ph 7,00 ±0,05 (Otopiti jednu z tabletu u 20 ml destilovane vode)	11.YT51.1	100 kom	
PUFER FOSFAT TABLETE Ph=7,2 ±0,02 (Phosphate Buffer Solim /tablet)	R.P4417	50 kom	
PUFER FOSFAT TABLETE PH 7,2 (7,15-7,25) ±0,05 Merck (OTOPITI JEDNU TABLETU U 1 L VODE)	56.109468F	100 kom	M+P
PUFER TABLETE Ph 10,00 ±0,05 (Otopiti jednu tabletu u 20 ml destilovane vode)	11.YT52.1	100 kom	
4-PYRIDINE CARBOXYLIC ACID HYDRASIDE (Isonicotinic acid ydrazide, Isoniasid) C ₆ H ₇ N ₃ O Mr137,14	R.806753F RH.GRM1126H	100 g 500g	54-85-3
R			
D (+) RAFINOZA-5-HIDRAT ~99% * C ₁₈ H ₃₂ O ₁₆ x 5H ₂ O Mr 594,53	85.RM107B 85.RM107C 85.RM107D 85.RM107F	5 g 10 g 25 g 100 g	17629-30-0
RESAZURIN u mikroskopiji *** C ₁₂ H ₆ N ₄ O ₄ Mr 251,17	2.RD002B 85.GRM125B	5 g 5 g	550-82-3
REZORCINOL p.a. (Resorcinolum; 1,3-Dimethoxy benzene); C ₆ H ₆ O ₂ Mr 110,11 *Za molekularnu biologiju	RH.MB251D RH.MB251F RH.MB251H	25g 100g 500g	108-46-3
L(+)-RAMNOZA-1-HIDRAT * (L(+)) Rhamnose monohydrate) C ₆ H ₁₂ O ₅ x H ₂ O Mr 182,18	85.RM062B 85.RM062D	5 g 25 g	10030-85-0
trans-RETINOIČNA KISELINA USP Trans-Retinoic acid C ₂₀ H ₂₈ O ₂ Mr 300,40	2.AF5168C 2.AF5168F 2.AF5168G 161.5168I	10 g 100g 250g 1000g	302-79-4
RNA (MB) Ribonucleic acid *Za molekularnu biologiju	RH.MB244C RH.MB244D RH.MB244F	10g 25g 100g	63231-63-0
D(-) RIBOZA * C ₅ H ₁₀ O ₅ Mr 150,13	85.RM197B 85.RM197D 85.RM197F	5 g 25 g 100 g	50-69-1
D(-) RIBOZA * C ₅ H ₁₀ O ₅ Mr 150,13 *Za molekularnu biologiju	RH.MB247A RH.MB247B RH.MB247D RH.MB247F	1g 5g 25g 100g	50-69-1
RODAMIN B Ind. (Fettrot; Safranilin; Tetraetilrodamine); C ₂₈ H ₃₁ ClN ₂ O ₃ Mr 479,02	RH.GRM980D RH.GRM980F	25 g 100g	81-88-9
ROZOLNA KISELINA p.a. (Rosolic acid); C ₁₉ H ₁₄ O ₃ Mr 290,32	RH.GRM1053B RH.GRM1053D	5g 25g	603-45-2
ROSE BENGAL (Bengalsko ružičasto) (Acid red 94), C ₂₀ H ₂ Cl ₄ N ₂ O ₅ Mr 1017,65	85.RM127D RH.GRM9822F	25 g 100g	632-69-9
RUBEANSKA KISELINA (Dithiooxamide), C ₂ H ₄ N ₂ S ₂ Mr 120,20	85.RM2166B 85.RM2166C	5 g 10 g	79-40-3
RUTENIJ(III) HLORID HIDRAT čisti RuCl ₃ x H ₂ O Mr 207,43	R.206229A	1 g	14898-67-0
RUTENIJ(III) HLORID HIDRAT čisti RuCl ₃ x H ₂ O Mr 207,43	R.7910.1	1 g	14898-67-0
RUTENIJ(III) HLORID-3-HIDRAT RuCl ₃ x 3H ₂ O Mr 261,50	85.RM1556A 85.RM1556B	1 g 5 g	13815-94-6
RUTENIJ metal prah 99,9% Ru Mr 101,07	85.RM4470A	1 g	7440-18-8
S			
SAFRANIN O Ind. (Cotton Red SafraninT,Y ili A)	2.SD001D 2.SD001E	25 g 50 g	477-73-6

C ₂₀ H ₁₉ ClN ₄ Mr 350,85	RH.GRM1315D RH.GRM1315F	25g 100g	
SAFRANIN O Ind. (Cotton Red, SafraninT,Yili A); C ₂₀ H ₁₉ ClN ₄ Mr 350,85	R.251622C R.251622E	10 g 50 g	477-73-6
D(+) SAHAROZA (MB) (Sucrose) C ₁₂ H ₂₂ O ₁₁ Mr 342,30 *Za molekularnu biologiju	RH.MB025H RH.MB025K	500g 5kg	57-50-1
SALICILAMID Ph.Eur. C ₇ H ₇ NO ₂ Mr 137,14	2.141624F R.141624G R.141624H RH.GRM7469H	100 g 250 g 500 g 500g	65-45-2
D(-) SALICIN C ₃ H ₃ O ₇ Mr 286,30	85.RM108B 85.RM108C	5 g 10 g	138-52-3
SELEN PRAH p.a. Se Mr 78,96	2.SD016D 2.SD016E 2.SD016F RH.GRM7472D RH.GRM7472F	25 g 50 g 100 g 25g 100g	7782-49-2
SELENOVA KISELINA p.a. H ₂ SeO ₄ Mr 144,97	R.84931D R.84931F R.84931H	25 g 100 g 500 g	77833-08-6
SELENOVA KISELINA p.a. (1ml=2,95g) H ₂ SeO ₄ Mr 144,97	85.RM2432G	250g	77833-08-6
SELEN DIOKSID p.a. SeO ₂ Mr 110,96	2.SK004E 2.SK004F 2.SK004H RH.GRM2434F RH.GRM2434H	50 g 100 g 500 g 100g 500g	7446-08-4
SEMIKARBAZID HIDROHLORID p.a. CH ₆ ClN ₃ O Mr 111,53	R.122764F RH.GRM6201F RH.GRM6201H	100 g 100g 500g	563-41-7
SEMIKARBAZID HIDROHLORID Ph.Eur. CH ₆ ClN ₃ O Mr 111,53	R.162764F	100 g	563-41-7
L-SERIN 98,5% Ph.Eur. * (L-2-Amino-3-hydroxypropionic acid) C ₃ H ₇ NO ₃ Mr 105,09	R.4682.1B R.4682.1D R.4682.1H RH.GRM063B RH.GRM063D RH.GRM063F RH.GRM063H	5 g 25 g 500 g 5g 25g 100g 500g	56-45-1
DL-SERIN (DL-Amino-3-hydroxypropionic acid; 3-Hydroxy-L-alanine) C ₃ H ₇ NO ₃ Mr 105,09	85.RM064D 85.RM064F	25 g 100 g	302-84-1
D-SERIN (D-2-Amino-3-hydroxypropionic acid), C ₃ H ₇ NO ₃ Mr 105,09	85.RM1519A 85.RM1519B	1 g 5 g	312-84-5
SILICIJ KISELINA anhidrovana p.a. (Quartz powder) SiO ₂ Mr 60,08	2.RM2422E 2.RM2422F 2.RM2422G 85.RM2422H	50 g 100 g 250 g 500 g	14808-60-7
SILICIJ KISELINA sa ~ 6% SiO₂ u 83oid SiO ₂ x H ₂ O Mr 82,08	R.9328I	1000 ml	7782-99-2
SILIKA GEL u jastučićima Za vlagu u hemikalijama	48.2811	Jastučić	112926-00-8
SILIKA GEL 0,063-0,200mm (60-200 mesh) sa indikatorom (sa kobalt hloridom)	RH.GRM7478H	500g	112926-00-8
SILIKA GEL 0,5-1 mm BIJELI	RR.9376.1 RR.9376.2	1000 g 5 Kg	112926-00-8
SILIKA GEL 0,84-3,35mm (6-20 mesh) sa indikatorom vlage/plavi za eksikatoru	85.RM151H 85.RM151I 85.RM151	500 g 1000 g 5Kg	112926-00-8
SILIKA GEL 1-3 mm p.a. BIJELI	RR.T858.1 RR.T858.2	1000 g 5 Kg	112926-00-8
SILIKA GEL 1-3 mm p.a. NARANDŽASTI	I039.16.001	1000 g	112926-00-8
SILIKA GEL 2-4 mm p.a. SA INDIKATOROM	RR.2440.1 RR.2440.2 RR.2440.4	500 g 1000 g 10 Kg	112926-00-8
SILIKA GEL 2-5 mm p.a.	RR.8109.1	500 g	112926-00-8

OTPORAN NA VODU (130°C)	RR.8109.2 RR.8109.4	1000 g 10 Kg	
SILIKA GEL 2-5 mm p.a. SA INDIKATOROM-NARANDŽASTI	RR.P077.4 RR.P077.1 RR.P077.3	500 g 1000 g 10 Kg	112926-00-8
SILIKA GEL INDUSTRIJSKI BEZ INDIKATORA	RR.CN70.1 RR.CN70.2 RR.CN70.4	1000 g 5 Kg 25 Kg	112926-00-8
SILIKA GEL 60 GF254 za TLC 107730	R.816320.1 R.816320.5	1000 g 5000 g	
SILIKON – ANTIPJENUŠAVAC tečni za destilaciju vodenih proizvoda .	2.KD028F 2.KD028H	100 ml 500 ml	
SILIKON - ANTIPJENUŠAVAC Koristi se kao sredstvo protiv pjenušanja u vodenim rastvorima površinski aktivnih materija. Sastoji se od 30% polidimetilsiloksana i nejonogenih aditiva. Hemijski inertan. Smjesa 10-1000 ppm	RR.0865.1G RR.0865.1I	250 mL 1000 mL	
SILIKON-ANTIPJENUŠAVAC (MB) *Za molekularnu biologiju	RH.MB158F RH.MB158H	100g 500g	
SILIKON * (Vacuum grease silicon) Si Mr 28,09	85.RM406E	50 g	
SIRČETNA KISELINA 80% extra pure C ₂ H ₄ O ₂ Mr 60,05 1L=1,07 kg	2.SD002I	1000 ml	64-19-7
SIRČETNA KISELINA 80% Ph. Eur. (Acetic acid) C ₂ H ₄ O ₂ Mr 60,05	2.SD0021I RP.121556	1000 ml 25 L	64-19-7
SIRČETNA KISELINA 96% p.a. C ₂ H ₄ O ₂ Mr 60,05 1L=1,06 kg	2.SD003G 2.SD003I	250 ml 1000 ml	64-19-7
SIRČETNA KISELINA 96% p.a. C ₂ H ₄ O ₂ Mr 60,05 1L=1,06 kg	R.122703I	1000 ml	64-19-7
SIRČETNA GLACIJALNA-LEDENA KISELINA 99,8% p.a. C ₂ H ₄ O ₂ Mr 60,05 141008	2.SDK069I ECP.P150501	1000 ml 1000 ml	64-19-7
SIRČETNA GLACIJALNA-LEDENA KISELINA 99,8% Ph.Eur.8.0 (Acetic acid glacial) C ₂ H ₄ O ₂ Mr 60,05	2.SDK010I RR.7332.5	1000 ml 25L	64-19-7
SIRČETNA GLACIJALNA-LEDENA KISELINA 99,5% aditiv E-260, F.C.C. aditiv (Acetic Acid glacial) C ₂ H ₄ O ₂ Mr 60,05	2.AF201008I RP.2010081	1000 ml 25 L	64-19-7
SIRČETNA GLACIJALNA-LEDENA KISELINA 99,8% za HPLC C ₂ H ₄ O ₂ Mr 60,05 1L=1,06 kg	R.361008I R.361008J	1000 ml 2500 ml	64-19-7
SIRČETNA GLACIJALNA-LEDENA KISELINA 99,8% (TMA) Hiperpur® C ₂ H ₄ O ₂ Mr 60,05	R.721008H R.721008J	500 ml 2,5 L	64-19-7
SIRČETNA KISELINA 0,1mol/l (0,1 N) (6,005g C ₂ H ₄ O ₂)	R.38050I	1000 ml	64-19-7
SIRČETNA KISELINA 1mol/l (1 N) (60,05g C ₂ H ₄ O ₂)	R.38051I	1000 ml	64-19-7
SO TABLETIRANA /25 kg pak	R.7788I R.7788 BML10004	1000 g 25 kg	7647-14-5
SORBINSKA KISELINA * (2,4-Hexadienoic acid) C ₆ H ₈ O ₂ Mr 112,13	2.SK014E 2.SK014F 2.SK014G RH.GRM1880H	50 g 100 g 250 g 500g	110-44-1
SORBINSKA KISELINA Ph.Eur.7.0. (2,4-Hexadienoic acid) C ₆ H ₈ O ₂ Mr 112,13	2.AF141055G 2.AF141055H RP.141055	250 g 500 g 25kg	110-44-1
SORBINSKA KISELINA E-200, F.C.C. aditiv (Sorbic acid) C ₆ H ₈ O ₂ Mr 112,13	2.201055H 161.0084.2 RP.201055 161.0084.3	500g 5 kg 25 kg 25 kg	110-44-1
SORBITAN MONOSTEARAT S 60 Sorbitan monooktadekanoat C ₂₄ H ₄₆ O ₆ Mr 431	161.2165I 161.2156K	1 kg 5 kg	1338-41-6
D(-)-SORBITOL (MB) (Sorbitolum; D-Glucitol) C ₆ H ₁₄ O ₆ Mr 182,18 *Za molekularnu biologiju	RH.MB066H	500g	50-70-4
L(-)-SORBOZA p.a. C ₆ H ₁₂ O ₆ Mr 180,20	2.GRM6234D RH.GRM6234D RH.GRM6234F RH.GRM6234G	25 g 25g 100g 250g	87-79-6
SPADNS	85.RM1157A	1 g	23647-14-5

(2-(p-sulfopenilazo)-1,8-dihidroksi-3,6-naftalen disulfonska kiselina tri Na so) C ₁₆ H ₉ N ₂ O ₁₁ S ₃ Na ₃ Mr 570,40	85.RM1157B R.15C071C R.15C071D	5 g 10 g 25 g	
SPADNS p.a. (2-(p-sulfopenilazo)-1,8-dihidroksi-3,6-naftalen disulfonska kiselina tri Na so) C ₁₆ H ₉ N ₂ O ₁₁ S ₃ Na ₃ Mr 570,40	R.12C071D	25 g	23647-14-5
SPAN 80 Sorbitan monooleate Mr 460 g/ml	11.9426.1 11.9426.2	250 g 1000g	1338-43-8
SPREJ ZA UKLANJANJE NALJEPNICA	11.1N22.1	200 ml	
SPREJ ZA UKLANJANJE PRAŠINE I MRLJA	11.P528.1	200 ml	
SPREJ ZA ČIŠĆENJE ULTRASONIČNIH KONVERTERA Topiv u vodi, ne ostavlja tragove, bez aldehida, alkohola, fenola i fosfata/60 boca u kutiji	111.1132040	250 g	
SREBRO ACETAT	85.GRM7490D	25g	563-63-3
SREBRO CIJANID	2.12332D	25 g	506-64-9
SREBRO DIETILDITIOKARBAMAT (DETC) C ₅ H ₁₀ AgNS ₂ Mr 256,10	85.RM1413B 85.RM1413C	5 g 10 g	1470-61-7
SREBRO HLORID p.a. * AgCl Mr 143,32	RH.GRM1408D	25g	7783-90-6
SREBRO JODID p.a. * AgI Mr 234,77	RH.GRM1409	25 g	7783-96-2
SREBRO, koloidni Ph.Eur. Silver, Colloidal Ag ⁺ Mr 107.86	2.AF0277F 2.AF0277G 161.0277H 161.0277I	100g 250g 500g 1000g	9007-35-6
SREBRO NITRAT p.a. (Argenti nitras) AgNO ₃ Mr 169,88	2.SDK070C 2.SDK070D 2.SDK070E 2.SDK070F 2.SDK070G 2.SDK070H	10 g 25 g 50 g 100 g 250 g 500 g	7761-88-8
SREBRO NITRAT Ph.Eur.8.0. (Argenti nitras) AgNO ₃ Mr 169,88	2.SDK0701C 2.SDK0701D 2.SDK0701E 2.SDK0701F AZ.2271-1KG/UN	10g 25g 50g 100g 1000g	7761-88-8
SREBRO NITRAT (MB) (Argenti nitras) AgNO ₃ Mr 169,88 *Za molekularnu biologiju	RH.MB156C RH.MB156D RH.MB156F	10g 25g 100g	7761-88-8
SREBRO NITRAT, 0,1mol/l (0,1N) (16,988g AgNO ₃)	MC-1099900001	1000 ml	7761-88-8
SREBRO NITRAT, 0,5mol/l (0,5N) (84,94g AgNO ₃)	R.38311I	1000 ml	7761-88-8
SREBRO NITRAT, 1mol/l (1N) (169,88g AgNO ₃)	R.182116I	1000 ml	7761-88-8
SREBRO(I) OKSID p.a. * Ag ₂ O Mr 231,74	RH.GRM1410D	25g	20667-12-3
SREBRO SULFAT p.a. * Ag ₂ SO ₄ Mr 311.83	RH.GRM1412D	25g	10294-26-5
SREBRO SULFAT Ph.Eur. Ag ₂ SO ₄ Mr 311.83	RH.GRM10417D	25g	10294-26-5
STANDARD ZA AAS ALUMINIJ Al = 1,000±0,002 g/l AA	11.2212F 11.2212H	100 ml 500 ml	
STANDARD ZA AAS ANTIMON Sb = 1,000±0,002 g/l AA	11.2223F 11.2223H	100 ml 500 ml	
STANDARD ZA AAS ARSEN As = 1,000±0,002 g/l AA	11.2224F 11.2224H	100 ml 500 ml	
STANDARD ZA AAS BAKAR Cu = 1,000±0,002 g/l AA	11.2329F 11.2329H	100 ml 500 ml	
STANDARD ZA AAS BARIJ Ba = 1,000±0,002 g/l AA	11.2225F 11.2225H	100 ml 500 ml	
STANDARD ZA AAS BIZMUT Bi = 1,000±0,002 g/l AA	11.2227F 11.2227H	100 ml 500 ml	
STANDARD ZA AAS BOR B = 1,000±0,002 g/l AA	11.2237F 11.2237H	100 ml 500 ml	
STANDARD ZA AAS CINK Zn = 1,000±0,002 g/l AA	11.2383F 11.2383.2	100 ml 500 ml	

STANDARD ZA AAS FOSFOR P = 1,000±0,002 g/l AA	11.2599F 11.2599H	100 MI 500 MI	
STANDARD ZA AAS HROM Cr = 1,000±0,002 g/l AA	11.2250F 11.2250H	100 MI 500 MI	
STANDARD ZA AAS KADMIJ Cd = 1,000±0,002 g/l AA	11.2238F 11.2238H	100 MI 500 MI	
STANDARD ZA AAS KALAJ Sn = 1,000±0,002 g/l AA	11.2384F 11.2384H	100 MI 500 MI	
STANDARD ZA AAS KALCIJ Ca = 1,000±0,002 g/l AA	11.2240F 11.2240H	100 MI 500 MI	
STANDARD ZA AAS KALIJ K = 1,000±0,002 g/l AA	11.2327F 11.2327H	100 MI 500 MI	
STANDARD ZA AAS KOBALT Co = 1,000±0,002 g/l AA	11.2251F 11.2251H	100 MI 500 MI	
STANDARD ZA AAS LITIJ Li = 1,000±0,002 g/l AA	11.2332F 11.2332H	100 MI 500 MI	
STANDARD ZA AAS MAGNEZIJ Mg = 1,000±0,002 g/l AA	11.2333F 11.2333H	100 MI 500 MI	
STANDARD ZA AAS MANGAN Mn = 1,000±0,002 g/l AA	11.2334F 11.2334H	100 MI 500 MI	
STANDARD ZA AAS MOLIBDEN Mo = 1,000±0,002 g/l AA	11.2335F 11.2335H	100 MI 500 MI	
STANDARD ZA AAS NATRIJ Na = 1,000±0,002 g/l AA	11.2337F 11.2337H	100 MI 500 MI	
STANDARD ZA AAS NIKL Ni = 1,000±0,002 g/l AA	11.2339F 11.2339H	100 MI 500 MI	
STANDARD ZA AAS OLOVO Pb = 1,000±0,002 g/l AA	11.2228F 11.2228H	100 MI 500 MI	
STANDARD ZA AAS PALADIJ Pd = 1,000±0,002 g/l AA	11.2340F	100 MI	
STANDARD ZA AAS SELEN Se = 1,000±0,002 g/l AA	11.2348F 11.2348H	100 MI 500 MI	
STANDARD ZA AAS SILICIJ Si = 1,000±0,05 g/l AA	11.2350F 11.2350H	100 MI 500 MI	
STANDARD ZA AAS SREBRO Au = 1,000±0,002 g/l AA	11.2349F 11.2349H	100 MI 500 MI	
STANDARD ZA AAS STRONCIJ Sr = 1,000±0,002 g/l AA	11.2352F 11.2352H	100 MI 500 MI	
STANDARD ZA AAS TITAN Ti = 1,000±0,002 g/l AA	11.2355F 11.2355H	100 MI 500 MI	
STANDARD ZA AAS ZLATO Au = 1,000±0,002 g/l AA	11.2258F 11.2258H	100 MI 500 MI	
STANDARD ZA AAS ŽELJEZO Fe = 1,000±0,002 g/l AA	11.2252F 11.2252H	100 MI 500 MI	
STANDARD ZA AAS ŽIVA Hg = 1,000±0,002 g/l AA	11.2346F 11.2346H	100 MI 500 MI	
STANDARD ZA IC AMONIJAK NH ₄ ⁺ = 1,00+/-0,02 g/l	R.2654.1F	100 MI	
STANDARD ZA IC FLUORID F ⁻ = 1,00+/-0,02 g/l	R.2659.1F	100 MI	
STANDARD ZA IC FOSFATI PO ₄ ³⁻ = 1,00+/-0,02 g/l	R.2665.1F	100 MI	
STANDARD ZA IC FLORIDI Cl ⁻ = 1,00+/-0,02 g/l	R.2656.1F	100 MI	
STANDARD ZA IC KALCIJ Ca ₂ ⁺ = 1,00+/-0,02 g/l	R.1986.1F	100 MI	
STANDARD ZA IC KALIJ K ⁺ = 1,00+/-0,02 g/l	R.1985.1F	100 MI	
STANDARD ZA IC MAGNEZIJ Mg ²⁺ = 1,00+/-0,02 g/l	R.1987.1F	100 MI	
STANDARD ZA IC NATRIJA Na ⁺ = 1,00+/-0,02 g/l	R.1984.1F	100 MI	
STANDARD ZA IC NITRATI NO ₃ ⁻ = 1,00+/-0,02 g/l	R.2661.1F	100 MI	
STANDARD ZA IC NITRITI NO ₂ ⁻ = 1,00+/-0,02 g/l	R.2664.1F	100 MI	
STANDARD ZA ICP ALUMINIJ Al = 1,000±0,002 g/l ICP	R.2397.1F	100 MI	

STANDARD ZA ICP ALUMINIJ Al = 10,000,02 g/l ICP	R.2488.1F	100 MI	
STANDARD ZA ICP ANTIMON Sb = 1,000,002 g/l ICP	R.2398.1F	100 MI	
STANDARD ZA ICP ANTIMON Sb = 10,000,02 g/l ICP	R.2489.1F	100 MI	
STANDARD ZA ICP ARSEN As = 1,000,002 g/l ICP	R.2399.1F	100 MI	
STANDARD ZA ICP ARSEN As = 10,000,02 g/l ICP	R.2491.1F	100 MI	
STANDARD ZA ICP BAKAR Cu = 1,000,002 g/l ICP	R.2426.1F	100 MI	
STANDARD ZA ICP BAKAR Cu = 10,000,02 g/l ICP	R.2520.1F	100 MI	
STANDARD ZA ICP BARIJ Ba = 1,000,002 g/l ICP	R.2400.1F	100 MI	
STANDARD ZA ICP BARIJ Ba = 10,000,02 g/l ICP	R.2492.1F	100 MI	
STANDARD ZA ICP BERILIJ Be = 1,000,002 g/l ICP	R.2401.1F	100 MI	
STANDARD ZA ICP BERILIJ Be = 10,000,02 g/l ICP	R.2496.1F	100 MI	
STANDARD ZA ICP BIZMUT Bi = 1,000,002 g/l ICP	R.2402.1F	100 MI	
STANDARD ZA ICP BIZMUT Bi = 10,000,02 g/l ICP	R.2497.1F	100 MI	
STANDARD ZA ICP BOR B = 1,000,002 g/l ICP	R.2404.1F	100 MI	
STANDARD ZA ICP BOR B = 10,000,02 g/l ICP	R.2500.1F	100 MI	
STANDARD ZA ICP CERIJ Ce = 1,000,002 g/l ICP	R.2408.1F	100 MI	
STANDARD ZA ICP CERIJ Ce = 10,000,02 g/l ICP	R.2504.1F	100 MI	
STANDARD ZA ICP CEZIJ Cs = 1,000,002 g/l ICP	R.2406.1F	100 MI	
STANDARD ZA ICP CEZIJ Cs = 10,000,02 g/l ICP	R.2502.1F	100 MI	
STANDARD ZA ICP CINK Zn = 1,000,002 g/l ICP	R.2485.1F	100 MI	
STANDARD ZA ICP CINK Zn = 10,000,02 g/l ICP	R.2576.1F	100 MI	
STANDARD ZA ICP DISPROZIUM Dy = 1,000,002 g/l ICP	R.2411.1F	100 MI	
STANDARD ZA ICP DISPROZIUM Dy = 10,000,02 g/l ICP	R.2507.1F	100 MI	
STANDARD ZA ICP ERBIUM Er = 1,000,002 g/l ICP	R.2413.1F	100 MI	
STANDARD ZA ICP ERBIUM Er = 10,000,02 g/l ICP	R.2509.1F	100 MI	
STANDARD ZA ICP EUROPIUM Eu = 1,000,002 g/l ICP	R.2414.1F	100 MI	
STANDARD ZA ICP EUROPIUM Eu = 10,000,02 g/l ICP	R.2510.1F	100 MI	
STANDARD ZA ICP FOSFOR P = 1,000,002 g/l ICP	R.2451.1F	100 MI	
STANDARD ZA ICP FOSFOR P = 10,000,02 g/l ICP	R.2534.1F	100 MI	
STANDARD ZA ICP GADOLINIUM Gd = 1,000,002 g/l ICP	R.2416.1F	100 MI	
STANDARD ZA ICP GADOLINIUM Gd = 10,000,02 g/l ICP	R.2511.1F	100 MI	
STANDARD ZA ICP GALIJ Ga = 1,000,002 g/l ICP	R.2418.1F	100 MI	
STANDARD ZA ICP GALIJ Ga = 10,000,02 g/l ICP	R.2512.1F	100 MI	
STANDARD ZA ICP GERMANIUM Ge = 1,000,002 g/l ICP	R.2419.1F	100 MI	

STANDARD ZA ICP GERMANIUM Ge = 10,00±0,02 g/l ICP	R.2513.1F	100 MI	
STANDARD ZA ICP HAFNIUM Hf = 1,000±0,002 g/l ICP	R.2421.1F	100 MI	
STANDARD ZA ICP HAFNIUM Hf = 10,00±0,02 g/l ICP	R.2515.1F	100 MI	
STANDARD ZA ICP HLOR Cl = 1,000±0,002 g/l ICP	R.765903F	100 MI	
STANDARD ZA ICP HLOR Cl = 10,00±0,02 g/l ICP	R.775953F	100 MI	
STANDARD ZA ICP HOLMIUM Ho = 1,000±0,002 g/l ICP	R.2422.1F	100 MI	
STANDARD ZA ICP HOLMIUM Ho = 10,00±0,02 g/l ICP	R.2561.1F	100 MI	
STANDARD ZA ICP HROM Cr = 1,000±0,002 g/l ICP	R.2409.1F	100 MI	
STANDARD ZA ICP HROM Cr = 10,00±0,02 g/l ICP	R.2505.1F	100 MI	
STANDARD ZA ICP INDIUM In = 1,000±0,002 g/l ICP	R.2423.1F	100 MI	
STANDARD ZA ICP INDIUM In = 10,00±0,02 g/l ICP	R.2517.1F	100 MI	
STANDARD ZA ICP IRIDIUM Ir = 1,000±0,002 g/l ICP	R.2424.1F	100 MI	
STANDARD ZA ICP IRIDIUM Ir = 10,00±0,02 g/l ICP	R.2518.1F	100 MI	
STANDARD ZA ICP KADMIJ Cd = 1,000±0,002 g/l ICP	R.2405.1F	100 MI	
STANDARD ZA ICP KADMIJ Cd = 10,00±0,02 g/l ICP	R.2501.1F	100 MI	
STANDARD ZA ICP KALAJ Sn = 1,000±0,002 g/l ICP	R.2486.1F	100 MI	
STANDARD ZA ICP KALAJ Sn = 10,00±0,02 g/l ICP	R.2583.1F	100 MI	
STANDARD ZA ICP KALCIJ Ca = 1,000±0,002 g/l ICP	R.2407.1F	100 MI	
STANDARD ZA ICP KALCIJ Ca = 10,00±0,02 g/l ICP	R.2503.1F	100 MI	
STANDARD ZA ICP KALIJ K = 1,000±0,002 g/l ICP	R.2425.1F	100 MI	
STANDARD ZA ICP KALIJ K = 10,00±0,02 g/l ICP	R.2519.1F	100 MI	
STANDARD ZA ICP KOBALT Co = 1,000±0,002 g/l ICP	R.2410.1F	100 MI	
STANDARD ZA ICP KOBALT Co = 10,00±0,02 g/l ICP	R.2506.1F	100 MI	
STANDARD ZA ICP LANTAN La = 1,000±0,002 g/l ICP	R.2427.1F	100 MI	
STANDARD ZA ICP LANTAN La = 10,00±0,02 g/l ICP	R.2521.1F	100 MI	
STANDARD ZA ICP LITIJ Li = 1,000±0,002 g/l ICP	R.2428.1F	100 MI	
STANDARD ZA ICP LITIJ Li = 10,00±0,02 g/l ICP	R.2522.1F	100 MI	
STANDARD ZA ICP LUTETIUM Lu = 1,000±0,002 g/l ICP	R.2429.1F	100 MI	
STANDARD ZA ICP LUTETIUM Lu = 10,00±0,02 g/l ICP	R.2523.1F	100 MI	
STANDARD ZA ICP MAGNEZIJ Mg = 1,000±0,002 g/l ICP	R.2430.1F	100 MI	
STANDARD ZA ICP MAGNEZIJ Mg = 10,00±0,02 g/l ICP	R.2524.1F	100 MI	
STANDARD ZA ICP MANGAN Mn = 1,000±0,002 g/l ICP	R.2437.1F	100 MI	
STANDARD ZA ICP MANGAN Mn = 10,00±0,02 g/l ICP	R.2525.1F	100 MI	
STANDARD ZA ICP MOLIBDEN Mo = 1,000±0,002 g/l ICP	R.2438.1F	100 MI	

STANDARD ZA ICP MOLIBDEN Mo = 10,00±0,02 g/l ICP	R.2526.1F	100 MI	
STANDARD ZA ICP NATRIJ Na = 1,000±0,002 g/l ICP	R.2439.1F	100 MI	
STANDARD ZA ICP NATRIJ Na = 10,00±0,02 g/l ICP	R.2527.1F	100 MI	
STANDARD ZA ICP NEODYMIUM Nd = 1,000±0,002 g/l ICP	R.2443.1F	100 MI	
STANDARD ZA ICP NEODYMIUM Nd = 10,00±0,02 g/l ICP	R.2528.1F	100 MI	
STANDARD ZA ICP NIKL Ni = 1,000±0,002 g/l ICP	R.2444.1F	100 MI	
STANDARD ZA ICP NIKL Ni = 10,00±0,02 g/l ICP	R.2529.1F	100 MI	
STANDARD ZA ICP NIOBIUM Nb = 1,000±0,002 g/l ICP	R.2445.1F	100 MI	
STANDARD ZA ICP NIOBIUM Nb = 10,00±0,02 g/l ICP	R.2531.1F	100 MI	
STANDARD ZA ICP NITROGEN (AZOT) N = 1,000±0,002 g/l ICP	R.765920F	100 MI	
STANDARD ZA ICP NITROGEN (AZOT) N = 10,00±0,02 g/l ICP	R.775983F	100 MI	
STANDARD ZA ICP OLOVO Pb = 1,000±0,002 g/l ICP	R.2403.1F	100 MI	
STANDARD ZA ICP OLOVO Pb = 10,00±0,02 g/l ICP	R.2499.1F	100 MI	
STANDARD ZA ICP OSMIUM Os = 1,000±0,002 g/l ICP	R.2446.1F	100 MI	
STANDARD ZA ICP PALADIJ Pd = 1,000±0,002 g/l ICP	R.765922F R.2447.1F	100 MI	
STANDARD ZA ICP PALADIJ Pd = 10,00±0,02 g/l ICP	R.775985F R.2532.1F	100 MI	
STANDARD ZA ICP PLATINA Pt = 1,000±0,002 g/l ICP	R.765923F R.2448.1F	100 MI	
STANDARD ZA ICP PLATINA Pt = 10,00±0,02 g/l ICP	R.2533.1F	100 MI	
STANDARD ZA ICP PRASEODYMIUM Pr = 1,000±0,002 g/l ICP	R.2452.1F	100 MI	
STANDARD ZA ICP PRASEODYMIUM Pr = 10,00±0,02 g/l ICP	R.2536.1F	100 MI	
STANDARD ZA ICP RENIUM Re = 1,000±0,002 g/l ICP	R.2454.1F	100 MI	
STANDARD ZA ICP RENIUM Re = 10,00±0,02 g/l ICP	R.2538.1F	100 MI	
STANDARD ZA ICP RODIUM Rh = 1,000±0,002 g/l ICP	R.2455.1F	100 MI	
STANDARD ZA ICP RUBIDIUM Rb = 1,000±0,002 g/l ICP	R.2456.1F	100 MI	
STANDARD ZA ICP RUBIDIUM Rb = 10,00±0,02 g/l ICP	R.2539.1F	100 MI	
STANDARD ZA ICP RUTENIUM Ru = 1,000±0,002 g/l ICP	R.2457.1F	100 MI	
STANDARD ZA ICP RUTENIUM Ru = 10,00±0,02 g/l ICP	R.2540.1F	100 MI	
STANDARD ZA ICP SAMARIUM Sm = 1,000±0,002 g/l ICP	R.2458.1F	100 MI	
STANDARD ZA ICP SAMARIUM Sm = 10,00±0,02 g/l ICP	R.2541.1F	100 MI	
STANDARD ZA ICP SCANDIUM Sc = 1,000±0,002 g/l ICP	R.2459.1F	100 MI	
STANDARD ZA ICP SELEN Se = 1,000±0,002 g/l ICP	R.2461.1F	100 MI	
STANDARD ZA ICP SELEN Se = 10,00±0,02 g/l ICP	R.2543.1F	100 MI	
STANDARD ZA ICP SILICIJ Si = 1,000±0,002 g/l ICP	R.2469.1F	100 MI	
STANDARD ZA ICP SILICIJ Si = 10,00±0,02 g/l ICP	R.2546.1F	100 MI	

STANDARD ZA ICP SREBRO Ag = 1,000±0,002 g/l ICP	R.2468.1F	100 MI	
STANDARD ZA ICP SREBRO Ag = 10,00±0,02 g/l ICP	R.2544.1F	100 MI	
STANDARD ZA ICP STRONCIUM Sr = 1,000±0,002 g/l ICP	R.2470.1F	100 MI	
STANDARD ZA ICP STRONCIUM Sr = 10,00±0,02 g/l ICP	R.2547.1F	100 MI	
STANDARD ZA ICP SUMPOR S = 1,000±0,002 g/l ICP	R.2460.1F	100 MI	
STANDARD ZA ICP SUMPOR S = 10,00±0,02 g/l ICP	R.2542.1F	100 MI	
STANDARD ZA ICP TANTALUM Ta = 1,000±0,002 g/l ICP	R.2471.1F	100 MI	
STANDARD ZA ICP TANTALUM Ta = 10,00±0,02 g/l ICP	R.2548.1F	100 MI	
STANDARD ZA ICP TELLURIUM Te = 1,000±0,002 g/l ICP	R.2472.1F	100 MI	
STANDARD ZA ICP TELLURIUM Te = 10,00±0,02 g/l ICP	R.2549.1F	100 MI	
STANDARD ZA ICP ZLATO Au = 1,000±0,002 g/l ICP	R.2420.1F	100 MI	
STANDARD ZA ICP ZLATO Au = 10,00±0,02 g/l ICP	R.2514.1F	100 MI	
STANDARD ZA ICP ŽELJEZO Fe = 1,000±0,002 g/l ICP	R.2412.1F	100 MI	
STANDARD ZA ICP ŽELJEZO Fe = 10,00±0,02 g/l ICP	R.2508.1F	100 MI	
STANDARD ZA ICP ŽIVA Hg = 1,000±0,002 g/l ICP	R.2453.1F	100 MI	
STANDARD ZA ICP ŽIVA Hg = 10,00±0,02 g/l ICP	R.2537.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA I 19 ELEMENATA (Ag, Al, B, Ba, Be, Bi, Cd, Co, Cr, Cu, Fe, Ga, In, Mn, Ni, Pb, Sr, Ti, Zn); Konc. Mg/l u 5% HNO ₃	R.2636.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA III 4 ELEMENTA (Ba, Ca, Mg, Sr =1000 mg/l u 2% HNO ₃)	R.2637.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA IV 23 ELEMENATA Ag, Al, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, In, K, Li, Mg, Mn, Na, Ni, Pb, Sr, Ti, Zn = 1000 mg/l u 2% HNO ₃	R.2638.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA VIII 24 ELEMENATA Al, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, Li, Mg, Mn, Na, Ni, Pb, Se, Sr, Te, Ti, Zn = 100 mg/l u 2% HNO ₃	R.2639.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA IX 9 ELEMENATA As, Be, Pb, Cd, Cr, Ni, Hg, Se, Ti =100 mg/l u 2% HNO ₃	R.2640.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA X 23 ELEMENATA Ca, Mg, Na, K, B, Fe, Mo, Sr, As, Ba, Ni, V, Zn, Mn, Co, Pb, Be, Cd, Cr, Cu, Bi, Se, Ti, konc. U µg/l u 2% HNO ₃	R.2642.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA XI 7 ELEMENATA Cd, Cr, Cu, Hg, Ni, Pb, Zn, konc. U mg/l u 2% HNO ₃	R.2643.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA XIII 15 ELEMENATA Al, As, Be, Cd, Co, Cr, Cu, Fe, Hg, Mn, Ni, Pb, Se, V, Zn, konc. U mg/l u 2% HNO ₃	R.2644.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA XVI 22 ELEMENATA As, Be, Ca, Cd, Co, Cr, Cu, Fe, Li, Mg, Mn, Mo, Ni, Pb, Se, Sr, Ti, V, Zn, =100 mg/l u 2% HNO ₃	R.2645.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA XVII 7 ELEMENATA Hf, Ir, Sb, Sn, Ta, Ti, Zr =100 mg/l u 15% HNO ₃	R.2646.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA 22 ELEMENATA As, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Li, Mg, Mn, Mo, Ni, Pb, Se, Sr, Ti, V, Zn, =1 mg/l u 5% HNO ₃	R.2647.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA 22 ELEMENATA As, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Li, Mg, Mn, Mo, Ni, Pb, Se, Sr, Ti, V, Zn, =100 mg/l u 5% HNO ₃	R.2648.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA 28 ELEMENATA Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, Li, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sr, Ti, V, Zn, =1 mg/l u 5% HNO ₃	R.2649.1F	100 MI	
STANDARD ZA ICP MULTI STANDARD OTOPINA 28 ELEMENATA	R.2650.1F	100 MI	

Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, Li, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sr, Ti, Tl, V, Zn, =100 mg/l u 5% HNO ₃			
STANDARDNA OTOPINA ZA PLAMENI FOTOMETAR (Jenway tip PFP 7) BARIJ Konc.Ba =1000ppm	97.025025	500 MI	
STANDARDNA OTOPINA ZA PLAMENI FOTOMETAR (Jenway tip PFP 7) KALCIJ Konc.Ca =1000ppm	97.025029	500 MI	
STANDARDNA OTOPINA ZA PLAMENI FOTOMETAR (Jenway tip PFP 7) KALIJ Konc.K =1000ppm	97.025023	500 MI	
STANDARDNA OTOPINA ZA PLAMENI FOTOMETAR (Jenway tip PFP 7) LITIJ Konc.Li =1000ppm	97.025024	500 MI	
STANDARDNA OTOPINA ZA PLAMENI FOTOMETAR (Jenway tip PFP 7) NATRIJ Konc.Na =1000ppm	97.025021	500 MI	
STANDARDNI RASTVOR ZA KALIBRACIJU AMONIJAKA NH ₄ ⁺ 1,000±0,002g/l u H ₂ O	32.CZ90801H1	100 MI	
STANDARDNI RASTVOR ZA KALIBRACIJU BAKRA Cu 1,000±0,002g/l u 2%HNO ₃	32.CZ90151N1	100 MI	
STANDARDNI RASTVOR ZA KALIBRACIJU FOSFATA PO ₄ ³⁻ 1,000±0,002g/l u H ₂ O	32.CZ90771H1	100 MI	
STANDARDNI RASTVOR ZA KALIBRACIJU NITRATA NO ₃ ⁻ 1,000±0,002g/l u H ₂ O	32.CZ90761H1	100 MI	
STANDARDNI RASTVOR ZA KALIBRACIJU NITRITA NO ₂ ⁻ 1,000±0,002g/l u H ₂ O	32.CZ90751H1	100 MI	
STANDARDNI RASTVOR ZA KALIBRACIJU OLOVA Pb 1,000±0,002g/l u 2%HNO ₃	32.CZ90411N1	100 MI	
STANDARDNI RASTVOR ZA KALIBRACIJU SULFATA SO ₄ ²⁻ 1,000±0,002g/l u H ₂ O	32.CZ90781H1	100 MI	
STANDARDNI RASTVOR ZA KALIBRACIJU ŽELJEZA Fe 1,000±0,002g/l u 2%HNO ₃	32.CZ90191N1	100 MI	
STANDARDNI RASTVOR ZA KONDUKTOMETRIJU 147uS/cm	11.2433.1	500ml	
STREPTAVIDIN (MB) Mr ~60,000 *Za molekularnu biologiju	RH.MB129	5mg	9013-20-1
STIREN stabilizirani (Styrol; Vinylbenzene; Phenylethylene) C ₈ H ₈ Mr 104,15	2.162514I 2.162514J	1000 MI 2,5 L	100-42-5
STIREN stabilizirani (Styrol; Vinylbenzene; Phenylethylene) C ₈ H ₈ Mr 104,15	R.162514G R.162514I R.162514J	250 MI 1000 MI 2,5 L	100-42-5
STIREN stabilizirani (Styrol; Vinylbenzene; Phenylethylene) C ₈ H ₈ Mr 104,15	R.15A780I R.15A780J	1000 MI 2,5 L	100-42-5
STRONCIJ FLUORID Ph.Eur. SrF ₂ Mr 125,62	R.142230H	500 g	7782-48-1
STRONCIJ HIDROKSID-8-HIDRAT p.a. Sr(OH) ₂ x 8H ₂ O	2.141309F 2.141309H	100 g 500 g	1311-10-0
STRONCIJ HIDROKSID-8-HIDRAT Ph.Eur. Sr(OH) ₂ x 8H ₂ O	R.141309I	1000 g	1311-10-0
STRONCIJ HLORID-6-HIDRAT p.a. * SrCl ₂ x 6H ₂ O Mr 266,62	2.RM1041D 2.RM1041E 2.RM1041F 2.RM1041G RH.GRM1041H	25 g 50 g 100 g 250 g 500g	10025-70-4
STRONCIJ HLORID-6-HIDRAT Ph.Eur. SrCl ₂ x 6H ₂ O Mr 266,62	RH.GRM761H	500g	10025-70-4
STRONCIJ KARBONAT p.a. SrCO ₃ Mr 147,63	RH.GRM7523G RH.GRM7523H	250g 500g	1663-05-2
STRONCIJ NITRAT p.a. * Sr(NO ₃) ₂ Mr 211,63	RH.GRM1426H	500g	10042-76-9
STRONCIJ NITRAT p.a. Sr(NO ₃) ₂ Mr 211,63	RR.4413.3H RDC.113950I	500 g 1000 g	10042-76-9
STRONCIJ NITRAT Ph.Eur. Sr(NO ₃) ₂ Mr 211,63	RH.GRM1427H	500g	10042-76-9
STRONCIJ OKSALAT-1-HIDRAT Ph.Eur. C ₂ O ₄ Sr x H ₂ O Mr 193,65	R.141311H	500 g	814-95-9
STRONCIJ SULFAT Ph.Eur. SrSO ₄ Mr 183,68	RH.GRM6240H	500g	7759-02-6
SUDAN III Ind. (Cerasin crveni) C ₂₂ H ₁₆ N ₄ O Mr 352,40	RH.GRM991C RH.GRM991D	10g 25g	85-86-9

SUDAN IV (CRVENI B) Ind. (Oil red IV) $C_{24}H_{20}N_4O$ Mr 380,45	RH.GRM992C RH.GRM992D	10g 25g	85-83-6
SUDAN CRNO B Ind. (Solvent crno), $C_{29}H_{24}N_6$ Mr 456,55	RH.GRM260B RH.GRM260D	5g 25g	4179-25-2
SUDAN CRNO B Ind. (MB) (Solvent crno), $C_{29}H_{24}N_6$ Mr 456,55 *Za molekularnu biologiju	RH.MB226D	25 g	4179-25-2
SUKCINIMID 99% Ph.Eur. (Succinimide); $C_4H_5NO_2$ Mr 99,09	RH.GRM9830F RH.GRM9830H	100g 500g	123-56-8
SULFACETAMID-Natrij Ph.Eur. (Sulfacetamidum natricum) $C_8H_9N_2O_3Sna \times H_2O$ Mr 236,33 + aq	85.RM5444B 85.RM5444D	5 g 25 g	6209-17-2
SULFAFURAZOL Ph.Eur. (Sulfisoxazol) $C_{11}H_{13}N_3O_3S$ Mr 267,30	R.A4645D R.A4645F	25 g 100 g	127-69-5
SULFAMERAZIN Ph.Eur. (Sulfamerazinium; Sulfamethyldiazinium) $C_{11}H_{12}N_4O_2S$ Mr 264,30	2.SK050D	25 g	127-79-7
SULFAMETOKSAZOL $C_9H_{10}N_4O_2S_2$ Mr 270,30	85.RM5445D	25 g	723-46-6
SULFAMILNA KISELINA p.a. (Amidosulfonska kiselina) H_3NO_3S Mr 97,09 Roth P72S.3 5kg	2.SD040F RR.4714.3 RH.GRM4857H	100 g 250 g 500g	5329-14-6
SULFAMILNA KISELINA Ph.Eur. (Amidosulfonska kiselina); H_3NO_3S Mr 97,09	RH.GRM6366H RH.GRM6366K	500g 5kg	5329-14-6
SULFANILAMID p.a. (4-Aminobenzensulfonamid), $C_6H_8N_2O_2S$ Mr 172,21	R.4716.1 RH.GRM1558F RH.GRM1558H	100 g 100g 500g	63-74-1
SULFANILAMID Ph.Eur. (4-Aminobenzensulfonamid) $C_6H_8N_2O_2S$ Mr 172,21	RH.GRM7528H 161.2205I	500 g 1000 g	63-74-1
SULFANILNA KISELINA p.a. * $C_6H_7NO_3S$ Mr 173,19	RH.GRM428F RH.GRM428H	100g 500g	121-57-3
SULFANILNA KISELINA Ph.Eur. $C_6H_7NO_3S$ Mr 173,19	RH.GRM1428H	500g	121-57-3
SULFATNA KISELINA 90-91% p.a. PO GERBERU Za određivanje masnoće i nitrata u mlijeku H_2SO_4 Mr 98,08 1L=1,82 kg PREKUR.	R.121010I R.121010J	1000 MI 2,5 L	7664-93-9
SULFATNA KISELINA-PUŠLIJIVA sa 27-33% SO_3 H_2SO_4 Mr 98,08 1L=1,90 kg PREKUR.	R.84729H R.84729I	500 MI 1000 MI	8014-95-7
SULFATNA KISELINA 95-97% p.a . H_2SO_4 Mr 98,08 1L = 1,84 kg PREKUR.	2.SD009G 2.SD009I ECP.P153501	250 MI 1000 MI 1000 ML	7664-93-9
SULFATNA KISELINA 95-97% tehnička H_2SO_4 Mr 98,08 PREKUR.	2.SDK072K 2.SDK072L	5 L 10 L	7664-93-9
SULFATNA KISELINA 95-97% tehnička H_2SO_4 Mr 98,08 PREKUR.	IN.OZV001	15 L/25Kg	7664-93-9
SULFATNA KISELINA 95-97% Ph.Eur. H_2SO_4 Mr 98,08 PREKUR.	R.141058I R.141058J	1000 MI 2,5 L	7664-93-9
SULFATNA KISELINA 95-98% max. 0,0000005% Hg H_2SO_4 Mr 98,08 PREKUR.	R.471058I	1000 MI	7664-93-9
SULFATNA KISELINA 93-98% (TMA) Hiperpur® H_2SO_4 Mr 98,08 (94-98%) PREKUR.	R.721058H R.721058J	500 MI 2500 MI	7664-93-9
SULFATNA KISELINA 93-98% (TMA) Hiperpur plus H_2SO_4 Mr 98,08 PREKUR.	R.711058G R.711058H	250 MI 500 MI	7664-93-9
SULFATNA KISELINA 95% Suprapure H_2SO_4 Mr 98,08 PREKUR.	R.HN52.1H	500 MI	7664-93-9
SULFATNA KISELINA, 0,005mol/l (0,01N) (0,4904g H_2SO_4) PREKUR.	R.38308I	1000 L	7664-93-9
SULFATNA KISELINA, 0,025mol/l (0,05N) (2,477g H_2SO_4) PREKUR.	R.182103I	1000 L	7664-93-9
SULFATNA KISELINA, 0,01mol/l (0,02N) (0,98078g H_2SO_4) PREKUR.	R.182102I	1000 MI	7664-93-9
SULFATNA KISELINA, 0,05mol/l (0,1N) (4,904g H_2SO_4) PREKUR.	ECL.P161205 R.38290I 3.8127I	1000 MI	7664-93-9

SULFATNA KISELINA, 0,125mol/l (0,25N) (12,2595g H ₂ SO ₄)	PREKUR.	2.SD115I	1000 MI	7664-93-9
SULFATNA KISELINA, 0,25mol/l (0,5N) (24,519g H ₂ SO ₄)	PREKUR.	R.38295I	1000 MI	7664-93-9
SULFATNA KISELINA, 1/3mol/l (2/3N) H ₂ SO ₄ Kao deproteinizator po metodi Folin i Wu	PREKUR.	3.251063H R.251063H	500 MI	7664-93-9
SULFATNA KISELINA, 0,1mol/l (0,2N) (9,8078g H ₂ SO ₄)	PREKUR.	R.35357I	1000 MI	7664-93-9
SULFATNA KISELINA, 0,5mol/l (1N) (49,039g H ₂ SO ₄)	PREKUR.	MC-1099810001	1000 MI	7664-93-9
SULFATNA KISELINA, 1mol/l (2N) (98,078g H ₂ SO ₄)	PREKUR.	3.38291I	1000 MI	7664-93-9
SULFATNA KISELINA, 2,5 mol/l (5N) (245,195g H ₂ SO ₄)	PREKUR.	2.SD011I	1000 MI	7664-93-9
SULFATNA KISELINA, 4mol/l (8N) (392,312g H ₂ SO ₄)	PREKUR.	R.185314I	1000 MI	7664-93-9
SULFATNA KISELINA, 5mol/l (10N) (490,39g H ₂ SO ₄)	PREKUR	2.SD014I	1000 MI	7664-93-9
5-SULFOSALICILNA KISELINA-2-HIDRAT p.a. * C ₇ H ₆ O ₆ S x 2H ₂ O Mr 254,22		2.SD022D 2.SD022E 2.SD022F 2.SD022X 2.SD022G 85.GRM1076H	25 g 50 g 100 g 200 g do 1 L 250 g 500 g	5965-83-3
Š				
ŠKROB, za elektroforezu (C ₆ H ₁₀ O ₅) _n Mr (162,14) _n		2.94803F 2.94803H 2.94803I	100 g 500 g 1000 g	9005-25-8
ŠKROB iz pšenice Ph.Eur.8.0. (Tritici amylum) (C ₆ H ₁₀ O ₅) _n Mr (162,14) _n		2.SDK073F 2.SDK073G 2.SDK073H RR.9447I RR.9447.2	100 g 250 g 500 g 1000 g 5 kg	9005-25-8
ŠKROB, topivi iz krompira za jodometriju Ph.Eur.7.0 (Amylum) (C ₆ H ₁₀ O ₅) _n Mr (162,14) _n		2.SD018F 2.SD018H RR.9441I RR.9441.2	100 g 500 g 1000g 5kg	9005-25-8
ŠKROB, topivi iz kukuruza Ph.Eur.8.0. (Maydis amylum) (C ₆ H ₁₀ O ₅) _n Mr (162,14) _n		2.AF9444.2F 2.AF9444.2H RR.9444I RR.9444.2	100 g 500 g 1000 g 5kg	9005-25-8
ŠKROB, topivi iz riže (Oryzae amylum) (C ₆ H ₁₀ O ₅) _n Mr (162,14) _n		2.AF9368.2F 2.AF9368.2H RR.9368I RR.9368.2	100 g 500 g 1000 g 5kg	9005-25-8
T				
TANIN Ph. Eur.8.0. (Acidum tannicum; Dugalna kiselina; Gallotanin) C ₇₆ H ₅₂ O ₄₆ Mr 1701,23		2.TK003F RH.GRM7541G RH.GRM7541H 161.0087.3	100 g 250 g 500 g 25 kg	1401-55-4
TAURIN C ₂ H ₇ NO ₃ S Mr 125,15		85.GRM4806F	100g	
TARTRAZIN Ind. C.I.19140 (boja žuta) Acid yellow 23; Tartrazine; Food yellow 4 C ₁₆ H ₉ N ₄ Na ₃ O ₉ S ₂ Mr 534,37		85.RM4301B	5 g	1934-21-0
TAŠIROV INDIKATOR RASTVOR		R.2624.1G	250 mL	
TEMED 99% p.a. za elektroforezu C ₆ H ₁₆ N ₂ Mr 116,20		R.2367.3 R.2367.1 R.2367.2	25 mL 100 mL 250 mL	110-18-9
TES (MB) C ₆ H ₁₅ NO ₆ S Mr 229.25 *Za molekularnu biologiju		RH.MB027F	100g	7365-44-8
TETRABUTILAMONIJ BROMID puris C ₁₆ H ₃₆ BrN Mr 322,40		85.RM1162F 85.RM1162H	100 g 500 g	1643-19-2
TETRABUTILAMONIJ BROMID za hromatografiju i IPC C ₁₆ H ₃₆ BrN Mr 322,40		R.86857C R.86857E	10 g 50 g	1643-19-2

TETRABUTILAMONIJ DIHIDROGEN FOSFAT ≥99,0% (Tetrabutilamonij fosfat monobazni) C ₁₆ H ₃₈ NO ₄ P Mr 339,45	R.86833B R.86833D	5 g 25 g	5574-97-0
TETRABUTILAMONIJ DIHIDROGEN FOSFAT za HPLC >99% (Tetrabutilamonij fosfat monobazni) C ₁₆ H ₃₈ NO ₄ P Mr 339,50	85.RM2466B	5 g	5574-97-0
TETRABUTILAMONIJ HIDROGEN FOSFAT purum > 97% C ₁₆ H ₃₈ NO ₄ P Mr 339,50	R.86867B R.86867C R.86867E	5 g 10 g 50 g	5574-97-0
TETRA-n-BUTILAMONIJ HIDROGEN SULFAT za sintezu (Tetrabutilamonij bisulfat) C ₁₆ H ₃₇ NO ₄ S Mr 339,54	RH.GRM1296F RH.GRM1296H	100g 500g	32503-27-8
TETRABUTILAMONIJ HIDROGEN SULFAT za HPLC i ICP (Tetrabutilamonij bisulfat) C ₁₆ H ₃₇ NO ₄ S Mr 339,54	R.86853 R.86853C R.86853E	2,5 g 10 g 50 g	32503-27-8
TETRABUTILAMONIJ HIDROGEN SULFAT za HPLC i ICP (Tetrabutilamonij bisulfat); C ₁₆ H ₃₇ NO ₄ S Mr 339,54	R.363622C R.363622D	10 g 25 g	32503-27-8
TETRABUTILAMONIJ HIDROKSID-30-HIDRAT > 99% C ₁₆ H ₃ NO x 30H ₂ O Mr 799,90	R.86859C R.86859E	10 g 50 g	147741-30-8
TETRABUTILAMONIJ HLORID za IPC C ₁₆ H ₃₆ ClN Mr 277,92	R.86852C R.86852E	10 g 50 g	1112-67-0
TETRABUTILAMONIJ JODID za IPC C ₁₆ H ₃₆ IN Mr 369,37	R.86903C	10 g	311-28-4
TETRAETILAMONIJ BROMID za IPC (TEA bromide); C ₈ H ₂₀ BrN Mr 210,16	R.86608C	10 g	71-91-0
TETRAFLUOROBORATNA KISELINA 48% RASTVOR U VODI HBF ₄ Mr 87,81 SIGMA	16.207934	25 g	16872-11-0
TETRAHEKSADECILAMONIJ BROMID ≥98,0%, purum C ₆₄ H ₁₃₂ BrN Mr 995,64	R.87298B R.87298D	5 g 25 g	139653-55-7
TETRAHEPTILAMONIJ BROMID > 99% za HPLC i hromatografiju C ₂₈ H ₆₀ BrN Mr 490,70	R.87296B R.87296C RH.GRM1593D RH.GRM1593F	5 g 10 g 25g 100g	4368-51-8
TETRAHIDROFURAN p.a. C ₄ H ₈ O Mr 72,11	R.6788.1I R.6788.1J	1000 ml 2,5 L	109-99-9
TETRAHIDROFURAN za HPLC C ₄ H ₈ O Mr 72,11	R.7344.2J	2,5 L	109-99-9
TETRAHLORETILEN p.a. (Perhloretilen), C ₂ Cl ₄ Mr 165,83	2.481455G 2.481455I	250 mL 1000 mL	127-18-4
TETRAHLORETILEN p.a. (Perhloretilen), C ₂ Cl ₄ Mr 165,83	R.141455I R.141455J	1000 mL 2,5 L	127-18-4
TETRAHLORETILEN 99,5% Ph.Eur. (Perkloretilen), C ₂ Cl ₄ Mr 165,83	R.161455I R.161455J	1000 mL 2,5 L	127-18-4
TETRAHLORETILEN tehnički (Perkloretilen), C ₂ Cl ₄ Mr 165,83	2.PD019I 2.OGB2 hloroform	1 L 25 L 200 L	127-18-4
TETRAHLORETILEN za HPCL, IR p.a. (Perhloretilen), C ₂ Cl ₄ Mr 165,83	R.361455I	1000 mL	127-18-4
3,4,5,6- TETRAHLORKATEHOL >98% C6Cl4-1,2-(OH)2 Mr 247.89	16. 36443	5 g	1198-55-6
TETRAKIS(DECIL) AMONIJ BROMID za IPC (Tetra-decilamonij bromide) C ₄₀ H ₈₄ NBr Mr 659,01	R.87578B R.87578C R.87578E	5 g 10 g 50 g	64-20-0
TETRAMETILAMONIJ BROMID Ph.Eur. 98% C ₄ H ₁₂ BrN Mr 154,00	85.RM4815F	100 g	64-20-0
TETRAMETILAMONIJ BROMID za hromatografiju C ₄ H ₁₂ BrN Mr 154,00	R.87708C	10 g	64-20-0
TETRABUTILAMONIJ HIDROKSID za IPC koncentrat u amp. (set 6x1 ampula) C ₁₆ H ₃₇ NO Mr 259,47	R.86851	set 6x1 ampula	2052-49-5
TETRAMETILAMONIJ HIDROKSID-5-HIDRAT C ₄ H ₁₃ NO x 5H ₂ O	RH.GRM2474D RH.GRM2474F	25g 100g	10424-65-4
N,N,N,N-TETRAMETIL-p-FENILENDIAMIN DIHIDROHLORID (Wurster's-ov reagens)	2.TD081B RH.GRM445B RH.GRM445D	5 g 5g 25g	637-01-4
TETRAZOLIUM so (TTC) p.a. (2,3,5-trifenil tetrazolium hlorid)	85.RM470C 85.RM470D	10 g 25 g	298-96-4
2-THIOPHENECARBOXYLIC ACID HIDRAZID	R.T1388A	1 g	2361-27-5

C ₅ H ₆ N ₂ O ₅ Mr 142,20	R.T1388B RH.RM5467D	5 g 25g	
TIMOL p.a. C ₁₀ H ₁₄ O Mr 150,22	2.TD018F RH.GRM7581G	100 g 250g	89-83-8
TIMOL Ph.Eur.8.0. (Thymolum); C ₁₀ H ₁₄ O Mr 150,22	2.TD0181F 2.TD0181H 161.2294I 161.2294.2	100 g 500 g 1000g 5 kg	89-83-8
TIMOL PLAVO Ind. C ₂₇ H ₃₀ O ₅ S Mr 466,60	RH.GRM1433B RH.GRM1433D	5 g 25g	76-61-9
TIMOLFTALEIN Ind. C ₂₈ H ₃₀ O ₄ Mr 430,55	RH.GRM997B RH.GRM997D	5 g 25g	125-20-2
TIOGLIKOLNA KISELINA 80% p.a. C ₂ H ₄ O ₂ S Mr 92,12	2.TDK081F 2.TDK081H	100 mL 500 mL	68-11-1
TIOACETAMID Extra pure C ₂ H ₅ NS Mr 75,13	85.RM1168F 85.RM1168H	100 g 500 g	62-55-5
TIOACETAMID p.a. C ₂ H ₅ NS Mr 75,13	R.134887E R.134887G	50 g 250 g	62-55-5
TIOACETAMID Ph.Eur. C ₂ H ₅ NS Mr 75,13	R.164887F R.164887H	100 g 500 g	62-55-5
2-TIOBARBITURNA KISELINA p.a. C ₄ H ₄ N ₂ O ₂ S Mr 144,15	85.RM1594D 85.RM1594E 85.RM1594F	25 g 50 g 100 g	504-17-6
TIONIL HLORID Ph. Eur. SOCl ₂ Mr 118,97	2.15A879I	1000 mL	7719-09-7
TIONIN, C.I.52000 (Lauths violet), C ₁₂ H ₁₀ ClN ₃ S Mr 263,75	R.251742B R.251742D	5 g 25 g	581-64-6
TIOSEMIKARBAZID p.a. CH ₅ N ₃ S Mr 91,14	RH.RM7557D RH.RM7557F	25g 100g	79-19-6
TIOUREA p.a. (Tiocarbamid), CH ₄ N ₂ S Mr 76,12	RH.GRM611F RH.GRM611H	100 g 500g	62-56-6
TIOUREA Ph.Eur. (Tiocarbamid), CH ₄ N ₂ S Mr 76,12	RH.GRM1431H	500 g	62-56-6
TIRON p.a. * (4,5-Dihydroxy-1,3-benzenedisulphonic acid, disodium salt); C ₆ H ₄ Na ₂ O ₈ S ₂ Mr 314,20	85.RM1471C 85.RM1471D	10 g 25 g	149-45-1
TITAN DIOKSID Ph.Eur.8.0. E 171 (Titanij (IV) oksid) TiO ₂ Mr 79,90 Punioc, sprečava opekotine	2.TK018F 2.TK018G 2.TK018H 161.2302.3	100 g 250 g 500 g 25 kg	149-45-1
TITAN(III) HLORID 15% TiCl₃ p.a. TiCl ₃ Mr 154,26	R.14010F R.14010I	100 mL 1000 mL	7705-07-9
TITAN (IV) IZOPROPILAT 97%	2.15A244F	100 mL	
TITAN ŽUTO Ind. C ₂₈ H ₁₉ N ₅ Na ₂ O ₆ S ₄ Mr 695,73	RH.RM619C RH.RM619D	10 g 25g	1829-00-1
o-TOLIDIN p.a. * C ₁₄ H ₁₆ N ₂ Mr 212,30	RH.GRM1852D RH.GRM1852F	25g 100g	119-93-7
o-TOLIDIN DIHIDROHLORID purum 99,0% C ₁₄ H ₁₆ N ₂ x 2HCl Mr 285,20	RH.GRM7586D RH.GRM7586F	25g 100g	612-82-8
TOLUEN p.a. C ₇ H ₈ Mr 92,14 PREKUR.	2.TDK078I	1000 mL	108-88-3
TOLUEN Ph.Eur. (Toluol; Metilbenzen) C ₇ H ₈ Mr 92,14 PREKUR.	2.TD020I 2.TD020L RR.9558.4	1000 ml 10 L 25 L	108-88-3
TOLUEN za HPLC C ₇ H ₈ Mr 92,14 PREKUR.	R.361745J	2,5 L	108-88-3
TOLUEN Pestilyse® C ₇ H ₈ Mr 92,14 PREKUR.	R.164.1J	2,5 L	108-88-3
TOLUEN suhi (max.0,005% vode) p.a. C ₇ H ₈ Mr 92,14 PREKUR.	R.481745I	1000 mL	108-88-3
TOLUEN -4- SULFONSKA KISELINA-1- HIDRAT C ₇ H ₈ O ₃ S x H ₂ O Mr 190,22	RH.GRM7584F RH.GRM7584H	100g 500g	6192-52-5
TOLUEN-4-SULFONSKA KISELINA Na so za sintezu (4-Toluensulfonska kiselina Na so); C ₇ H ₇ NaO ₃ S Mr 194,19	R.821125B R.821125G	5 g 250 g	6192-52-5
o-TOLUIDIN p.a. (2-Amino toluene), C ₇ H ₉ N Mr 107,16	2.RM6270H	500 mL	95-53-4

o-TOLUIDIN p.a. (2-Amino toluene), C ₇ H ₉ N Mr 107,16	R.122234I	1000 mL	95-53-4
o-TOLUIDIN Ph.Eur. (2-Amino toluene), C ₇ H ₉ N Mr 107,16	R.161955I	1000 mL	95-53-4
p-TOLUIDIN p.a. (4-Amino toluene), C ₇ H ₉ N Mr 107,16	RH.GRM1762F	100g	106-49-0
p-TOLUIDIN Ph.Eur. (4-Amino toluene), C ₇ H ₉ N Mr 107,16	R.15A861G RH.GRM7585H	250 g 500g	106-49-0
TOLUIDIN PLAVO O Ind. (C ₁₅ H ₁₆ ClN ₃ S) ₂ ZnCl ₂ Mr 747,96	RH.GRM1000D RH.GRM1000F	25g 100g	92-31-9
D(+)-TREHALOZE-2-HIDRAT Ph.Eur. (Mikoza) C ₁₂ H ₂₂ O ₁₁ x 2H ₂ O Mr 378,34	85.RM110B 85.RM110C 85.RM110D	5 g 10 g 25 g	6138-23-4
2,4,6-TRIBROMFENOL C ₆ H ₃ Br ₃ O Mr 330,80	85.RM3796E 85.RM3796F 85.RM3796G	50 g 100 g 250 g	117-79-6
TRIBUTILAMIN >99% C ₁₂ H ₂₇ N Mr185,3	2.15A883I	1000 mL	102-82-9
TRIBUTILAMIN >99% C ₁₂ H ₂₇ N Mr185,3	R.15A883I	1000 mL	102-82-9
TRITANOLAMIN HIDROHLORID 99,5% p.a. C ₆ H ₁₅ NO ₃ x HCl Mr 185,65	85.RM843F	100 g	637-39-8
TRITILAMIN p.a. C ₆ H ₁₅ N Mr 101,20	2.163542I	1000 mL	121-44-8
TRITILAMIN za HPLC C ₆ H ₁₅ N Mr 101,20	85.RM2990I	1000 mL	121-44-8
TRITILEN GLIKOL 99% Ph.Eur. C ₆ H ₁₄ O ₄ Mr 150,18	2.15A882I	1000 mL	112-27-6
TRITILEN GLIKOL 99% Ph.Eur. C ₆ H ₁₄ O ₄ Mr 150,18	R.15A882I R.15A882J	1000 mL 2,5 L	112-27-6
TRIFLUOROSIRČETNA KISELINA 99,5% (Trifluoroacetic acid ; TFA) C ₂ HF ₃ O ₂ Mr 114,02	R.P088.1F R.P088.1H R.P088.1I	100 mL 500 mL 1000 mL	76-05-1
TRIFLUOROSIRČETNA KISELINA anhidrovana 99,5% (Trifluoroacetic acid anhidrovana; TFAA) C ₄ F ₆ O ₃ Mr 210,03	R.0027.1F R.0027.1H	100 mL 500 mL	407-25-0
1,1,1-TRIHLORETAN Ph.Eur. (Metil hloroform), C ₂ H ₃ Cl ₃ Mr 133,40	R.142925I	1000 mL	71-55-6
TRIHLORETIEN p.a. (Etilen Trihlorid; 1,1,2-Trihloretilen), C ₂ HCl ₃ Mr 131,39	2.131749I	1000 mL	79-01-6
TRIHLORETIEN p.a. (Etilen Trihlorid; 1,1,2-Trihloretilen), C ₂ HCl ₃ Mr 131,39	R.131749I R.131749J	1000 mL 2,5 L	79-01-6
TRIHLORETIEN Ph.Eur. (Etilen Trihlorid; 1,1,2-Trihloretilen) C ₂ HCl ₃ Mr 131,39 1L=1,46	R.141749I R.141749J	1000 mL 2,5 L	79-01-6
TRIHLORETIEN pH.Eur. (Etilen Trihlorid; 1,1,2-Trihloretilen) C ₂ HCl ₃ Mr 131,39 1L=1,46	2.455I 2.010553 2.0105531	1 L 25 L 200 L	79-01-6
1,1,1-TRIHLOLOR-2-METIL-2-PROPANOL-0,5-HIDRAT Ph.Eur. (Chlorbutanol; Acetone Chloroform; Chlorbutol) C ₄ H ₇ Cl ₃ O x 0,5H ₂ O Mr 186,47	R.145300F R.145300G R.145300H	100 g 250 g 500 g	6001-64-5
TRIHLORSIRČETNA KISELINA p.a. C ₂ HCl ₃ O ₂ Mr 163,39	2.TD015F 2.TD015G 2.TD015H	100 g 250 g 500 g	76-03-9
TRIHLORSIRČETNA KISELINA p.a. C ₂ HCl ₃ O ₂ Mr 163,39	R.131067F R.131067I	100 g 1000 g	76-03-9
TRIHLORSIRČETNA KISELINA Ph.Eur. C ₂ HCl ₃ O ₂ Mr 163,39	2.TD0151F 2.TD0151G 2.TD0151H RP.141067K	100 g 250 g 500 g 5 kg	76-03-9
1,1,2-TRIHLOTRIFLURIETAN p.a. C ₂ Cl ₃ F ₃ Mr 187,38	2.133266I	1000 mL	76-13-1
1,1,2-TRIHLOTRIFLURIETAN p.a. C ₂ Cl ₃ F ₃ Mr 187,38	R.133266I R.133266J	1000 mL 2,5 L	76-13-1
1,1,2-TRIHLOTRIFLURIETAN Ph.Eur. C ₂ Cl ₃ F ₃ Mr 187,38	R.163266I R.163266J	1000 mL 2,5 L	76-13-1
TRIOLEIN 65/70% (Glicerín trioleat), C ₅₇ H ₁₀₄ O ₆ Mr 885,40	2.T-7140F	100 ML	122-32-7

TRIOLEIN 65/70% (Glicerín trioleat), C ₅₇ H ₁₀₄ O ₆ Mr 885,40	R.T-7752F R.T-7752I	100 mL 1000 mL	122-32-7
TRIPAN PLAVO u mikroskopiji *** C ₃₄ H ₂₄ N ₆ NaO ₁₄ S ₄ Mr 891,83	RH.GRM1001D RH.GRM1001F	25 g 100g	72-57-1
TRIPSIN 1 : 250	2.TC245D 2.TC245F 2.TC245H	25 g 100 g 500 g	9002-07-7
TRIPSIN kristalizirani 5000 NF U/mg	R.2193.1 R.2193.2 RH.RM612A	100 mg 500 mg 1g	9002-07-7
L-TRIPTOFAN >99,9% Ph.Eur. (Tryptophanum) C ₁₁ H ₁₂ N ₂ O ₂ Mr 204,23	85.RM067B 85.RM067D 85.RM067H	5 g 25 g 500 g	73-22-3
L-TRIPTOFAN >99,9% Ph.Eur. (Tryptophanum); C ₁₁ H ₁₂ N ₂ O ₂ Mr 204,23	R.142049D R.142049F	25 g 100 g	73-22-3
L-TRIPTOFAN CELLPURE® ≥99 % Za ćelijsku kulturu i biohemiju. C ₁₁ H ₁₂ N ₂ O ₂ M 204,23	R.1739.1D R.1739.1F	25 g 100 g	73-22-3
D-TRIPTOFAN * C ₁₁ H ₁₂ N ₂ O ₂ M 204,23	85.RM1761B 85.RM1761D	5 g 25 g	153-94-6
DL-TRIPTOFAN C ₁₁ H ₁₂ N ₂ O ₂ M 204,23 g/mol	11.5236.3D 11.5236.3F	25 g 100 g	73-22-3
TRIS>>99,9% p.a. * (Tris-(Hidroksimetil)-Aminometan; THAM) C ₄ H ₁₁ NO ₃ Mr 121,14	2.TDK079E 2.TDK079F 2.TDK079G 2.TDK079H RR.A411.2	50 g 100 g 250 g 500 g 1000 g	77-86-1
Tris puffer Hi-Ar Tris puffer NH ₂ C(CH ₂ OH) ₃ Mr 121,14	85.GRM262F	100 g	
TRIS basa (TRIZMA), C ₄ H ₁₁ NO ₃ Mr 121,14	R.T6791F R.T6791H	100 g 500 g	77-86-1
TRIS basa (MB) (TRIZMA), C ₄ H ₁₁ NO ₃ Mr 121,14 *Za molekularnu biologiju	RH.MB029F RH.MB029H RH.MB029I	100g 500g 1000g	77-86-1
TRIS-GLICIN pufer ultra 10 x koncentrat	R.93321I	1000 mL	
TRIS-HCl>>99,9% p.a. (Tris-(Hidroksimetil)-Aminometan Hidrohlorid; Tris Hidrohlorid); C ₄ H ₁₁ NO ₃ Cl Mr 157,60	RH.RM613F RH.RM613H	100 g 500g	1185-53-1
TRIS HIDROHLORID Tris(hydroxymethyl)aminomethane hydrochloride C ₄ H ₁₁ NO ₃ XHCl Mr 157,60	85.GRM613H	500g	1185-53-1
TRISA (MB) (Tris-(Hidroksimetil)-Aminometan-Acetat ;THAMA) C ₆ H ₁₅ NO ₅ Mr 181.19 *Za molekularnu biologiju	RH.MB190D RH.MB190F	25g 100g	6850-28-8
TRITON X-100 ***	2.TD017F 2.TD017H	100 mL 500 mL	9002-93-1
TRITON X-100 Ph.Eur.	R.142314I	1000 mL	9002-93-1
TRITON X-405 70% otopina Ph.Eur.	R.142315I	1000 mL	9002-93-1
U			
UGALJ AKTIVNI granulirana forma, cilindri 3-5mm (Katalizator i adsorber); C Mr 12,01	2.211239G 2.211239H RP.211239I	250 g 500 g 1000 g	7440-44-0
UGALJ AKTIVNI granule 3 mm (Katalizator i adsorber); C Mr 12,01	2.AF211240F 2.AF211240H RP.211240K	100 g 500 g 5 kg	7440-44-0
UGLIJK DISULFID p.a. CS ₂ Mr 76,14	R.131244I	1000 mL	75-15-0
UGLIJK DISULFID Ph.Eur. CS ₂ Mr 76,14	R.141244I	1000 mL	75-15-0
UGLIJK DISULFID HPLC CS ₂ Mr 76,14	R.361244I	1000 mL	75-15-0
UGLIJK; (GRAFIT) prirodni amorfni C Ar 12,01	RR.7614.2 RR.7614.3	500g 1000g	7440-44-0
n-UN DECAN 99% (Alkane C11), C ₁₁ H ₂₄ Mr 156,11	85.RM3010F	100 mL	1120-21-4

UNDECILENSKA KISELINA Ph.Eur. Undecylenic Acid C ₁₁ H ₂₀ O ₂ Mr 184,27	2.AF0093F 2.AF0093G 161.0093H 161.0093I 161.0093.2	100g 250g 500g 1000g 5 kg	112-38-9
URACIL C ₄ H ₄ N ₂ O ₂ Mr 112,10	85.RM264D	25 g	66-22-8
UREA p.a. (Carbamidum) CH ₄ N ₂ O Mr 60,06	2.UD002D 2.UD002E 2.UD002F 2.UD002G 2.UD002H RDC.113472	25 g 50 g 100 g 250 g 500 g 25 kg	57-13-6
UREA p.a. (Carbamidum); CH ₄ N ₂ O Mr 60,06	R.131754H R.131754I	500 g 1000 g	57-13-6
UREA Ph Eur 7.0 (Carbamidum) CH ₄ N ₂ O Mr 60,1	2.UD0022F 2.UD0022G 2.UD0022H	100g 250g 500g	57-13-6
UREA 99,5% ultra pure (Carbamidum), CH ₄ N ₂ O Mr 60,06	2.2317.3H 2.2317.3I	500 g 1000 g	57-13-6
UREA (MB) (Carbamidum), CH ₄ N ₂ O Mr 60,06 *Za molekularnu biologiju	RH.MB032H RH.MB032I RH.MB032K	500g 1000g 5kg	57-13-6
UROTOPIN p.a. (Heksametilentaamin; Metenaminum); C ₆ H ₁₂ N ₄ Mr 140,19	2.UK0351G RH.GRM1499H	250g 500g	100-97-0
V			
DL-VALIN, kristali (DL-2-Amino-3-metilbutanska kiselina)	85.RM071D 85.RM071E 85.RM071F	25 g 50 g 100 g	516-06-3
VANADIJ (V) OKSID V ₂ O ₅ Mr 181,88	2.94720D RH.GRM7613F RH.GRM7613H	25 g 100g 500g	1314-62-1
VANADIJ (V) OKSID Ph.Eur. V ₂ O ₅ Mr 181,88	RH.GRM6315F	100g	1314-62-1
VANKOMICIN HIDROHLORID Ph.Eur.8.0 C ₆₆ H ₅₇ Cl ₂ N ₂ O ₂₄ HCl	85.RM217 85.RM217A	500 mg 1 g	1404-93-9
VARIAMIN PLAVO B (4-amino-4'-metoksifenilamin hidrohlorid) C ₁₃ H ₁₂ ClN ₃ O Mr 261,71	R.94820D RH.RM3818D	25 g 25g	101-69-9
VIKTORIJA PLAVO B C.I.44045 C ₃₃ H ₃₂ ClN ₃ Mr 506,10	R.251177C	10 g	2580-56-5
DL(+) VINSKA KISELINA Ph.Eur.7.0. (Acidum Tartaricum) C ₄ H ₆ O ₆ Mr 150,09	2.AFRM1429C 2.AFRM1429D 2.AFRM1429E 2.AFRM1429F 2.AFRM1429G 85.RM1429H 161.0088I 11.4289.3	10 g 25 g 50 g 100 g 250 g 500g 1000g 5 kg	133-37-9
VODA DESTILOVANA U laboratorijama	3.VDK011I 3.VDK011K 111.1133776	1000 mL 5000 mL 5000 ml	7732-18-5
VODA REDESTILOVANA za hromatografiju I HPLC (Aqua redestilata)	RR.A511.2J	2,5 L	7732-18-5
VODA PESTANAL/Pestilyse®	RR.T905.1J	2,5 L	7732-18-5
VODA STERILNA H ₂ O Za molekularnu biologiju	85.TLC016	20x100 mL	7732-18-5
VODA STERILNA H ₂ O Za molekularnu biologiju, testirana na endotoksinima	85.TLC018	20x100 mL	7732-18-5
VODA STERILNA H ₂ O Za kulturu tkivnih čestica	85.TLC010	20x100 mL	7732-18-5
VODA STERILNA H ₂ O Za kulturu tkivnih čestica, Testirana na endotoksinima	85.TLC019	20x100 mL	7732-18-5
VODA STERILNA H ₂ O Za kulturu ćelija	RR.9186.1 RR.9186.2	500 mL 1000 mL	7732-18-5
VODA STERILNA	RR.3255.1	1000 mL	7732-18-5

H ₂ O, Hipotonična, sterilna, bez pirogena			
VODA ULTRA PURE Ekstra visoko čista voda (ppt kvalitet) za pripremu uzoraka za analizu tragova	RR.HN68.1 RR.HN68.2	500 ml 1000 ml	7732-18-5
VODIK PEROKSID 33%w/v (~100 vol) p.a. (Hydrogen peroxide solutio concentrata) H ₂ O ₂ Mr 34,02 1L =1,11 kg	R.131077H R.131077I	500 mL 1000 mL	7722-84-1
VODIK PEROKSID 33%w/v (~100 vol) Ph.Eur. 8.0. (Hydrogen peroxide solutio concentrata) H ₂ O ₂ Mr 34,02 1L =1,11 kg	R.141077H R.141077I	500 mL 1000 mL	7722-84-1
VODIK PEROKSID 33-35% Ph.Eur.8.0. (Hydrogen peroxide solutio concentrata) H ₂ O ₂ Mr 34,02 1L =1,11 kg	2.VDK083I 2.OVD0001	1 L 60 L	7722-84-1
VUNA STAKLENA Superfine (Vuna za filtriranje)	R.41408002 R.41408003	30 g 1000 g	65997-17-3
Z			
ZEIN 98,5% protein tip. 4000 , iz zrna M 20-30 000 g/mol	85.RM4853E 85.RM4853F 85.RM4853H	50 g 100 g 500 g	9010-66-6
ZLATO u listićima 22 karatno 80x80mm	RR.7605.1	25 listića	
ZLATO(III) HLORID-3-HIDRAT min.99,5% Au p.a. (Tetrahlorzlatna kiselina-3-Hidrat) HAuCl ₄ x 3H ₂ O Mr 393,80	R.3867.1	1 g	16961-25-4
Ž			
ŽELATINA u listićima (Gelatin sheets)	2.AF1154F 2.AF1154G 2.AF1154H 161.1154I 161.1154.2 161.1154.3	100g 250g 500g 1000g 5 kg 25 kg	9000-70-8
ŽELATINA PUDER (Ph.Eur., NF) pure, pharma grade 120 – 200 zrnca (120 - 200 Bloom)	2.147116E 2.147116F RH.GRM019H RP.147116	50 g 100 g 500 g 5 kg	9000-70-8
ŽELATINA ŽUTI (USP-NF, BP, Ph.Eur.) pure, pharma grade 80 – 100 zrnca (80 -100 Bloom)	2.142060H 2.142060I	500 g 1000 g	9000-70-8
ŽELATINA SREBRENA, extra pure, 140 zrnca (140 Bloom)	2.4275G 2.4275.3 2.4275.1 RR.4275.2	250 g 500 g 1 kg 5 kg	9000-70-8
ŽELATINA KRISTALNA (crystal), extra pure, 160 zrnca (160 Bloom)	2.4308G 2.4308.3 2.4308.1 RR.4308.2	250 g 500 g 1 kg 5 kg	9000-70-8
ŽELATIN ŽUTA – ZLATNA Ph.Eur.7.0. 180 zrnca (180 Bloom)	2.ZK002E 2.ZK002F 2.ZK002G 2.ZK002H RR.4274.2	50 g 100 g 250 g 500 g 5 kg	9000-70-8
ŽELATIN PLATINSKI (Platinum), extra pure, 240 zrnca (240 Bloom)	2.8237.1F 2.8237.1H 2.8237.1I RR.4582.2	100 g 500 g 1000 g 5 kg	9000-70-8
ŽELATIN AGAR (DEV) za mikrobiologiju	RR.HP07.1	500 g	9000-70-8
ŽELATIN ZA MIKROSKOPSKU ANALIZU	11.6474.1	50 ML	
ŽELATINA KAPSULE za elektronsku mikroskopiju (dužina 22 mm, prečnik 7 mm, volumen 0,68 mL)	RR.8641.1	100 komada	9000-70-8
ŽELJEZO PRAH p.a. * Fe Ar 55,85	2.ZD005E 2.ZD005F 2.ZD005G 2.ZD005H 2.ZD005I	50 g 100 g 250 g 500 g 1000 g	7439-89-6
ŽELJEZO GRANULE Fe Ar 55,85	2.211935E 2.211935F 2.211935G 2.211935H 2.211935I	50 g 100 g 250 g 500 g 1000 g	7439-89-6

ŽELJEZO VUNA 97% Fe Ar 55,85	RR.9588.1 RR.9588.2	100 g 250 g	7439-89-6
ŽELJEZO(III) CITRAT-1-HIDRAT p.a. * $C_6H_5FeO_7 \times H_2O$ Mr 262,97	2.RM169F RH.GRM169H	100 g 500g	207399-12-0
ŽELJEZO GLUKONAT Ph.Eur. Ferrous Gluconate $C_{12}H_{22}FeO_{14} \cdot 2H_2O$ Mr 482,18 Izvor željeza kao esencijalnog elementa u tragovima za ljudsku upotrebu, imunostimulans	2.AF1050F 2.AF1050G 2.AF1050H 161.001050I 161.1050H 161.1050I 161.1050.2 161.1050.3	100g 250g 500g 1 kg 500G 1 KG 5 kg 25 kg	12389-15-0
ŽELJEZO(III) HLORID p.a. * $FeCl_3$ Mr 162,21	2.ZD001C 2.ZD001E 2.ZD001F 2.ZD001G 2.ZD001H 2.ZD001I	10 g 50 g 100 g 250 g 500 g 1000 g	7705-08-0
ŽELJEZO(III) HLORID Ph.Eur. $FeCl_3$ Mr 162,21	R.15A813G RH.GRM1178H	250 g 500g	7705-08-0
ŽELJEZO (III) HLORID (MB) $FeCl_3$ Mr 162,21 *Za molekularnu biologiju	RH.MB254A	1g	7705-08-0
ŽELJEZO(II) HLORID-4-HIDRAT p.a. $FeCl_2 \times 4H_2O$ Mr 198,81	2.ZD002D 2.ZD002E 2.ZD002F 2.ZD002G 2.ZD002I	25 g 50 g 100 g 250 g 1000 g	13478-10-9
ŽELJEZO(II) HLORID-4-HIDRAT Ph.Eur. $FeCl_2 \times 4H_2O$ Mr 198,81	R.141868G R.141868I	250 g 1000 g	13478-10-9
ŽELJEZO(III) HLORID-6-HIDRAT p.a. * $FeCl_3 \times 6H_2O$ Mr 270,30	2.ZD006E 2.ZD006F RR.P742.1 2.ZD006H 2.ZD006I	50 g 100 g 250 g 500 g 1000 g	10025-77-1
ŽELJEZO(III) HLORID-6-HIDRAT p.a. $FeCl_3 \times 6H_2O$ Mr 270,30	R.131358G	250 g	10025-77-1
ŽELJEZO (III) HLORID-6-HIDRAT Ph.Eur. (Iron(III) Chloride 6-hydrate) $FeCl_3 \times 6H_2O$ Mr 270,30	2.ZD0061F 2.ZD0061G 2.ZD0061H 2.ZD0061I RR.7119.1 RP.141358K	100 g 250 g 500 g 1000 g 1000 g 5 kg	10025-77-1
ŽELJEZO (III) HLORID 30% v/v $FeCl_3 \times 6H_2O$	2.ZD211I	1000 mL	7705-08-0
ŽELJEZO(III) NITRAT-9-HIDRAT p.a. * $Fe(NO_3)_3 \times 9H_2O$ Mr 404,00	2.ZD007E 2.ZD007F 2.ZD007G RH.GRM1376H 11.1P58.2	50 g 100 g 250 g 500 g 1000 g	7782-61-8
ŽELJEZO(III) NITRAT-9-HIDRAT p.a. $Fe(NO_3)_3 \times 9H_2O$ Mr 404,00	R.141297H R.141297I	500 g 1000 g	7782-61-8
ŽELJEZO (II) OKSALAT-2-HIDRAT p.a. $C_2FeO_4 \times 2H_2O$ Mr 179,90	RH.GRM9562H	500g	6047-25-2
ŽELJEZO (II) OKSALAT-2-HIDRAT Ph.Eur. $C_2FeO_4 \times 2H_2O$ Mr 179,90	R.141357H	500 g	6047-25-2
ŽELJEZO(III) OKSID CRVENI p.a. * Fe_2O_3 Mr 159,68	2.RM1278E 2.RM1278F 2.RM1278G RH.GRM1278H	50 g 100 g 250 g 500g	1309-37-1
ŽELJEZO(III) PIROFOSFAT $Fe_4(P_2O_7)_3$ Mr 745,22	85.RM3528H 11.1AEX.2 11.1AEX.3	500 g 1000 g 2500g	10058-44-3
ŽELJEZO (III) SULFAT anhidrovan Extra pure $Fe_2S_3O_{12}$ Mr 399,9	2.RM536F 2.RM536G 2.RM536H	100 g 250 g 500 g	15244-10-7
ŽELJEZO(III) SULFAT X-HIDRAT 75% p.a. $Fe_2O_{12}S_3 \times XH_2O$ Mr 399,88 + Xaq	2.ZD019G RH.GRM140H	250 g 500g	10028-22-5

ŽELJEZO(III) SULFAT X-HIDRAT 75% p.a. Fe ₂ O ₁₂ S ₃ x XH ₂ O Mr 399,88 + Xaq	R.121360H R.121360I	500 g 1000 g	10028-22-5
ŽELJEZO(III) SULFAT X-HIDRAT 75% Ph.Eur. Fe ₂ O ₁₂ S ₃ x XH ₂ O Mr 399,88 + Xaq	RH.GRM536H	500g	10028-22-5
ŽELJEZO(II) SULFAT-2-HIDRAT p.a. FeSO ₄ x 2H ₂ O Mr 151,91(anh.)	2.121793E 2.121793F 2.121793G 2.121793I	50 g 100 g 250 g 1000 g	10028-21-4
ŽELJEZO(II) SULFAT-2-HIDRAT p.a. FeSO ₄ x 2H ₂ O Mr 151,91(anh.)	R.121793H R.121793I	500 g 1000 g	10028-21-4
ŽELJEZO(II) SULFAT-7-HIDRAT p.a. * (Zelena galica, Ferrosi sulfas) FeSO ₄ x 7H ₂ O Mr 278,02	2.ZD003E 2.ZD003F RH.GRM1377H	50 g 100 g 500 g	7782-63-0
ŽELJEZO(II) SULFAT-7-HIDRAT p.a. (Zelena galica, Ferrosi sulfas) FeSO ₄ x 7H ₂ O Mr 278,02	R.131362H R.131362I	500 g 1000 g	7782-63-0
ŽELJEZO (II) SULFAT 7-HIDRAT Ph Eur Ph 8.0 Ferrous Sulfate Heptahydrate FeSO ₄ · 7H ₂ O Mr 278,01	2.AF1052F 2.AF1052G RH.GRM372H 161.1052I 161.1052.2 161.1052.3 11.3722.4	100g 250g 500g 1000g 5 kg 25 kg 10 kg	7782-63-0
ŽELJEZO (II) SULFAT 7-HIDRAT aditiv (Iron (II) Sulfate 7-Hydrate) FeO ₄ S X 7H ₂ O M.= 278,02	2.201362H 2.201362 RP.201362K RP.201362	500g 1000g 5 kg 25kg	7782-63-0
ŽELJEZO(II) SULFAT-7-HIDRAT tehnički (Zelena galica, Ferrosi sulfas) FeSO ₄ x 7H ₂ O Mr 278,02	2.ZD004I	1000 g	7782-63-0
ŽELJEZO(II) SULFAT-7-HIDRAT(IP) (Iron (II) Sulfate 7-Hydrate) FeSO ₄ x 7H ₂ O Mr 278,02 *Za farmaciju	RH.IP041H	500g	7782-63-0
ŽELJEZO(II) SULFID u komadima FeS Mr 87,91	2. 141363F 2. 141363G 2. 141363H	100 g 250 g 500 g	1317-37-9
ŽELJEZO(II) SULFID u komadima FeS Mr 87,91	R.141363G R.141363I	250 g 1000 g	1317-37-9
ŽELJEZO(II) SULFID prah FeS Mr 87,91	R.146226G R.146226I	250 g 1000 g	1317-37-9
ŽIVA(II) ACETAT p.a. C ₄ H ₆ HgO ₄ Mr 318,68	2.83352E RH.GRM3053F	50 g 100 g	1600-27-7
ŽIVA(II) ACETAT p.a. C ₄ H ₆ HgO ₄ Mr 318,68	R.131417F R.131417G R.131417I	100 g 250 g 1000 g	1600-27-7
ŽIVA(II) ACETAT Ph.Eur. C ₄ H ₆ HgO ₄ Mr 318,68	R.141417F R.141417G RH.GRM3054F	100 g 250 g 100g	1600-27-7
ŽIVA (II) AMIDO HLORID prah (BP73) (Hydrargyrum amidochloratum) (HgNH ₂)Cl Mr 252,07	2.AF1510E 2.AF1510F 2.AF1510H 161.1510I 161.1510K	50 g 100 g 500 g 1000 g 5 kg	10124-48-8
ŽIVA(II) BROMID p.a. HgBr ₂ Mr 360,41	2.141418E RH.GRM3052F	50 g 100 g	7789-47-1
ŽIVA(II) BROMID p.a. HgBr ₂ Mr 360,41	R.131418F R.131418G	100 g 250 g	7789-47-1
ŽIVA(II) BROMID Ph.Eur. HgBr ₂ Mr 360,41	R.141418F R.141418G	100 g 250 g	7789-47-1
ŽIVA(I) HLORID p.a. Hg ₂ Cl ₂ Mr 472,09	2.141420E 2.141420F	50 g 100 g	10112-91-1
ŽIVA(I) HLORID p.a. Hg ₂ Cl ₂ Mr 472,09	R.141420F R.141420G	100 g 250 g	10112-91-1
ŽIVA (II) HLORID 99,5% ACS (Hydrargyri dichloridum), HgCl ₂ Mr 271,50	2.ZD008E 2.ZD008F 2.ZD008G 2.ZD008H 161.1511I	50 g 100 g 250 g 500 g 1000 g	7487-94-7
ŽIVA(II) HLORID p.a.	RH.GRM1383F	100g	7487-94-7

(Hydrargyri dichloridum), HgCl ₂ Mr 271,50	RH.GRM1383H	500g	
ŽIVA(II) HLORID Ph.Eur. (Hydrargyri dichloridum), HgCl ₂ Mr 271,50	RH.GRM1067F RH.GRM1067G RH.GRM1067H	100g 250g 500g	7487-94-7
ŽIVA(II) HLORID (MB) (Hydrargyri dichloridum) HgCl ₂ Mr 271,50 *Za molekularnu biologiju	RH.MB223G	250g	7487-94-7
ŽIVA (II) JODID-crvena 99% ACS (Hydrargyri iodid-red) HgI ₂ Mr 454,40	2.ZD012D 2.ZD012E 2.ZD012F 2.ZD012G 2.ZD012H 161.1509I 161.1509.2	25 g 50 g 100 g 250 g 500 g 1000 g 5 kg	7774-29-0
ŽIVA(II) JODID-crvena p.a. HgI ₂ Mr 454,40	R.121428F R.121428G RH.GRM1384H	100 g 250 g 500g	7774-29-0
ŽIVA (I) NITRAT-2-HIDRAT p.a. 3)2 x 2H ₂ O Mr 561,22	2.6605.1 2.6605.2 2.6605.3	50 g 100 g 500 g	7782-86-7
ŽIVA(II) NITRAT-1-HIDRAT p.a Hg(NO ₃) ₂ x H ₂ O Mr 342,62	RH.GRM7228D RH.GRM7228F RH.GRM7228H RR.6595.3	25g 100g 500g 1 kg	7783-34-8
ŽIVA(II) NITRAT 0,005mol/l (0,01N) Hg(NO ₃) ₂ x H ₂ O Mr 342,62	R.34289F R.34289H	100 mL 500 mL	7783-34-8
ŽIVA(II) NITRAT 0,05mol/l (0,1N) Hg(NO ₃) ₂ x H ₂ O Mr 342,62	R.34292I	1000 mL	7783-34-8
ŽIVA (II) OKSID ŽUTI 99% ACS (Hydrargyri oxide-yellow) HgO Mr 216,59	2.ZD009E 2.ZD009F 2.ZD009G 2.ZD009H 161.15253I RH.GRM1385F	50 g 100 g 250 g 500 g 1000 g 100g	21908-53-2
ŽIVA(II) OKSID ŽUTI Ph.Eur. HgO Mr 216,59	RH.GRM1179F RH.GRM1179H	100g 500g	21908-53-2
ŽIVA(II) OKSID CRVENI p.a. * HgO Mr 216,59	2.ZD0091C 2. ZD0091E 2. ZD0091F 2. ZD0091G 2. ZD0091H	10 g 50 g 100 g 250 g 500 g	21908-53-2
ŽIVA(II) OKSID CRVENI Ph.Eur. HgO Mr 216,59	RH.GRM1070F RH.GRM1070H	100g 500g	21908-53-2
ŽIVA(II) SULFAT p.a. * HgSO ₄ Mr 296,65	RH.GRM1088G	250g	7783-35-9
ŽIVA(II) TIOCIJANAT p.a. (Živa Rodanid) Hg(SCN) ₂ Mr 316,76	2.ZD011E 2.ZD011F 2.ZD011G	50 g 100 g 250 g	592-85-8
W			
WHITE SPIRIT Ph.Eur. 180-220°C (☞ 0,775-0,785) sa 18% mirisa	2.WD001I 2.WD001L	1000 mL 10 L	64742-82-1

